



PRODUCT CATALOGUE
(VOL.6)
w.e.f 04th May 2025

The Propeller Shaft People



RAGHUNATH UDYOG

(ISO 9001:2008 Certified)



ABOUT US

Started in 1962 , and based in New Delhi, Raghunath Udyog and it's brand RDS Compo is an ISO 9001: 2008 certified company which develops, manufactures and market, cutting edge automotive components. The company now in it's 63rd year is a pioneer in the manufacturing of Propeller Shafts and it's components. Our strength through the years has been uncompromising levels of high quality standards that we are able to maintain because of our thorough research and development processes and our complete in-house production facility where we pay the closest of detail to each and every process.


RDS Compo prides itself on having the largest range of U J Crosses, Propeller Shaft Components, Steering & Suspension range & Centre Bearing Assemblies in India.

Backed by world class technology and driven by a dedicated team of dynamic professionals, we believe in procuring only the best tested alloy variants to manufacture international standard products. Our emphasis on research and development is immense. We are constantly pushing the envelope towards manufacturing and technical excellence.

At RDS Compo, we make systems our priority, and we believe in doing things right. From start to finish we work on the theories of precision, efficiency and accuracy. Keeping in line with this theory we have made significant investments in building our infrastructure and have acquired state of the art machinery and developed newer in-house methods of production.

With this continuous growth, we have expanded our export network beyond Indian shores. We are currently supplying to many countries in Africa and have regular business from Sri Lanka , Bangladesh and Nepal. But its the national customer that is our priority. Our godowns and indeed our warehouses are always stocked to the brim thereby ensuring that delivery does not suffer. We are blessed with a convenient location in the heart of the national capital region of Delhi, easily accessible for all our clients. In addition we have a large distribution network which helps facilitate the quick distribution of goods and products to all our customers.


At RDS Compo, we believe that the amalgamation of quality and quantity can go hand in hand if the simple things are done properly. We are committed to providing the precision product we are renowned for, to help drive a new generation forward.





| Part No. | Description |
|----------|--|
| RDS 1421 |  <p>Total Length 23.6" / 600 mm, Flange Dia 6" / 150 mm, Universal Joint 52 mm x 147 mm</p> |
| RDS 1422 |  <p>Total Length 24.4" / 620 mm, Flange Dia 6" / 150 mm, Universal Joint 47.65 mm x 135 mm</p> |
| RDS 1423 |  <p>Total Length 26.6" / 675 mm, Flange Dia 6" / 150 mm, Universal Joint 52 mm x 147 mm</p> |

| Part No. | Description |
|----------|---|
| RDS 1424 |  <p data-bbox="582 840 1484 936">Total Length 24" / 610 mm, Flange Dia 6" / 150 mm, Universal Joint 48 mm x 135 mm</p> |
| RDS 1425 |  <p data-bbox="550 1433 1540 1534">Total Length 26.6" / 675 mm, Flange Dia 6" / 150 mm, Universal Joint 47.65 mm x 135 mm</p> |
| RDS 1426 |  <p data-bbox="582 1993 1484 2083">Total Length 24.6" / 625 mm, Flange Dia 6" / 150 mm, Universal Joint 48 mm x 135 mm</p> |

| Part No. | Description |
|-----------------|---|
| <p>RDS 1427</p> | <p><i>with Greaseless U J Cross</i></p>  <p>Total Length 23.6" / 600 mm, Flange Dia 6" / 150 mm, U J Cross 52 mm x 147 mm (GREASELESS, with 5 mm thick rollers)</p> |
| <p>RDS 1428</p> | <p><i>with Greaseless U J Cross</i></p>  <p>Total Length 26.6" / 675 mm, Flange Dia 6" / 150 mm, U J Cross 47.65 mm x 135 mm (GREASELESS, with 5 mm thick rollers)</p> |
| <p>RDS 1429</p> | <p><i>with Greaseless U J Cross</i></p>  <p>Total Length 24" / 610 mm, Flange Dia 6" / 150 mm, U J Cross 48 mm x 135 mm (GREASELESS, with 5 mm thick rollers)</p> |

| Part No. | Description |
|----------|--|
| RDS 1430 |  A photograph of a black metal shaft with universal joints at both ends. Dimension lines indicate a total length of 26.6" / 675 mm and a flange diameter of 6" / 150 mm. <p data-bbox="566 840 1444 931">Total Length 26.6" / 675 mm, Flange Dia 6" / 150 mm, Universal Joint 48 mm x 135 mm</p> |

*many more
to come*

V-RODS (Heavy Duty)



RDS 1471

V Rod 100 / 100 / 108

(fitted with Heavy Duty Steel Forged Bushes)
(suitable for Tata Trucks BS 3 / BS 4 Models)



RDS 1472

V Rod 85 / 85 / 100 (AL)

(fitted with Heavy Duty Steel Forged Bushes)
(suitable for Leyland Trucks BS 3 / BS 4 Models)



RDS 1473

V Rod 85 / 85 / 108

(fitted with Heavy Duty Steel Forged Bushes)
(suitable for Bharat Benz)



RDS 1474

V Rod 95 / 95 / 95 (VECV)

(fitted with Heavy Duty Steel Forged Bushes)
(suitable for Eicher Trucks)



RDS 1217

Tie Rod End (**Right Thread**)
 Bharat Benz 914 (LCV) (Inner Thread)
 (Housing Thread Size M33 x 1.5)
 (Ball Pin Thread M18 x 1.5) (Spanner Size 27 mm)




RDS 1218

Tie Rod End (**Left Thread**)
 Bharat Benz 914 (LCV) (Inner Thread)
 (Housing Thread Size M33 x 1.5)
 (Ball Pin Thread M18 x 1.5) (Spanner Size 27 mm)



RDS 1219

Gear Lever End (**Outer Thread**)
 Bharat Benz (Housing Thread Size M14 x 1.5)
 (Ball Pin Thread M10 x 1.25) (Spanner Size 17 mm)
 (O.E. Ref. No. A4002680289)



RDS 1220

Gear Lever End (**Inner Thread**)
 Bharat Benz
 (Housing Thread Size M12 x 1.5)
 (Ball Pin Thread M10 x 1.5) (Spanner Size 17 mm)



RDS 1242

Tie Rod End (**Right Thread**)
 Bharat Benz 3123 (Spherical Bearing Type)
 (Housing Thread Size M38 x 1.5)



RDS 1243

Tie Rod End (**Left Thread**)
 Bharat Benz 3123 (Spherical Bearing Type)
 (Housing Thread Size M38 x 1.5)



RDS 1238

Tie Rod End Set (RH+RH)
Tata YODHA (Outer Thread)
(Housing Thread M20 x 1.5) (Ball Pin Thread M12 x 1.5)
(Spanner Size 19 mm)

RDS 1239

Tie Rod End set (LH + RH)
Tata XENON (Dicor Diesel Eng.)
(Housing Thread Size M16 x 1.5)
(Ball Pin Thread M12 x 1.5) (Spanner Size 19 mm)

RDS 1240

Tie Rod End set (LH + RH)
Swaraj Mazda N/M (Housing Thread Size M18 x 1.5)
(Ball Pin Thread M16 x 1.25) (Spanner Size 24 mm)

RDS 1241

Tie Rod End set (LH + RH)
Leyland BOSS 1115 / 1415 / Lynx
(Housing Thread Size M28 x 1.5)
(Ball Pin Thread M20 x 1.5) (Spanner Size 30 mm)
(O.E. Ref. No. P2Z00011 - RH / P2Z00012 - LH)



RDS 1183

Threaded Ball Joint / Tie Rod End
Leyland BS 6 Models (**Right Thread**)
(Housing Thread Size M30 x 1.5)
(Ball Pin Thread M24 x 1.5) (Spanner Size 36 mm)
(O.E. Ref. No. PD601019)



RDS 1184

Threaded Ball Joint / Tie Rod End
Leyland BS 6 Models (**Left Thread**)
(Housing Thread Size M30 x 1.5)
(Ball Pin Thread M24 x 1.5) (Spanner Size 36 mm)
(O.E. Ref. No. PD601020)



RDS 1007

Gear Lever End **(EXTRA LONG)**
 Tata PRIMA (Outer Thread)
 (Thread Size M18 x 1.5)
 (Ball Pin Thread M12 x 1.5) (Spanner Size 19 mm)



RDS 1182

Tie Rod End / Drag Link End (**Left Thread**)
 Tata Signa 4923, 4018, LPT 3118, LPK 2518 TC,
 Tata 1518 Ultra (Thread Size M40 x 1.5)
 (Ball Pin Thread M24 x 1.5) (Spanner Size 36 mm)



RDS 290

Lift Axle Bush PU
(AL) (BS 6 Model)
 (with Pin & 2 Washers)



RDS 293

Rubber Bogie Bush
 (for BS 6 models) (Heavy Duty)



RDS 291

Lift Axle Bush (PU)
 (with 1 Pin & 2 Washers)
(pin ID 25 mm)



RDS 292

Lift Axle Bush (PU)
 (with 1 Pin & 2 Washers)
(pin ID 27 mm)



RDS 6288

Double Flange Assembly
 (Plate Size 3.4"/86 mm, Round Base)
 (4 Holes) (Hole Dia 8.2 mm)
 (Total Height 64.50 mm)

U J Cross Size 23.83 mm x 61 mm



RDS 6290

Double Flange Assembly
 (Plate Size 3.82"/97 mm, Round Base)
 (4 Holes) (Hole Dia 10 mm)
 (Total Height 83.50 mm)

U J Cross Size 27 mm x 82 mm



RDS 6291

Double Flange Assembly
 (Plate Size 5.75"/146 mm, Round Base)
 (4 Holes) (Hole Dia 13 mm)
 (Bolt Size 21 No.) (Total Height 129.50 mm)

U J Cross Size 39.7 mm x 116 mm



RDS 6294

Double Flange Assembly
 (Plate Size 4.7"/120 mm, Round Base)
 (6 Holes) (Hole Dia 10.2 mm)
 (Bolt Size 17 No.) (Total Height 109 mm)

U J Cross Size 38.05 mm x 57 mm



RDS 6293

Double Flange Assembly
 (Plate Size 7"/175 mm, Round Base)
 (8 Holes) (Hole Dia 9.8 mm)
 (Bolt Size 15 No.) (Total Height 166.50 mm)

U J Cross Size 41.28 mm x 126 mm



RDS 6289

Double Flange Assembly
 (Plate Size 4"/100 mm, Round Base)
 (6 Holes) (Hole Dia 8.2 mm)
 (Bolt Size 13 No.) (Total Height 96 mm)

U J Cross Size 30 mm x 82 mm



RDS 162
Gear Cross Assy. Tata 1512/1613 TC



RDS 163
Gear Cross Assy. Tata 2516 TC



RDS 164
Gear Cross Assy. Tata 2515 Ex



RDS 165
Gear Cross Assy. Tata 4018



RDS 166
Gear Cross Assy. Leyland



RDS 167
Gear Cross Assy. Tata 1616

TATA SIGNA 3118, 3718, 4323, 4923

| Part No. | Description | Housing Thread | Ball Pin Thread | Spanner Size  |
|----------|--|----------------|-----------------|--|
| RDS 1222 | Tie Rod End (Right Thread) (Sealing Type) Tata 3718 Signa, LPT 3118 (BS III) (with Thick Taper Ball Pin - 29.4 mm) | M30 x 1.5 | M24 x 1.5 | 36 mm |
| RDS 1223 | Tie Rod End (Left Thread) (Sealing Type) Tata 3718 Signa, LPT 3118 (BS III) (with Thick Taper Ball Pin - 29.4 mm) | M30 x 1.5 | M24 x 1.5 | 36 mm |
| RDS 1224 | Tie Rod End (Right Thread) (Sealing Type) Tata 3718 Signa, LPT 3118 (BS III) Second Rod (with Thin Taper Ball Pin - 27.3 mm) | M30 x 1.5 | M24 x 1.5 | 36 mm |
| RDS 1225 | Tie Rod End (Left Thread) (Sealing Type) Tata 3718 Signa, LPT 3118 (BS III) Second Rod (with Thin Taper Ball Pin - 27.3 mm) | M30 x 1.5 | M24 x 1.5 | 36 mm |
| RDS 1228 | Tie Rod End (Right Thread) (PLUG TYPE) Tata 3718 Signa, LPT 3118 (BS III) (with Thick Taper Ball Pin - 29.4 mm) | M30 x 1.5 | M24 x 1.5 | 36 mm |
| RDS 1229 | Tie Rod End (Left Thread) (PLUG TYPE) Tata 3718 Signa, LPT 3118 (BS III) (with Thick Taper Ball Pin - 29.4 mm) | M30 x 1.5 | M24 x 1.5 | 36 mm |
| RDS 1230 | Tie Rod End (Right Thread) (PLUG TYPE) Tata 3718 Signa, LPT 3118 (BS III) Second Rod (with Thin Taper Ball Pin - 27.3 mm) | M30 x 1.5 | M24 x 1.5 | 36 mm |
| RDS 1231 | Tie Rod End (Left Thread) (PLUG TYPE) Tata 3718 Signa, LPT 3118 (BS III) Second Rod (with Thin Taper Ball Pin - 27.3 mm) | M30 x 1.5 | M24 x 1.5 | 36 mm |
| RDS 1641 | Drag Link Assembly Tata 3718 BS III / BS IV, (14 Wheeler) LPK 2523 TC, Signa 3718/4323, Signa 3118 TC, LPK 3118 Tipper (Pipe Length 27.5") (Pipe OD 50 mm) OE Part No. 501346300101/501346900101 DL01191FRT , (For reference only) (2434) | M30 X 1.5 | M20 X 1.5 | 30 mm |
| RDS 1644 | Drag Link Assembly Tata 4923 Signa (BS III, BS IV), LPK 2518 HD, Tata LPT 2518 COWL (BS IV) (Pipe Length 25.5") (Pipe OD 50 mm) OE Part No. 284646900101/102/103 (For reference only) (2418) | M40 X 1.5 | M24 X 1.5 | 36 mm |
| RDS 1648 | Drag Link Assembly Tata 3718 (BS VI), Signa 2818, TC COWL (BS VI), Signa 3118 TC, Signa 3718, Signa 4323, LPK 3118 Tipper (Pipe Length 27.5") (Pipe OD 50 mm) (Fitted with RDS 1224, Right Thread) OE Part No. 503046900101 (For reference only) (2470) | M30 X 1.5 | M24 X 1.5 | 36 mm |
| RDS 1661 | Drag Link Assembly Tata Signa 1918K (BS VI), Signa 4018 (BS VI) Tata Signa 2823HD (BS VI), Signa 4625 (BS VI) (Pipe Length 25") (Pipe OD 50 mm) (Fitted with RDS 1175 Right Thread) OE Part No. 506946900101 (For reference only) (2453) | M40 X 1.5 | M24 X 1.25 | 36 mm |

TATA LPT 2518, LPT 3118 LONG BODY

| Part No. | Description | Housing Thread | Ball Pin Thread | Spanner Size  |
|----------|---|----------------|-----------------|--|
| RDS 1214 | Tie Rod End set (LH + RH) Tata LPT 2518 (BS III), LPT 3118 (BS III) Cabin / COWL LONG BODY (Fitted with 107 mm Long Ball Pin) | M30x 1.5 | M20 x 1.5 | 30 mm |
| RDS 1215 | Tie Rod End (Right Thread) Tata LPT 2518 (BS III), LPT 3118 (BS III) Cabin / COWL LONG BODY (Fitted with 107 mm Long Ball Pin) | M30x 1.5 | M20 x 1.5 | 30 mm |
| RDS 1216 | Tie Rod End (Left Thread) Tata LPT 2518 (BS III), LPT 3118 (BS III) Cabin / COWL LONG BODY (Fitted with 107 mm Long Ball Pin) | M30x 1.5 | M20 x 1.5 | 30 mm |
| RDS 1660 | Drag Link Assembly Tata LPT 2518 (BS III), Cabin / COWL LPT 3118 (BS III) (Pipe Length 46", OD 60 mm) OE Ref. No. 284946000113 | M30x 1.5 | M20 x 1.5 | 30 mm |

TATA PRIMA / LPT 2518, LPT 3118, LPT 3718

| | | | | |
|----------|--|-----------|-----------|-------|
| RDS 1209 | Tie Rod End (Right Thread) Tata Prima, LPT 2518 (BS III) (BEND TYPE) | M38 x 1.5 | M24 x 1.5 | 36 mm |
| RDS 1210 | Tie Rod End (Left Thread) Tata Prima, LPT 2518 (BS III) (BEND TYPE) | M38 x 1.5 | M24 x 1.5 | 36 mm |
| RDS 1645 | Drag Link Assembly Tata Prima 2528 K, LPK 2518 TC, LPT 3723 TC, 3128 K TC (BS VI), Prima 3530 LX (BS VI) SINGLE BEND (Pipe Length 34") (Pipe OD 50 mm) OE Part No. 288046300102/500946300101 (For reference only) (2403) | M30 X 1.5 | M20 X 1.5 | 30 mm |
| RDS 1646 | Drag Link Assembly Tata Prima 2528 K, LPK 2518 TC, LPT 3723 TC, 3128 K TC (BS VI), Prima 3530 LX (BS VI) DOUBLE BEND (Pipe Length 35") (Pipe OD 50 mm) | M30 X 1.5 | M20 X 1.5 | 30 mm |
| RDS 1955 | Tie Rod Assembly Tata Prima 2528 K, Lx 2528, 2528 K (Pipe Length 64", OD 50 mm) (Fitted with RDS 1222 + 1223) O.E. Part No. 502133800101 , For Ref. Only (2405) | M30 x 1.5 | M24 x 1.5 | 36 mm |
| RDS 1956 | Tie Rod Assembly Tata Prima LPT 2518, LPT 3118, LPT 3718 (Pipe Length 59", OD 45 mm) (Fitted with RDS 1209 + 1210) O.E. Part No. 502133800101 , For Ref. Only (2405) | M38 x 1.5 | M24 x 1.5 | 36 mm |
| RDS 1180 | Hydraulic Cylinder End / Ball Joint Tata Prima 3128 (Inner Thread) | M26 x 1.5 | M20 x 1.5 | 30 mm |

TATA 2515 Ex / 4018

| | Description | Housing Thread | Ball Pin Thread | Spanner Size  |
|----------|---|----------------|-----------------|--|
| RDS 1201 | Tie Rod End set (LH + RH) Tata 2515 Ex (Plug Type) | M30 x 1.5 | M18 x 1.5 | 27 mm |
| RDS 1202 | Drag Link End (Right Thread) Tata 2515 Ex (Plug Type) | M30 x 1.5 | M18 x 1.5 | 27 mm |
| RDS 1203 | Tie Rod End (Left Thread) Tata 2515 Ex (Plug Type) | M30 x 1.5 | M18 x 1.5 | 27 mm |
| RDS 1666 | Drag Link Assembly Tata 1616, 2416, 2516, 2515 Ex (Pipe Length 28") (Pipe OD 50 mm) (Fitted with RDS 1202 Right Thread) (422) | M30X 1.5 | M18 X 1.5 | 27 mm |
| RDS 1206 | Tie Rod End set (LH + RH) (PLUG TYPE) Tata 4018 / Leyland IVECO 909 / Eicher Jumbo | M30 x 1.5 | M20 x 1.5 | 30 mm |
| RDS 1207 | Tie Rod End (Right Thread) (PLUG TYPE) Tata 4018 / Leyland IVECO 909 / Eicher Jumbo | M30 x 1.5 | M20 x 1.5 | 30 mm |
| RDS 1208 | Tie Rod End (Left Thread) (PLUG TYPE) Tata 4018 / Leyland IVECO 909 / Eicher Jumbo | M30 x 1.5 | M20 x 1.5 | 30 mm |
| RDS 1235 | Tie Rod End set (LH + RH) (SEALING TYPE) Tata 4018 / Leyland IVECO 909 / Eicher Jumbo | M30 x 1.5 | M20 x 1.5 | 30 mm |
| RDS 1236 | Tie Rod End (Right Thread) (SEALING TYPE) Tata 4018 / Leyland IVECO 909 / Eicher Jumbo | M30 x 1.5 | M20 x 1.5 | 30 mm |
| RDS 1237 | Tie Rod End (Left Thread) (SEALING TYPE) Tata 4018 / Leyland IVECO 909 / Eicher Jumbo | M30 x 1.5 | M20 x 1.5 | 30 mm |

TATA ULTRA 1412 BS IV

| | | | | |
|----------|--|-----------|-----------|-------|
| RDS 1076 | Tie Rod End set (LH + RH) Tata Ultra 1412 BS IV | M30 x 1.5 | M18 x 1.5 | 27 mm |
| RDS 1077 | Drag Link End Tata Ultra Bus | M30 x 1.5 | M14 x 1.5 | 22 mm |
| RDS 1664 | Drag Link Assembly Tata ULTRA 1412 (BS IV) (Pipe Length 33") (Pipe OD 50 mm) OE Part No. 552946900104 (For reference only) (2446) | M30 X 1.5 | M18 X 1.5 | 27 mm |

TATA 1210/1312/1613

| Part No. | Description | Housing Thread | Ball Pin Thread | Spanner Size  |
|--------------------------------------|--|----------------|-----------------|--|
| RDS 1951 | Tie Rod Assembly Tata 1210, 1510, 1516, 1612, 2213, (Pipe Length 62") (Pipe OD 38 mm) (Fitted with RDS 1000) | M24 x 1.5 | M18 x 1.5 | 27 mm |
| RDS 1000 | Tie Rod End set Tata 1210 / 1312 / 1613 (LH + RH) | M24 x 1.5 | M18 x 1.5 | 27 mm |
| RDS 1000 R | Tie Rod End Tata 1210 / 1312 / 1613 (Right Thread) | M24 x 1.5 | M18 x 1.5 | 27 mm |
| RDS 1000 L | Tie Rod End Tata 1210 / 1312 / 1613 (Left Thread) | M24 x 1.5 | M18 x 1.5 | 27 mm |
| RDS 1001 | Tie Rod Repair Kit Tata 1210 / 1312 / 1613 (2 Ball Pins Head 30 mm) (Material Used EN 18) | - | M18 X 1.5 | 27 mm |
| RDS 1002 | Drag Link Repair Kit Tata 1210 (1 Ball Pin 30 mm Head & 1 Ball Pin 35 mm Head) | - | M18 X 1.25 | 27 mm |
| RDS 1003 | Drag Link Repair Kit Tata 1616 / 2416 Turbo (2 Ball Pins with 35 mm Head) | - | M18 X 1.25 | 27 mm |
| RDS 1004 | Gear Lever End Tata 1510 / 1612 (2 pcs. Right Thread) (Greaseless) | M18 x 1.5 | M12 x 1.5 | 19 mm |
| RDS 1005 | Gear Lever End Tata 1510 / 1612 (2 pcs. Left Thread) (Greaseless) | M18 x 1.5 | M12 x 1.5 | 19 mm |
| RDS 1006 GL | Gear Lever End Tata 1510 (Long Thread) (2 pcs. Right thread) (Greaseless) | M18 x 1.5 | M12 x 1.5 | 19 mm |
| TATA ULTRA 1518 BS III, BS IV | | | | |
| RDS 1175 | Drag Link End Tata Ultra 1518 BS III, BS IV Tata Signa 4923 TC, 4923 LPT, LPK 2518 TC | M40 x 1.5 | M24 x 1.5 | 36 mm |
| RDS 1667 | Drag Link Assembly Tata ULTRA 1518 (BS III, BS IV) (Pipe Length 31.5") (Pipe OD 50 mm) (Fitted with RDS 1175) OE Part No. 553046600109 (For reference only) (2419) | M40X 1.5 | M24 X 1.5 | 36 mm |

TATA 407 / 407 TURBO / 407 PICK UP

| Part No. | Description | Housing Thread | Ball Pin Thread | Spanner Size  |
|-----------------|---|----------------|-----------------|--|
| RDS 1952 | Tie Rod Assembly Tata 407 (LP / SFC Model) (Pipe Length 50") (Pipe OD 32 mm) (Fitted with RDS 1011) (O.E. Part No. 265133800106, For Ref. Only) (426) | M18 x 1.5 | M12 x 1.5 | 19 mm |
| RDS 1014 | Drag Link Assembly Tata 407 (SFC Model) STRAIGHT (Both Side Adjustable) (Pipe Length 15.5", OD 28 mm) (Fitted with RDS 1011) | M18 x 1.5 | M12 x 1.5 | 19 mm |
| RDS 1017 | Drag Link Assembly Tata 407 Turbo LP (Bend Type) (Pipe Length 33", OD 35 mm) (Fitted with RDS 1012 Right Thread) | M20 x 1.5 | M12 x 1.5 | 19 mm |
| RDS 1011 | Tie Rod End set Tata 407 (LH + RH) | M18 x 1.5 | M12 x 1.5 | 19 mm |
| RDS 1012 | Tie Rod End set Tata 407 Turbo (LH + RH) | M20 x 1.5 | M12 x 1.5 | 19 mm |
| RDS 1013 | Tie Rod Repair Kit Tata 407 | - | M12 x 1.5 | 19 mm |
| RDS 1016 | Tie Rod End Tata 410 / 407 Pick Up | M24 x 1.5 | M12 x 1.5 | 19 mm |
| TATA 608 | | | | |
| RDS 1021 | Tie Rod End set Tata 608 (LH + RH) | M20x 1.5 | M14 x 1.5 | 22mm |
| RDS 1022 | Tie Rod End set (Right Thread) Tata 608 (2 Pcs Right Thread) | M20 x 1.5 | M14 x 1.5 | 22 mm |
| RDS 1023 | Tie Rod Repair Kit Tata 608 | - | M14 x 1.5 | 22 mm |
| RDS 1955 | Tie Rod Assembly Tata 608 (LP / SFC Model) (Pipe Length 51.5") (Pipe OD 32 mm) (Fitted with RDS 1021) | M20 x 1.5 | M14 x 1.5 | 22 mm |
| RDS 1024 | Drag Link Assembly Tata 608 SFC (STRAIGHT) (Both Side Adjustable) (Pipe Length 13.5") (Pipe OD 32 mm) (Fitted with RDS 1021) | M20 x 1.5 | M14 x 1.5 | 22 mm |

TATA 609, 709 / 709 TURBO

| Part No. | Description | Housing Thread | Ball Pin Thread | Spanner Size  |
|----------|--|----------------|-----------------|--|
| RDS 1953 | Tie Rod Assembly Tata 609 (LP / SFC Model) (Pipe Length 51.5" , OD 35mm) (Fitted with RDS 1031) | M20 X 1.5 | M16 x 1.5 | 24 mm |
| RDS 1650 | Drag Link Assembly Tata 609 / 709 Truck (SFC Model) (Pipe Length 14.5" , OD 32 mm) (Both sides Adjustable) | M20 X 1.5 | M14 x 1.5 | 22 mm |
| RDS 1651 | Drag Link Assembly Tata 609 / 709 LPT (Pipe Length 33.5" , OD 32 mm) (Both sides Adjustable) | - | - | - |
| RDS 1031 | Tie Rod End set Tata 609 / 709 (LH + RH) | M20 x 1.5 | M16 x 1.5 | 24 mm |
| RDS 1032 | Tie Rod End set Tata 709 Turbo (LH + RH) | M22 x 1.5 | M16 x 1.5 | 24 mm |
| RDS 1033 | Tie Rod Repair Kit Tata 709 | - | M16 x 1.5 | 24 mm |
| RDS 1034 | Gear Lever End Tata 709 (Inner Thread) (2 Pcs Right Thread) | M12 X 1.25 | M10 x 1.25 | 17 mm |
| RDS 1035 | Gear Lever End Tata 709 (Inner Thread) (2 Pcs Left Thread) | M12 X 1.25 | M10 x 1.25 | 17 mm |
| RDS 1036 | Drag Link Kit Tata 609, 709 SFC (FULL) (1 Pcs. D/L End + Kit) | M20 X 1.5 | M14 x 1.5 | 22 mm |
| RDS 1038 | Gear Lever End Tata 709 (Inner Thread) (1 Pc. Left Thread + 1 Pc Right Thread) | M12 X 1.25 | M10 x 1.25 | 17 mm |
| RDS 1040 | Drag Link Kit Tata 709 (Rane Type) (1 Pc Ball Pin & Accessories) | - | M14 x 1.5 | 22 mm |

TATA 909 / 1109 EX / 712

| Part No. | Description | Housing Thread | Ball Pin Thread | Spanner Size  |
|----------|--|----------------|-----------------|--|
| RDS 1221 | Tie Rod End set Tata 909 / 1109 EX / 712 N/M (LH + RH) | M24x 1.5 | M16 x 1.5 | 24mm |

TATA ACE / MAGIC

| | | | | |
|----------|---|------------|------------|-------|
| RDS 1081 | Tie Rod End set Tata ACE / Tata Magic / Maruti Van / OMNI (LH + RH) | M14 x 1.5 | M12 x 1.25 | 17 mm |
| RDS 1083 | Drag Link Assembly Tata ACE / Tata Magic (Both Sides Adjustable) (Fitted with RDS 1081) (Pipe Line 25.5", OD 22 mm) | M14 x 1.5 | M12 x 1.25 | 17 mm |
| RDS 1034 | Gear Lever End Tata 709 / Tata ACE (Inner Thread) (2 Pcs Right Thread) | M12 X 1.25 | M10 x 1.25 | 17 mm |
| RDS 1101 | Tie Rod End set Tata Magic (LH + RH) | M14 X 1.5 | M12 x 1.25 | 17 mm |
| | | | | |

ACE MEGA / TATA INTRA / TATA IRIS / ZIP

| | | | | |
|----------|--|------------|------------|-------|
| RDS 1102 | Tie Rod End set Tata IRIS / ZIP (LH + RH) | M12 X 1.25 | M12 x 1.25 | 17 mm |
| RDS 1103 | Tie Rod End set Ace MEGA / Super Ace MINT Dicor Engine (LH + RH) OE Ref. No. 552333990101 / 102 | M18 X 1.5 | M12 x 1.5 | 19 mm |
| RDS 1652 | Drag Link Assembly Ace MEGA (Dicor Engine) (Both Side Adjustable) (Fitted with RDS 1103) (Pipe Length 25.5", OD 28 mm) | M18 X 1.5 | M12 x 1.5 | 19 mm |
| RDS 1104 | Tie Rod End set Tata INTRA V 10 / Ace GOLD / Mahindra SUPRO (LH + RH) OE Ref. No. 554533800106 / 107 | M16 X 1.5 | M12 x 1.25 | 19 mm |
| RDS 1653 | Drag Link Assembly Tata INTRA / Ace GOLD (Both Side Adjustable) (Fitted with RDS 1104) (Pipe Length 21", OD 25 mm) | M16 X 1.5 | M12 x 1.25 | 17 mm |

many more to come

BHARAT BENZ 3123, 2523 C

| Part No. | Description | Housing Thread | Ball Pin Thread | Spanner Size  |
|----------|---|----------------|-----------------|--|
| RDS 1212 | Tie Rod End set (LH + RH) Bharat Benz 1617 R (Long Rod) | M30 X 1.5 | M24 x 1.5 | 36 mm |
| RDS 1213 | Tie Rod End set (LH + RH) Bharat Benz 3123, 2523 C (Short Rod) | M30 X 1.5 | M24 x 1.5 | 36 mm |
| RDS 1663 | Drag Link Assembly Bharat Benz 3123 Tipper (Pipe Length 31.5") (Pipe OD 40 mm) (Fitted with RDS 1224 Right Thread) OE Part No. A4004600605 (For reference only) (2618) | M30 X 1.5 | M24 X 1.5 | 41 mm |
| RDS 1647 | Drag Link Assembly Bhart Benz 1617 (Heavy Duty) (Double Bend) (Fitted with RDS 1213 Right Thread) (Pipe Length 33.8") (Pipe OD 40 mm) OE Part No. A4004601205 (For reference only) (2614) | M30 X 1.5 | M24 X 1.5 | 41 mm |
| - | Tie Rod Assembly Bhart Benz 3123, 2523 (Fitted with RDS 1213) (Pipe Length 61") (Pipe OD 40 mm) | M30 X 1.5 | M24 X 1.5 | 41 mm |
| - | Tie Rod Assembly Bhart Benz 1617 R (Fitted with RDS 1212) (Pipe Length 56.88") (Pipe OD 40 mm) | M30 X 1.5 | M24 X 1.5 | 36 mm |
| - | Gear Shifter End Bharat Benz (Outer Thread) O.E. Part No. A4002680289 For Ref. Only | M14 X 1.5 | M10 X 1.25 | 17 mm |
| - | Gear Shifter End (LH + RH) Bharat Benz (Inner Thread) | M12 X 1.5 | M10 X 1.25 | 17 mm |

MAHINDRA NAVISTAR

| | | | | |
|----------|--|-----------|-----------|-------|
| RDS 1226 | Tie Rod End (Left Thread) Mahindra Navistar MN 25 Tipper, MN 31, MN 40 | M30 X 1.5 | M24 x 1.5 | 36 mm |
| RDS 1227 | Tie Rod End (Right Thread) Mahindra Navistar MN 25 Tipper, MN 31, MN 40 | M30 X 1.5 | M24 x 1.5 | 36 mm |
| RDS 1662 | Drag Link Assembly Mahindra NAVISTAR MN 25 Tipper, MN 31, MN 40 (Pipe Length 31") (Pipe OD 50 mm) (Fitted with RDS 1227 Right Thread) (1072) | M30 X 1.5 | M24 X 1.5 | 36 mm |
| - | Tie Rod Assembly Mahindra NAVISTAR (Pipe Length 62") (Pipe OD 40 mm) (Fitted with RDS 1226 + RDS 1227) (1073) | M30 X 1.5 | M24 X 1.5 | 36 mm |

LEYLAND IVECO 909

| Part No. | Description | Housing Thread | Ball Pin Thread | Spanner Size  |
|-------------------------------|---|----------------|-----------------|--|
| RDS 1655 | Drag Link Assembly Leyland IVECO 909 (Pipe Length 38" , OD 50 mm) (Fitted with RDS 1207 Right Thread) | M30 X 1.5 | M20 x 1.5 | 30 mm |
| RDS 1206 | Tie Rod End set (LH + RH) (PLUG TYPE) Tata 4018 / Leyland IVECO 909 / Eicher Jumbo | M30 x 1.5 | M20 x 1.5 | 30 mm |
| RDS 1207 | Tie Rod End (Right Thread) (PLUG TYPE) Tata 4018 / Leyland IVECO 909 / Eicher Jumbo | M30 x 1.5 | M20 x 1.5 | 30 mm |
| RDS 1208 | Tie Rod End (Left Thread) (PLUG TYPE) Tata 4018 / Leyland IVECO 909 / Eicher Jumbo | M30 x 1.5 | M20 x 1.5 | 30 mm |
| RDS 1235 | Tie Rod End set (LH + RH) (SEALING TYPE) Tata 4018 / Leyland IVECO 909 / Eicher Jumbo | M30 x 1.5 | M20 x 1.5 | 30 mm |
| RDS 1236 | Tie Rod End (Right Thread) (SEALING TYPE) Tata 4018 / Leyland IVECO 909 / Eicher Jumbo | M30 x 1.5 | M20 x 1.5 | 30 mm |
| RDS 1237 | Tie Rod End (Left Thread) (SEALING TYPE) Tata 4018 / Leyland IVECO 909 / Eicher Jumbo | M30 x 1.5 | M20 x 1.5 | 30 mm |
| RDS 1172 | Tie Rod / Drag Link Repair Kit Leyland IVECO 909 (FA - 90 Front Axle) | - | M20 x 1.5 | 30 mm |
| LEYLAND 2516, 3516 N/M | | | | |
| RDS 1171 | Tie Rod Repair Kit L/L 2516, 3516 N/M | - | M18 x 1.5 | 27mm |
| RDS 1205 | Tie Rod End set (LH + RH) L/L 2516, 3516 N/M | M24 x 1.5 | M18 x 1.5 | 27 mm |

*many more
to come*

LEYLAND U TRUCK / LEYLAND 3116

| Part No. | Description | Housing Thread | Ball Pin Thread | Spanner Size  |
|----------|---|----------------|-----------------|--|
| RDS 1954 | Tie Rod Assembly Leyland U Truck (Pipe Length 62") (Pipe OD 50 mm) (Fitted with RDS 1232) (O E Part No. FOM00500, For Ref. Only) (1067) | M30 X 1.5 | M20 x 1.5 | 30 mm |
| RDS 1654 | Drag Link Assembly Leyland U TRUCK 4923 TT, 4023 TT, 3518 TT (Pipe Length 32.5" , OD 60 mm) | M30 X 1.5 | M20 x 1.5 | 30 mm |
| RDS 1232 | Tie Rod End set (LH + RH) Leyland U TRUCK 4923 TT, 4023 TT, 3518 TT O E Part No. 2665239 / 2665139 (For Ref. Only) | M30 X 1.5 | M20 x 1.5 | 30 mm |
| RDS 1233 | Tie Rod End (Right Thread) Leyland U TRUCK 4923 TT, 4023 TT, 3518 TT | M30 x 1.5 | M20 x 1.5 | 30 mm |
| RDS 1234 | Tie Rod End (Left Thread) Leyland U TRUCK 4923 TT, 4023 TT, 3518 TT | M30 x 1.5 | M20 x 1.5 | 30 mm |
| RDS 1235 | Tie Rod End set (LH + RH) (SEALING TYPE) Tata 4018 / Leyland IVECO 909 / Eicher Jumbo | M30 x 1.5 | M20 x 1.5 | 30 mm |
| RDS 1236 | Tie Rod End (Right Thread) (SEALING TYPE) Tata 4018 / Leyland IVECO 909 / Eicher Jumbo | M30 x 1.5 | M20 x 1.5 | 30 mm |
| RDS 1237 | Tie Rod End (Left Thread) (SEALING TYPE) Tata 4018 / Leyland IVECO 909 / Eicher Jumbo | M30 x 1.5 | M20 x 1.5 | 30 mm |
| RDS 1172 | Tie Rod / Drag Link Repair Kit Leyland IVECO 909 (FA - 90 Front Axle) | - | M20 x 1.5 | 30 mm |
| RDS 1173 | Hydraulic Cylinder End Eicher / Leyland 3116 (Inner Thread) | M30 X 1.5 | M20 x 1.5 | 30 mm |

*many more
to come*

EICHER CANTER 10.50, 10.59, 10.60, 10.60 G, 10.70, 10.80, 10.90, 10.95 / SWARAJ MAZDA

| Part No. | Description | Housing Thread | Ball Pin Thread | Spanner Size  |
|----------|---|----------------|-----------------|--|
| RDS 1051 | Tie Rod End set Eicher Canter (LH + RH) (10.50, 10.59, 10.60, 10.60 G, 10.70, 10.80, 10.90, 10.95) | M20x 1.5 | M14 x 1.5 | 22mm |
| RDS 1052 | Tie Rod Repair Kit (10.50, 10.59, 10.60, 10.60 G, 10.70, 10.80, 10.90, 10.95) | - | M14 x 1.5 | 22 mm |
| RDS 1063 | Gear Shifter Ends (Right Thread) (10.50, 10.59, 10.60, 10.60 G, 10.70, 10.80, 10.90, 10.95) | M10 X 1.25 | M8 x 1.25 | 13 mm |
| RDS 1656 | Drag Link Assembly Eicher Canter (Rane Type) (10.50, 10.59, 10.60, 10.60 G, 10.70, 10.80, 10.90, 10.95) (Pipe Length 25.5", OD 32 mm) | M20 x 1.5 | M14 x 1.5 | 22 mm |

EICHER CANTER 11.10 / 10.80 PRO / 60.25 PRO

| | | | | |
|----------|---|-----------|------------|-------|
| RDS 1061 | Tie Rod End set Eicher Canter 11.10 (LH + RH) | M20x 1.5 | M18 x 1.5 | 27mm |
| RDS 1657 | Drag Link Assembly Eicher Canter 11.10 (Pipe Length 28", Pipe OD 36 mm) (Fitted with RDS 1000 R) | M24 x 1.5 | M18 x 1.5 | 27 mm |
| RDS 1001 | Tie Rod Repair Kit Eicher Canter 11.10 / Tata 1210 (2 Ball Pins Head 30 mm) (Material Used EN 18) | - | M18 X 1.5 | 27 mm |
| RDS 1062 | Tie Rod End Eicher 10.80 PRO (LH + RH) | M24 x 1.5 | M14 X 1.5 | 22 mm |
| RDS 1065 | Gear Shifter Ends (Right Thread) Eicher PRO | M10 X 1.5 | M10 x 1.25 | 13 mm |
| RDS 1665 | Drag Link Assembly Eicher PRO 60.25 (Pipe Length 32", OD 50 mm) (Fitted with RDS 1207) O E Ref. No. IA307786 | M30 X 1.5 | M20 x 1.25 | 30 mm |
| RDS 1207 | Drag Link End Eicher PRO 60.25 / Tata 4018 | M30 X 1.5 | M20 x 1.25 | 30 mm |

EICHER JUMBO 20.16, 33.25, 30.25, 30.25 FE, TERRA 16, TERRA 16 XP, TERRA 16 HD, GALAXY 30.25

| Part No. | Description | Housing Thread | Ball Pin Thread | Spanner Size  |
|----------|--|----------------|-----------------|--|
| RDS 1206 | Tie Rod End set (LH + RH) Eicher JUMBO 20.16, 33.25, 30.25, 30.25 FE, TERRA 16, TERRA 16 XP, TERRA 16 HD, GALAXY 30.25 | M30x 1.5 | M20 x 1.5 | 30mm |
| RDS 1207 | Tie Rod End (Right Thread) Eicher JUMBO 20.16, 33.25, 30.25, 30.25 FE, TERRA 16, TERRA 16 XP, TERRA 16 HD, GALAXY 30.25 | M30x 1.5 | M20 x 1.5 | 30mm |
| RDS 1208 | Tie Rod End (Left Thread) Eicher JUMBO 20.16, 33.25, 30.25, 30.25 FE, TERRA 16, TERRA 16 XP, TERRA 16 HD, GALAXY 30.25 | M30x 1.5 | M20 x 1.5 | 30mm |
| RDS 1172 | Tie Rod / Drag Link Kit Eicher JUMBO 20.16, 33.25, 30.25, 30.25 FE, TERRA 16, TERRA 16 XP, TERRA 16 HD, GALAXY 30.25 | - | M20 x 1.5 | 30 mm |
| RDS 1658 | Drag Link Assembly Eicher Jumbo 20.25 FE, 30.25 XP, 33.25 20.15 / 5340 WBLP Cabin Model, 35.31 (Pipe Length 33.5") (Pipe OD 45 mm) (Fitted with RDS 1207 Right Thread) OE Part No. IA 203430 (For reference only) | M30X 1.5 | M20 X 1.5 | 30 mm |
| RDS 1659 | Drag Link Assembly Eicher Jumbo 20.16, 20.15, 33.25, 30.25, 30.25 FE, 30.25 XD, TERRA 16, TERRA 16 XP TERRA 16 HD, Galaxy 30.25 (Cabin/ COWL Model) (Pipe Length 50") (Pipe OD 50 mm) OE Ref. No. 114163020, IA208448 | M30X 1.5 | M20 X 1.5 | 30 mm |
| RDS 1064 | Gear Shifter Ends (Right Thread) Eicher Jumbo 20.16, 20.15, 30.25 FE,, 33.25,. TERRA 16, Galaxy 30.25, Cabin COWL Model | M10 X 1.25 | M10 x 1.25 | 13 mm |
| RDS 1173 | Hydraulic Cylinder End Eicher / Leyland 3116 (Inner Thread) | M30 X 1.5 | M20 x 1.5 | 30 mm |

SWARAJ MAZDA

| | | | | |
|----------|---|-----------|-----------|-------|
| RDS 1066 | Tie Rod End set Swaraj Mazda (LH + RH) | M18 X 1.5 | M16 x 1.5 | 24 mm |
| RDS 1067 | Tie Rod End set Swaraj Mazda N/M (LH + RH) | - | - | - |
| RDS 1068 | Drag Link Assembly Swaraj Mazda N/M | - | - | - |

MAHINDRA BOLERO

| Part No. | Description | Housing Thread | Ball Pin Thread | Spanner Size  |
|----------|--|----------------|-----------------|--|
| RDS 1121 | Ball Joint Mahindra Bolero (Lower) | - | M14 x 1.5 | 22 mm |
| RDS 1122 | Ball Joint Mahindra Bolero (Upper) | - | M16 x 1.5 | 24 mm |
| RDS 1123 | Stabilizer Link Assy. Mahindra Bolero | M10 X 1.25 | M12 X 1.25 | 19 mm |
| RDS 1124 | Tie Rod End set (LH + RH) Mahindra Bolero | M18 X 1.5 | M12 X 1.5 | 19 mm |
| RDS 1125 | Tie Rod End set Mahindra Bolero Sports (Power Steering) Inner Thread (RH + RH) | M14 x 1.5 | M12 x 1.5 | 19 mm |

TATA SUMO/SPACIO/VICTA/207 DI

| | | | | |
|----------|---|-----------|-----------|-------|
| RDS 1041 | Tie Rod End set (LH + RH) Tata Sumo, Mobile, Sierra, Estate | M16 X 1.5 | M12 x 1.5 | 19 mm |
| RDS 1042 | Ball Joint Tata Sumo (Lower) | - | M18 x 1.5 | 27 mm |
| RDS 1043 | Ball Joint Tata Sumo (Upper) | - | M16 x 1.5 | 24 mm |
| RDS 1044 | Centre Link Assembly Tata Sumo, Sierra (Both Side Adjustable) (Pipe Length 20", OD 27 mm) | M16 x 1.5 | M12 x 1.5 | 19 mm |
| RDS 1045 | Tie Rod End set (LH + RH) Sumo VICTA | M16 x 1.5 | M12 x 1.5 | 19 mm |
| RDS 1046 | Tie Rod End set Tata 207 DI Rx THICK THREAD (Bend Type) | M20 x 1.5 | M12 x 1.5 | 19 mm |
| RDS 1047 | Tie Rod End set Tata 207 DI Rx THIN THREAD (Bend Type) | M18 x 1.5 | M12 x 1.5 | 19 mm |
| RDS 1048 | Centre Link Assembly Victa N/M (Pipe Length 22") O.E. Part No. 282346600123 , For Ref. Only | M14 x 1.5 | - | 22 mm |

MAHINDRA MARSHALL / ARMADA

| Part No. | Description | Housing Thread | Ball Pin Thread | Spanner Size  |
|----------|---|-----------------------------|-----------------|--|
| RDS 1091 | Tie Rod End Kit Marshall / Armada (Set of 4 pcs.) | M18 X 1.5 | M12 x 1.5 | 19 mm |
| RDS 1092 | Ball Joint Mahindra Marshall (Lower) | - | M18 x 1.5 | 27 mm |
| RDS 1093 | Ball Joint Mahindra Marshall (Upper) | - | M18 x 1.5 | 27 mm |
| RDS 1094 | Tie Rod End Kit Max Pick Up / Turbo (Set of 4 Pcs.) | M18 x 1.5 & M20 x 1.5 | M12 x 1.5 | 19 mm |
| RDS 1095 | Tie Rod End Jeep O/M (TS 140/TS 64) (Set of 4 Pcs.). | - | - | - |

*many more
to come*



RDS 1641

Tata 3718 BS 3 / BS 4, (14 Wheeler) LPK 2523 TC,
 Signa 3718/4323, Signa 3118 TC, LPK 3118 Tipper
 (Pipe Length 27.5") (Pipe OD 50 mm)
 (Housing Thread M30 x 1.5) (Ball Pin Thread M20 x 1.5)
 (Spanner Size 30 mm)
OE Part No. 501346300101/501346900101
DL01191FRT, (For reference only) (2434)



RDS 1642

Tata 1109 Ex (BS 4), LPT 1412 CRx, LPT 1212 CRx
 (with Sealing Type Ends)
 (Pipe Length 30.5") (Pipe OD 42 mm)
 (Housing Thread M30 x 1.5) (Ball Pin Thread M18 x 1.5)
 (Spanner Size 27 mm)
OE Part No. 215346600104 (For reference only) (665)



RDS 1643

Tata Prima 2515 TILT, LPK 1613 (BS 2) (Power Stg.)
 LPT 2515, LPT 2518, 3118 C, LPK 1618 C (BS 2)
 (Pipe Length 32.5") (Pipe OD 50 mm)
 (Housing Thread M30 x 1.5) (Ball Pin Thread M18 x 1.5)
 (Spanner Size 27 mm)
OE Part No. 278246600101 (For reference only) (676)



RDS 1644

Tata 4923 Signa (BS 3, BS 4), LPK 2518 HD,
 Tata LPT 2518 COWL (BS 4)
 (Pipe Length 25.5") (Pipe OD 50 mm)
 (Housing Thread M40 x 1.5) (Ball Pin Thread M24 x 1.5)
 (Spanner Size 36 mm)
OE Part No. 284646900101/284646900102/284646900103
 (For reference only) (2418)



RDS 1645

Tata Prima 2528 K, LPK 2518 TC, LPT 3723 TC,
 3128 K TC (BS 6), Prima 3530 LX (BS 6)
SINGLE BEND (Pipe Length 34") (Pipe OD 50 mm)
 Housing Thread M30 x 1.5) (Ball Pin Thread M20 x 1.5)
 (Spanner Size 30 mm)
OE Part No. 288046300102/500946300101
 (For reference only) (2403)



RDS 1646

Tata Prima 2528 K, LPK 2518 TC, LPT 3723 TC,
 3128 K TC (BS 6), Prima 3530 LX (BS 6)
DOUBLE BEND (Pipe Length 35") (Pipe OD 50 mm)
 (Housing Thread M30 x 1.5) (Ball Pin Thread M20 x 1.5)
 (Spanner Size 30 mm)



RDS 1647

Bhart Benz 1617 (Heavy Duty) (Double Bend)
 (Fitted with RDS 1213 Right Thread)
 (Pipe Length 33.8") (Pipe OD 40 mm)
 (Housing Thread M30 x 1.5) (Ball Pin Thread M24 x 1.5)
 (Spanner Size 41 mm)
OE Part No. A4004601205 (For reference only) (2614)



RDS 1648

Tata 3718 (BS 6), Signa 2818, TC COWL (BS 6),
 Signa 3118 TC, Signa 3718, Signa 4323, LPK 3118 Tipper
 (Pipe Length 27.5") (Pipe OD 50 mm)
 (Fitted with RDS 1224, Right Thread)
 (Housing Thread M30 x 1.5) (Ball Pin Thread M24 x 1.5)
 (Spanner Size 36 mm)
OE Part No. 503046900101 (For reference only) (2470)



RDS 1649

Tata LPT 709 EX Turbo (BS 2), LP 709 (BS 2), LP 909 EX,
 LP 909 CNG (BS 3), LP 712, Star Bus 407 LP CNG
 (Pipe Length 33", OD 40 mm) (Fitted with RDS 1036)
 (Housing Thread M20 x 1.5) (Ball Pin Thread M14 x 1.5)
 (Spanner Size 22 mm)
OE Part No. 264146600160/264146600165/264146600158
 (For reference only) (672)



RDS 1650

Tata 609/709 Truck (SFC Model)
 (Pipe Length 14.5") (Pipe Length OD 32 mm)
 (Both Side Adjustable) (Fitted with RDS 1021) (437)
 (Housing Thread M20 x 1.5) (Ball Pin Thread M14 x 1.5)
 (Spanner Size 22 mm)



RDS 1651

Tata 609/709 LPT (Both Side Adjustable)
 (Fitted with RDS 1021)
 (Pipe Length 33.5") (Pipe OD 32 mm)
 (Housing Thread M20 x 1.5) (Ball Pin Thread M14 x 1.5)
 (Spanner Size 22 mm) (438)



RDS 1083

Tata ACE (Mini Truck) छोटा हाथी
 (Both Side Adjustable) (Fitted with RDS 1081)
 (Pipe Length 25.5") (Pipe OD 22 mm)
 (Housing Thread M14 x 1.5) (Ball Pin Thread M12 x 1.25)
 (Spanner Size 17 mm)



RDS 1652

Ace MEGA (DICOR ENGINE)
 (Both Side Adjustable) (Fitted with RDS 1103)
 (Pipe Length 25.5") (Pipe OD 28 mm)
 (Housing Thread M18 x 1.5) (Ball Pin Thread M12 x 1.5)
 (Spanner Size 19 mm)
OE Part No. 552346600105 (For reference only) (1466)



RDS 1653

Tata INTRA/Ace GOLD
 (Both Side Adjustable) (Fitted with RDS 1104)
 (Pipe Length 24") (Pipe OD 25 mm)
 (Housing Thread M16 x 1.5) (Ball Pin Thread M12 x 1.25)
 (Spanner Size 17 mm)



RDS 1654

Leyland U Truck 4923 TT, 4023 TT
 (Pipe Length 32.5") (Pipe OD 60 mm) (1068)
 (Housing Thread M30 x 1.5) (Ball Pin Thread M20 x 1.5)
 (Spanner Size 30 mm)

*Image
coming soon*

RDS 1655

Leyland IVECO 909 (One Side Fixed)
 (Pipe Length 38") (Pipe OD 50 mm)
 (Fitted with RDS 1207 Right Thread) (1015)
 (Housing Thread M30 x 1.5) (Ball Pin Thread M20 x 1.5)
 (Spanner Size 30 mm)



RDS 1656

Eicher Canter N/M (Rane Type) 10.50, 10.59, 10.60,
 10.60 G, 10.70, 10.75, 10.80, 10.90, 10.95,
 Double Bend (Pipe Length 25.5") (Pipe OD 32 mm)
 (Housing Thread M20 x 1.5) (Ball Pin Thread M14 x 1.5)
 (Spanner Size 22 mm)
 (Fitted with RDS 1051 RH) (708)



RDS 1657

Eicher Canter 11.10
 (Pipe Length 28") (Pipe OD 36 mm)
 (Housing Thread M24 x 1.5) (Ball Pin Thread M18 x 1.5)
 (Spanner Size 27 mm)
 (Fitted with RDS 1000 R) (719)



RDS 1658

Eicher Jumbo 20.25 FE, 30.25 XP, 33.25
20.15 / 5340 WBLP Cabin Model, 35.31
(Pipe Length 33.5") (Pipe OD 45 mm)
(Fitted with RDS 1207 Right Thread)
(Housing Thread M30 x 1.5) (Ball Pin Thread M20 x 1.5)
(Spanner Size 30 mm)
OE Part No. IA 203430 (For reference only) (723)



RDS 1659

Eicher Jumbo 20.16, 20.15, 33.25, 30.25, 30.25 FE
30.25 XD, TERRA 16, TERRA 16 XP (BS 1, 2, 3)
TERRA 16 HD, Galaxy 30.25 (Cabin/ COWL Model)
(Pipe Length 50") (Pipe OD 50 mm)
(Housing Thread M30 x 1.5) (Ball Pin Thread M20 x 1.5)
(Spanner Size 30 mm)
OE Ref. No. 114163020, IA208448 (726)



RDS 1660

Tata LPT 2518 TC (BS 3), LPT 3118 TC (BS 3)
LPT 2518 COWL Body, LPT 3118 COWL Body
(Pipe Length 46") (Pipe OD 60 mm)
(Fitted with RDS 1215 Right Thread)
(Housing Thread M30 x 1.5) (Ball Pin Thread M20 x 1.5)
(Spanner Size 30 mm)
OE Part No. 284946000113 (For reference only) (2422)



RDS 1661

Tata Signa 1918K (BS 6), Signa 4018 (BS 6)
Tata Signa 2823HD (BS 6), Signa 4625 (BS 6)
(Pipe Length 25") (Pipe OD 50 mm)
(Fitted with RDS 1175 Right Thread)
(Housing Thread M40 x 1.5) (Ball Pin Thread M24 x 1.5)
(Spanner Size 36 mm)
OE Part No. 506946900101, 507946900101
(For reference only) (2453)



RDS 1662

Mahindra NAVISTAR MN 25 Tipper, MN 31, MN 40
(Pipe Length 31") (Pipe OD 50 mm)
(Housing Thread M30 x 1.5) (Ball Pin Thread M24 x 1.5)
(Spanner Size 36 mm)
(Fitted with RDS 1227 Right Thread) (1072)



RDS 1663

Bharat Benz 3123 Tipper
(Pipe Length 31.5") (Pipe OD 40 mm)
(Fitted with RDS 1224 Right Thread)
(Housing Thread M30 x 1.5) (Ball Pin Thread M24 x 1.5)
(Spanner Size 41 mm)
OE Part No. A4004600605 (For reference only) (2618)



RDS 1664

Tata ULTRA 1412 (BS 4)
 (Pipe Length 33") (Pipe OD 50 mm)
 (Housing Thread M30 x 1.5) (Ball Pin Thread M18 x 1.5)
 (Spanner Size 27 mm)
OE Part No. 552946900104 (For reference only) (2446)



RDS 1665

Eicher PRO 60.25
 (Pipe Length 32") (Pipe OD 50 mm)
 (Fitted with RDS 1207 Right Thread)
 (Housing Thread M30 x 1.5) (Ball Pin Thread M20 x 1.5)
 (Spanner Size 30 mm)
OE Part No. IA307786 (For reference only) (1715)



RDS 1666

Tata 1616, 2416, 2516, 3516, 2213 TC, 2515 Ex
 (Pipe Length 28") (Pipe OD 50 mm)
 (Housing Thread M30 x 1.5) (Ball Pin Thread M18 x 1.5)
 (Spanner Size 27 mm)
 (Fitted with RDS 1202 Right Thread) (422)



RDS 1667

Tata ULTRA 1518 (BS 3, BS 4)
 (Pipe Length 31.5") (Pipe OD 50 mm)
 (Housing Thread M40 x 1.5) (Ball Pin Thread M24 x 1.5)
 (Spanner Size 36 mm) (Fitted with RDS 1175)
OE Part No. 553046600109 (For reference only) (2419)



RDS 1668

Leyland AVTR 2820 HG, 3520 HG, 4220 HG
(PIPE LENGTH 35") (Pipe OD 60 mm)
 (Fitted with RDS 1224 Right Thread)
 (Housing Thread M40 x 1.5 LH & M30 x 1.5 RH)
 (Ball Pin Thread M24 x 1.5)
 (Spanner Size 36 mm)
OE Part No. FE602000 (For reference only) (2508)



RDS 1669

Leyland AVTR 2820 HG, 3520 HG, 4220 HG
(PIPE LENGTH 36") (Pipe OD 50 mm)
 (Housing Thread M38 x 1.5 LH & M30 x 1.5 RH)
 (Ball Pin Thread M24 x 1.5)
 (Spanner Size 36 mm)
 (Fitted with RDS 1224 Right Thread)
OE Part No. FE601900 (For reference only) (2509)



RDS 1670

RELAY ASSEMBLY

Tata LPT K3118 TC (BS 3), SIGNA 3118
LPT 3118 TC (BS 3), LPK 3118, LPK 3518, LPT 3718
(Pipe Length 59.25") (Pipe OD 50 mm)
(Housing Thread M30 x 1.5) (Ball Pin Thread M20 x 1.5)
(Spanner Size 30 mm)
OE Part No. 501346300103 (For reference only) (2438)



RDS 2501

Tata LPK 1212 (BS 6), LPK 1212 CRDi (BS 3),
LPT 1512 CRDi (BS 4), LPK 1212 CRx, CRDi (BS 4)
(Pipe Length 31.12") (Pipe OD 50 mm)
(Housing Thread M40 x 1.5) (Ball Pin Thread M18 x 1.5)
(Spanner Size 27 mm)
OE Part No. 219046900101 (For reference only) (2447)



RDS 2502

Tata 1512 G (BS 6), 1512 G (BS 3, BS 4, BS 6)
(Pipe Length 33.25") (Pipe OD 50 mm)
(Housing Thread M40 x 1.5) (Ball Pin Thread M18 x 1.5)
(Spanner Size 27 mm)
OE Part No. 290046900103 (For reference only) (2454)



RDS 2503

Tata Signa 4255 TKTC HD TC (BS 6),
Signa 4223 TKTC, Signa 4225 TKTC
(Pipe Length 24.25") (Pipe OD 50 mm)
(Housing Thread M40 x 1.5) (Ball Pin Thread M20 x 1.5)
(Spanner Size 30 mm)
OE Part No. 506846900101 (For reference only) (2481)



RDS 2504

Tata Ultra 1918 T (BS 6), Ultra 2821 TSL (BS 6)
(Pipe Length 31.5") (Pipe OD 50 mm)
(Housing Thread M30 x 1.5) (Ball Pin Thread M24 x 1.5)
(Spanner Size 36 mm)
(Fitted with RDS 1224 Right Thread)
OE Part No. 509146900101 (For reference only) (2461)



RDS 2505

Bharat Benz 914 R (9 Ton)
(Pipe Length 34.25") (Pipe OD 45 mm)
(Housing Thread M30 x 1.5) (Ball Pin Thread M18 x 1.5)
(Spanner Size 27 mm)
OE Part No. A 4004600405 (For reference only) (2625)



RDS 2506

Tata LPT 3118 COWL, LPS 3518, LPS 4018, 4923,
LPT 2518, 2518 TC, LPK 2516 C, LPK 3516, LPK 1618
(Pipe Length 27.5") (Pipe OD 50 mm)
Housing Thread M30 x 1.5, Ball Pin Thread M18 x 1.5
(Spanner Size 27 mm) (Fitted with RDS 1202)
**OE Part No. 284646000125 / 284646000126 /
284646000128** (For reference only) (2438)



RDS 2507

Bharat Benz 3528 C Tipper (Both sides fixed)
(Pipe Length 24.5") (Pipe OD 45 mm)
(Housing Thread -) (Ball Pin Thread M24 x 1.5)
(Spanner Size 41 mm)
OE Part No. A 4004600705 (For reference only) (2629)



RDS 2508

Tata Signa 4521, Signa 4825 TC (BS 6),
Signa 4221 (Bs 6), LPT 4221, 4225 (BS 6),
LPT 3718, Signa 3718, LPT 4223, LPT 4923
(Pipe Length 59") (Pipe OD 50 mm)
(Housing Thread -) (Ball Pin Thread M20 x 1.5)
(Spanner Size 30 mm)
OE Part No. 503946900102 / 503946900103
(For reference only) (2479)



RDS 2509

Bharat Benz HDT 4228, 3528, 3828
(Pipe Length 28.5") (Pipe OD 45 mm)
(Housing Thread M38 x 1.5 LH Socket & M30 x 1.5)
(Ball Pin Thread M24 x 1.5)
(Spanner Size 41 mm) (Fitted with RDS 1224)
OE Part No. A 4004600805 (For reference only) (2632)



RDS 2510

Tata 1109 Ex (BS IV), LPT 1412 CRx, LPT 1212 CRx
(with PLUG Type Ends)
(Pipe Length 30.5") (Pipe OD 40 mm)
(Housing Thread M30 x 1.5) (Ball Pin Thread M18 x 1.5)
(Spanner Size 27 mm)



RDS 2511

Tata LPT 1109 G (BS 6), LPT 709 (BS 6),
LPT 1112 (BS 6), LPT 710 (BS 6)
(Pipe Length 32") (Pipe OD 40 mm)
(Housing Thread M30 x 1.5) (Ball Pin Thread M18 x 1.5)
(Spanner Size 27 mm)
OE Part No. 511846900101(For reference only) (2451)



RDS 2512

Tata Intra V 30 (Both sides adjustable)
 (Pipe Length 22") (Pipe OD 28 mm)
 Housing Thread M18 x 1.5, Ball Pin Thread M12 x 1.5
 (Spanner Size 19 mm) (Fitted with RDS 1103)
OE Part No. 554646900102 (For reference only) (1473)



RDS 2513

Tata Intra V 50 (BS 6) (Both sides adjustable)
 (Pipe Length 22.5") (Pipe OD 30 mm)
 Housing Thread M18 x 1.5, Ball Pin Thread M12 x 1.5
 (Spanner Size 19 mm) (Fitted with RDS 1103)
OE Part No. 55494900102 (For reference only) (1474)



RDS 2514

Tata LPT 912 (BS 3), LPT-LPK 909 Ex (BS 2), LPT 712 Ex (BS 3),
 LPT 407 Ex (BS 3), Star Bus 24 Seater
 (Pipe Length 31") (Pipe OD 40 mm)
 (Housing Thread M20 x 1.5) (Ball Pin Thread M14 x 1.5)
 (Spanner Size 22 mm) (Fitted with RDS 1036)
OE Part No. 282146600103 / 282146600105
 (For reference only) (673)



RDS 2515

Swaraj Mazda (SML S-7, ISUZU)
 (Pipe Length 26.3") (Pipe OD 40 mm)
 (Housing Thread M18 x 1.5) (Ball Pin Thread M16 x 1.5)
 (Spanner Size 24 mm)



RDS 2516

Tata LPT 1918 (BS 6), SIGNA 5530 S TC (BS 6),
 SIGNA 4625 S TC (BS 6), SIGNA 5525 TC (BS 6)
 (Pipe Length 25.5") (Pipe OD 50 mm)
 Housing Thread M30 x 1.5, Ball Pin Thread M24 x 1.5
 (Spanner Size 36 mm) (Fitted with RDS 1224)
OE Part No. 506946900103, for reference only (2456)



RDS 2517

Tata Ultra LPO Bus, LP 812 / 912 (BS 4),
 LPO 7.5T, LPO 8.5T, LPO 9.6T
 (Pipe Length 45.6") (Pipe OD 40 mm)
 Housing Thread M30 x 1.5, Ball Pin Thread M14 x 1.5
 (Spanner Size 22 mm) (Fitted with RDS 1077)
OE Part No. 550746600157, for reference only (2415)



RDS 2518

Tata Ultra Truck 812 / 912, Ultra 814,
Tata Ultra 1012 / 33, Ultra 1014
(Pipe Length 30.4") (Pipe OD 40 mm)
Housing Thread M30 x 1.5, Ball Pin Thread M14 x 1.5
(Spanner Size 22 mm) (Fitted with RDS 1077)
OE Part No. 550746600131, for reference only (2414)



RDS 2519

Tata LP 3718 (BS 4) COWL Body, LPT 3723 TC (BS 3),
SIGNA 3718, SIGNA 4223, LPT 4223 (BS 4)
(2nd Drag Link Assembly) (Both Sides Adjustable)
(Pipe Length 36.25") (Pipe OD 40 mm)
Housing Thread M30 x 1.5, Ball Pin Thread M20 x 1.5
(Spanner Size 30 mm) (Fitted with RDS 1214)
**OE Part No. 503946300114 / 503946900104,
for reference only (2437)**



RDS 2520

Tata LPK 3118 Tipper, LPT 3718 TC (BS 3, BS 4),
LPT 1615 COWL (BS 4) (14 Wheeler) LPK 2523 TC,
Signa 3718/4323, Signa 3118 TC **(Fitted with Long Ball Pin)**
(Pipe Length 27.5") (Pipe OD 50 mm)
(Housing Thread M30 x 1.5) (Ball Pin Thread M20 x 1.5)
(Spanner Size 30 mm)



RDS 1014

Tata 407 (SFC Model)
(Pipe Length 15.5") (Pipe OD 28 mm)
Housing Thread M18 x 1.5, Ball Pin Thread M12 x 1.5
(Spanner Size 19 mm) (Fitted with RDS 1011)



RDS 1017

Tata 407 Turbo LP (Bend Type)
(Pipe Length 33") (Pipe OD 35 mm)
(Housing Thread M20 x 1.5) (Ball Pin Thread M12 x 1.5)
(Spanner Size 19 mm) (Fitted with RDS 1012)



RDS 1015

Tata 609 SFC (BS 6), 610 SFC (BS 6), 710 SFC (BS 6)
(Pipe Length 13.8") (Pipe OD 40 mm)
Housing Thread M30 x 1.5, Ball Pin Thread M18 x 1.5
(Spanner Size 27 mm) (Fitted with RDS 1076)
OE Part No. 264746900101 (For reference only) (2452)



RDS 2521

AMW (New Model)
 (Pipe Length 29") (Pipe OD 50 mm)
 Housing Thread M30 x 1.5, Ball Pin Thread M24 x 1.5
 (Spanner Size 41 mm)
 (Fitted with RDS 1230, Thin Taper Plug type ends) (1044)



RDS 2522

LEYLAND PARTNER
 (Pipe Length 23") (Pipe OD 40 mm)
 Housing Thread M30 x 1.5, Ball Pin Thread M14 x 1.5
 (Spanner Size 22 mm) (Fitted with RDS 1077)
OE Part No. 486802VE0A for reference only (853)



RDS 2523

Tata PRIMA Lx 2523 k (BS 3), 2528 k (BS 3), 2825 TKTC (BS 6)
 (Pipe Length 33.5") (Pipe OD 50 mm)
 (Housing Thread M38 x 1.5) (Ball Pin Thread M20 x 1.5)
 (Spanner Size 30 mm) (Fitted with RDS 1177)
OE Part No. 504246300101, (For reference only) (2467)



RDS 2524

Tata LP 407 (BS 6), LP 710 (4SPCR, BS 6),
 LP 810 / 52 (4SPCR, BS 6), LP 410 (4SPCR, BS 6)
 (Pipe Length 26") (Pipe OD 40 mm)
 Housing Thread M30 x 1.5, Ball Pin Thread M18 x 1.5
 (Spanner Size 27 mm) (Fitted with RDS 1202)
OE Part No. 552746900102, (For reference only) (2460)



RDS 2525

Tata LPT 407 Ex (BS 3, 4), LPK 407 (BS 4),
 LPK 912 (BS 4), LPT 910 (BS 3), LPT 1012 (BS 6),
 LPT 709G (CNG), LPT 712 (BS 6), LPT 810 (BS 3)
 (Pipe Length 32.25") (Pipe OD 40 mm)
 Housing Thread M30 x 1.5, Ball Pin Thread M18 x 1.5
 (Spanner Size 27 mm)
OE Part No. 282146900104, (For reference only) (2420)

*many more
to come*



RDS 1671

Tata LPK 2518 HD (BS 4) Tipper, LPK 2523 TC
(Pipe Length 5.12" / 130 mm)
(Centre to Centre - 219 mm)

OE Part No. 288032900101 (For Reference only) (666)



RDS 1672

Tata 3118, 3718, Prima 2530 / 3130
LPK 3118 (Pipe Length 7.67" / 195 mm)
(Centre to Centre - 292 mm)

OE Part No. 501732800101 (For Ref. only) (2410)



RDS 1673

Tata Signa 4221 BS 6, LPT 1618 BS 4, Signa 4223 BS 4
Signa 3118 BS 4 (Pipe Length 11.4" / 290 mm)
(Centre to Centre - 380 mm) **(SAME DIRECTION)**

OE Part No. 501332800103 (For Ref. only) (2462)



RDS 1674

Tata LPK 3118 TC BS 3, LPK 3718 TC BS 4, Signa 3718 BS 4,
Signa 4323 BS 4 (Pipe Length 11.4" / 290 mm)
(Centre to Centre - 380 mm) **(OPPOSITE DIRECTION)**


OE Part No. 501332800101 (For Ref. only) (2408)



RDS 1675

Tata Prima 2530 / 2523 / 3138 LPK, 2518 TC
(Pipe Length 5.51" / 140 mm)
(Centre to Centre - 234 mm)

OE Part No. 500632900101 (For Ref. only) (2409)



RDS 1676

Tata Signa 4825 TK, Signa 4925 TTC, Signa 3523 TK (BS 6)
(Pipe Length 12.6" / 320 mm)
(Centre to Centre - 410 mm)

OE Part No. 501332800108 (For Ref. only) (24110)



RDS 1677

Tata Ultra Bus Urban 9 / 12, LPO 1618 TC (BS 4),
LPO 1621 TC BS 4, LPO 1618 BS 3, LPO 1623, LPO 2630
(Centre to Centre - 120 mm) **(SAME DIRECTION)**

OE Part No. 410332800105 (For Ref. only) (2457)



RDS 1678

Tata Ultra Bus Urban 9 / 12, LPO 1618 TC (BS 4),
LPO 1621 TC BS 4, LPO 1618 BS 3, LPO 1623, LPO 2630
(Centre to Centre - 120 mm)

(OPPOSITE DIRECTION) (2472)



RDS 1228

Tie Rod End (Right Thread) **(PLUG TYPE)**
Tata 3718 Signa, LPT 3118 (BS III)
(with Thick Taper Ball Pin) (Housing Thread Size M30 x 1.5)
(Ball Pin Thread M24 x 1.5) (Spanner Size 36 mm)



RDS 1229

Tie Rod End (Left Thread) **(PLUG TYPE)**
Tata 3718 Signa, LPT 3118 (BS III)
(with Thick Taper Ball Pin) (Housing Thread Size M30 x 1.5)
(Ball Pin Thread M24 x 1.5) (Spanner Size 36 mm)



RDS 1230

Tie Rod End (Right Thread) **(PLUG TYPE)**
Tata 3718 Signa, LPT 3118 (BS III) (Second Rod)
(with Thin Taper Ball Pin) (Housing Thread Size M30 x 1.5)
(Ball Pin Thread M24 x 1.5) (Spanner Size 36 mm)



RDS 1231

Tie Rod End (Left Thread) **(PLUG TYPE)**
Tata 3718 Signa, LPT 3118 (BS III) (Second Rod)
(with Thin Taper Ball Pin) (Housing Thread Size M30 x 1.5)
(Ball Pin Thread M24 x 1.5) (Spanner Size 36 mm)



RDS 1233

Tie Rod End (Right Thread) **(PLUG TYPE)**
Leyland U Truck 4923 TT, 4023 TT, 3518 TT
(Housing Thread Size M30 x 1.5)
(Ball Pin Thread M20 x 1.5) (Spanner Size 30 mm)



RDS 1234

Tie Rod End (Left Thread) **(PLUG TYPE)**
Leyland U Truck 4923 TT, 4023 TT, 3518 TT
(Housing Thread Size M30 x 1.5)
(Ball Pin Thread M20 x 1.5) (Spanner Size 30 mm)



RDS 1103

Tie Rod End set (LH + RH)
Tata Ace MEGA / Super Ace MINT
Dicor Engine (Housing Thread Size M18 x 1.5)
(Ball Pin Thread M12 x 1.5) (Spanner Size 19 mm)
OE Ref. No. 552333990101 / 102



RDS 1104

Tie Rod End set (LH + RH)
Tata INTRA V 10 / Ace GOLD / Mahindra SUPRO
(Housing Thread Size M16 x 1.5)
(Ball Pin Thread M12 x 1.25) (Spanner Size 19 mm)
OE Ref. No. 554533800106 / 107



RDS 1016

Tie Rod End set (LH + RH)
Tata 410 / 407 Pick Up
(Housing Thread Size M24 x 1.5)
(Ball Pin Thread M12 x 1.5) (Spanner Size 19 mm)



RDS 1181

Drag Link End (Right Thread)
Tata Signa 4923, 4018, LPT 3118, LPK 2518 TC, Tata 1518 Ultra
Thread Size M40 x 1.5 (Ball Pin Thread M18 x 1.5) (Spanner Size 27 No.)
OE Part No. 219046900103 (For Ref. Only) (2448 A)



RDS 1226

Tie Rod End (Left Thread)
MAHINDRA NAVISTAR (MN 25 Tipper, MN 31, MN 40)
(Housing Thread Size M30 x 1.5)
(Ball Pin Thread M24 x 1.5) (Spanner Size 36 mm)
OE Ref. No. 7503AAP00100N



RDS 1227

Tie Rod End (Right Thread)
MAHINDRA NAVISTAR (MN 25 Tipper, MN 31, MN 40)
(Housing Thread Size M30 x 1.5)
(Ball Pin Thread M24 x 1.5) (Spanner Size 36 mm)
OE Ref. No. 7503AAP00101N



RDS 1063

Gear Shifter Ends (Right Thread)
Eicher Canter 10.50, 10.59, 10.60, 10.70,
10.75, 10.80, 10.90, 10.95
(Housing Thread Size M10 x 1.25)
(Ball Pin Thread M8 x 1.25) (Spanner Size 13 mm)



RDS 1064

Gear Shifter Ends (Right Thread)
Eicher Jumbo 20.16, 20.15, 30.25 FE, 33.25,
Terra 16, Galaxy 30.25 Cabin / COWL Model
(Housing Thread Size M10 x 1.25)
(Ball Pin Thread M10 x 1.25) (Spanner Size 13 mm)



RDS 1065

Gear Shifter Ends (Right Thread)
EICHER PRO
(Housing Thread Size M10 x 1.5)
(Ball Pin Thread M10 x 1.25) (Spanner Size 13 mm)



RDS 1214

Tie Rod End set (LH + RH)
Tata LPT 3118 TC (BS III), LPT 2518 TC (BS III),
LPT 3118 COWL Body, LPT 2518 COWL Body
(Heavy Duty, Long Body) (Fitted with 107 mm Long Ball Pin)
(Housing Thread Size M30 x 1.5)
(Ball Pin Thread M20 x 1.5) (Spanner Size 30 mm)



RDS 1215

Tie Rod End **(Right Thread)**
Tata LPT 3118 TC (BS III), LPT 2518 TC (BS III),
LPT 3118 COWL Body, LPT 2518 COWL Body
(Heavy Duty, Long Body) (Fitted with 107 mm Long Ball Pin)
(Housing Thread Size M30 x 1.5)
(Ball Pin Thread M20 x 1.5) (Spanner Size 30 mm)



RDS 1216

Tie Rod End (Left Thread)
Tata LPT 3118 TC (BS III), LPT 2518 TC (BS III),
LPT 3118 COWL Body, LPT 2518 COWL Body
(Heavy Duty, Long Body) (Fitted with 107 mm Long Ball Pin)
(Housing Thread Size M30 x 1.5)
(Ball Pin Thread M20 x 1.5) (Spanner Size 30 mm)



RDS 1201

Tie Rod End Set (LH + RH)
Tata 2515 Ex (Plug Type)
Thread Size M30 x 1.5
Ball Pin Thread M18 x 1.5
(Spanner Size 27 No.)



RDS 1202

Drag Link End (**Right Thread**)
Tata 2515 Ex (Plug Type)
Thread Size M30 x 1.5
Ball Pin Thread M18 x 1.5
(Spanner Size 27 No.)



RDS 1203

Tie Rod End (Left Thread)
Tata 2515 Ex (Plug Type)
Thread Size M30 x 1.5
Ball Pin Thread M18 x 1.5
(Spanner Size 27 No.)



RDS 1206

Tie Rod End Set (LH + RH)
Tata / L/L 4018, Iveco 909 (Plug Type)
Eicher Jumbo 20.16 / Galaxy 30.25 / L/L FA-90
Thread Size M30 x 1.5
Ball Pin Thread M20 x 1.5
(Spanner Size 30 No.)



RDS 1207


Drag Link End (**Right Thread**)
Tata / L/L 4018, Iveco 909 (Plug Type)
Thread Size M30 x 1.5
Ball Pin Thread M20 x 1.5
(Spanner Size 30 No.)



RDS 1208

Tie Rod End (Left Thread)
Tata / L/L 4018, Iveco 909 (Plug Type)
Thread Size M30 x 1.5
Ball Pin Thread M20 x 1.5
(Spanner Size 30 No.)

New Additions



RDS 1209

Tie Rod End (**Right Thread**)
 Tata Prima, LPT 2518 (BS-III) (Bend Type)
 Thread Size M38 x 1.5
 Ball Pin Thread M24 x 1.5
 (Spanner Size 36 No.)



RDS 1210

Tie Rod End (Left Thread)
 Tata Prima, LPT 2518 (BS-III) (Bend Type)
 Thread Size M38 x 1.5
 Ball Pin Thread M24 x 1.5
 (Spanner Size 36 No.)



RDS 1212

Tie Rod End Set (LH + RH)
 Bharat Benz (**Long Rod**)
 Thread Size M30 x 1.5
 Ball Pin Thread M24 x 1.5
 (Spanner Size 36 No.)



RDS 1213

Tie Rod End Set (LH + RH)
 Bharat Benz (Short Rod)
 Thread Size M30 x 1.5
 Ball Pin Thread M24 x 1.5
 (Spanner Size 36 No.)



RDS 1222

Tie Rod End (**Right Thread**)
 Tata 3718 Signa, LPT 3118 (BS-III)
 (with Thick Taper Ball Pin)
 Thread Size M30 x 1.5
 Ball Pin Thread M24 x 1.5
 (Spanner Size 36 No.)



RDS 1223

Tie Rod End (Left Thread)
 Tata 3718 Signa, LPT 3118 (BS-III)
 (with Thick Taper Ball Pin)
 Thread Size M30 x 1.5
 Ball Pin Thread M24 x 1.5
 (Spanner Size 36 No.)



RDS 1224

Tie Rod End (**Right Thread**)
 Tata 3718 Signa, LPT 3118 (BS-III)
Second Rod (with Thin Taper Ball Pin)
 Thread Size M30 x 1.5
 Ball Pin Thread M24 x 1.5
 (Spanner Size 36 No.)



RDS 1225

Tie Rod End (Left Thread)
 Tata 3718 Signa, LPT 3118 (BS-III)
Second Rod (with Thin Taper Ball Pin)
 Thread Size M30 x 1.5
 Ball Pin Thread M24 x 1.5
 (Spanner Size 36 No.)



RDS 1181

Drag Link End (Right Thread)

Tata Signa 4923, 4018, LPT 3118, LPK 2518 TC, Tata 1518 Ultra

Thread Size M40 x 1.5 (Ball Pin Thread M18 x 1.5) (Spanner Size 27 No.)

OE Part No. 219046900103 (For Ref. Only) (2448 A)



RDS 1174

Drag Link End (Right Thread)

Tata Signa 4923, 4018, LPT 3118, LPK 2518 TC, Tata 1518 Ultra

Thread Size M40 x 1.5 (Ball Pin Thread M20 x 1.5)

(Spanner Size 30 No.)



RDS 1175

Tie Rod End / Drag Link End (RIGHT THREAD)

Tata Signa 4923, 4018, LPT 3118, LPK 2518 TC,

Tata 1518 Ultra (Thread Size M40 x 1.5)

(Ball Pin Thread M24 x 1.5) (Spanner Size 36 mm)

OE Part No. 284646909901 (for Ref. Only) (2417 A)



RDS 1182

Tie Rod End / Drag Link End (LEFT THREAD)

Tata Signa 4923, 4018, LPT 3118, LPK 2518 TC,

Tata 1518 Ultra (Thread Size M40 x 1.5)

(Ball Pin Thread M24 x 1.5) (Spanner Size 36 mm)



RDS 1178

Drag Link End (RIGHT THREAD)

Tata Signa 4923, 4018, LPT 3118, LPK 2518 TC, Tata 1518 Ultra

Housing Thread M38 x 1.5 (Ball Pin Thread M24 x 1.5)

(Spanner Size 36 No.)



RDS 1185

Drag Link End (LEFT THREAD)

Tata Signa 4923, 4018, LPT 3118, LPK 2518 TC, Tata 1518 Ultra

Housing Thread M38 x 1.5 (Ball Pin Thread M24 x 1.5)

(Spanner Size 36 No.)



RDS 1176

Drag Link End (Right Thread)

Tata Signa 4923, 4018, LPT 3118, LPK 2518 TC, Tata 1518 Ultra

Housing Thread M38 x 1.5 (Ball Pin Thread M18 x 1.5)

(Spanner Size 27 No.)

OE Part No. 284646900107 (For Ref. Only) (2439 A)



RDS 1177

Drag Link End (Right Thread)

Tata Signa 4923, 4018, LPT 3118, LPK 2518 TC, Tata 1518 Ultra

Thread Size M38 x 1.5 (Ball Pin Thread M20 x 1.5)

(Spanner Size 30 No.)



RDS 1183

Threaded Ball Joint / Tie Rod End
Leyland BS 6 Models (Right Thread)

(Housing Thread Size M30 x 1.5)

(Ball Pin Thread M24 x 1.5) (Spanner Size 36 mm)

(O.E. Ref. No. PD601019)



RDS 1184

Threaded Ball Joint / Tie Rod End
Leyland BS 6 Models (Left Thread)

(Housing Thread Size M30 x 1.5)

(Ball Pin Thread M24 x 1.5) (Spanner Size 36 mm)

(O.E. Ref. No. PD601020)



RDS 1077

Drag Link End (Right Thread)

Tata Ultra Bus

Thread Size M30 x 1.5 (Ball Pin Thread M14 x 1.5)

(Spanner Size 22 No.)

*many more
to come*



RDS 1173

Hydraulic Cylinder End / Ball Joint

Leyland 3116 / Eicher

Inner Thread Size M30 x 1.5

Ball Pin Thread M20 x 1.5

(Spanner Size 30 mm)



RDS 1179

Hydraulic Cylinder End / Ball Joint

Leyland U Truck / AMW

Inner Thread Size M30 x 1.5

Ball Pin Thread M24 x 1.5

(Spanner Size 36 mm)



RDS 1180

Hydraulic Cylinder End / Ball Joint

Tata Prima 3128 (Right Thread)

Inner Thread Size M26 x 1.5

Ball Pin Thread M20 x 1.5

(Spanner Size 30 mm)



RDS 1186

Hydraulic Cylinder End / Ball Joint

Bharat Benz 4228, 4828 (Right Thread)

Inner Thread Size M26 x 1.5

Ball Pin Thread M24 x 1.5

(Spanner Size 41 mm)



RDS 1206

Tie Rod End Set (LH + RH)
 Eicher Jumbo 20.16 / Galaxy 30.25 / L/L FA-90
 Thread Size M30 x 1.5
 Ball Pin Thread M20 x 1.5
 (Spanner Size 30 No.)



RDS 1000

Tie Rod End Set (LH + RH)
 Eicher 11.10 Pro
 Thread Size M24 x 1.5
 Ball Pin Thread M18 x 1.5
 (Spanner Size 27 No.)



RDS 1051

Tie Rod End Set (LH + RH)
 Eicher Canter N/M (Plug Type)
 Thread Size M20 x 1.5
 Ball Pin Thread M14 x 1.5
 (Spanner Size 22 No.)



RDS 1061

Tie Rod End Set (LH + RH)
 Eicher 11.10
 Thread Size M20 x 1.5
 Ball Pin Thread M18 x 1.5
 (Spanner Size 27 No.)



RDS 1062

Tie Rod End Set (LH + RH)
 Eicher 10.80 / 10.95
 Housing Thread Size M24 x 1.5
 Ball Pin Thread M14 x 1.5
 (Spanner Size 27 No.)



RDS 371

Centre Bearing Bkt. (RSB Design)
(with Heavy Duty Patti)

Suitable for RDS 1827 R



RDS 372

Centre Bearing Bkt. (Spicer Design)
(Heavy Duty)

Suitable for RDS 1806



RDS 373

Centre Bearing Bkt. (MSL Design)
(with Heavy Duty Patti)

Suitable for RDS 1844



RDS 374

Centre Bearing Bkt. (Spicer Design)
(with Heavy Duty Patti)

Suitable for RDS 1842



RDS 375

Centre Bearing Bkt. 2416
(with Heavy Duty Patti)

Suitable for RDS 1802



RDS 376

Centre Bearing Bkt. 2518
(with Heavy Duty Patti)

Suitable for RDS 1804



RDS 377

Centre Bearing Bkt. 2516 / 2214
(with Heavy Duty Patti)

Suitable for RDS 1805



RDS 751

Pump Coupling Shaft
Escorts Hydra
Total compressed Length 10.5" / 265 mm
Flange Dia 86 mm
UJ Dimensions 23.83 mm x 61.2 mm



RDS 752

Rear Transmission Shaft
JCB 3DX
U J Cross size 34.95 mm x 106 mm



RDS 756

Rear Propeller Shaft (Male)
ESCORTS JCB 3 Dx
(1 pc Reverse Yoke & 1 pc U J Cross)
U J Cross size 34.95 mm x 106 mm



RDS 757

Rear Propeller Shaft (Female)
ESCORTS JCB 3 Dx
(1 pc Cross Holder, 1pc U J Cross & 1pc Sleeve Yoke)
U J Cross size 34.95 mm x 106 mm



RDS 753

Cut Yoke Assembly
John Deere Tractor / Hydra
Flange Dia 86 mm
(U J Cross size 23.83 mm x 61.2 mm)



RDS 754

Pump Shaft Assembly (97 mm Flange)
ESCORTS HYDRA
(Total Compressed Length 280 mm)
(U J Cross size 27 mm x 82 mm)



RDS 755

Steering Ball Joint / Coupling Assembly
GODREJ GX (86 mm)
(U J Cross size 23.83 mm x 61.2 mm)



RDS 758

Coupling Flange (with Dust Cover)
Escorts JCB 3DX
New Model (35 Splines)
U J Cross size 34.95 mm x 106 mm



RDS 759

Coupling Flange (with Dust Cover)
Escorts JCB 3DX
Old Model (32 Splines)
U J Cross size 34.95 mm x 106 mm

*many
more to
come*

**U J Cross fitting 57 mm x 152 mm
(RSB 620 / SPR 2055 Series)**



RDS 1721

Tata 1628, 2038, 3138, Leyland 3936,
Bharat Benz 2528 C
(Plate size 7" / 180 mm, X Serrated)
(4 Holes) (Hole dia 15 mm) (Bolt Size 22 No.)

**U J Cross fitting 52 mm x 147 mm
(RSB 590 / SPR 2045, 2047 Series)**



RDS 1731

Tata 1628, 2038, 3138, Leyland 3936,
Bharat Benz 2528 C
(Plate size 7" / 180 mm, X Serrated)
(4 Holes) (Hole dia 15 mm) (Bolt Size 22 No.)

**U J Cross fitting 52 mm x 147 mm
(RSB 590 / SPR 2045, 2047 Series)**



RDS 1795

Tata LPS 4028, LPK 3128 Bharat Benz 2523 C,
Leyland 3123 (Plate size 7" / 180 mm, X Serrated)
(4 Holes) (Hole dia 15 mm) (Bolt Size 22 No.)

**U J Cross fitting 52 mm x 147 mm
(RSB 590 / SPR 2045, 2047 Series)**



RDS 1732

Tata LPS 4028, LPK 3128, Bharat Benz (SMALL)
Leyland 3123 (Steel Forged)
(Plate size 6" / 150 mm, X Serrated)
(4 Holes) (Hole dia 13 mm) (Bolt Size 19 No.)

**U J Cross fitting 52 mm x 147 mm
(RSB 590 / SPR 2045, 2047 Series)**



RDS 1737

Tata LPS 4028, LPK 3128, Bharat Benz
Leyland 3123 (Steel Forged) (LONG)
(Plate size 6" / 150 mm, X Serrated)
(4 Holes) (Hole dia 13 mm) (Bolt Size 19 No.)

**U J Cross fitting 47.65 mm x 135 mm
(SPR 2040 Series)**



RDS 1701

Tata 4928, 3128, Bharat Benz (LONG)
(Steel Forged) (Plate size 6" / 150 mm, X Serrated)
(4 Holes) (Hole dia 13 mm) (Bolt Size 19 No.)

**U J Cross fitting 47.65 mm x 135 mm
(SPR 2040 Series)**



5.3"
135 mm

RDS 1702

Tata 4928, 3128
Bharat Benz (Big Plate)
(Plate size 7" / 180 mm, X Serrated)
(4 Holes) (Hole dia 15 mm) (Bolt Size 22 No.)

**U J Cross fitting 47.65 mm x 135 mm
(SPR 2040 Series)**



4.65"
118 mm

RDS 1707

Tata 4928, 3128,
Bharat Benz (SHORT) (Steel Forged)
(Plate size 6" / 150 mm, X Serrated)
(4 Holes) (Hole dia 13 mm) (Bolt Size 19 No.)

**U J Cross fitting 48 mm x 135 mm
(RSB 490 Series)**



5.4"
138 mm

RDS 149

Tata 4018 / 3118 (LONG) (Steel Forged)
(Plate size 6" / 150 mm, X Serrated)
(4 Holes) (Hole dia 13 mm) (Bolt Size 19 No.)

**U J Cross fitting 48 mm x 135 mm
(RSB 490 Series)**



4.65"
118 mm

RDS 149 S

Tata 4018 / 3118 (SHORT) (Steel Forged)
(Plate size 6" / 150 mm, X Serrated)
(4 Holes) (Hole dia 13 mm) (Bolt Size 19 No.)

**U J Cross fitting 48 mm x 135 mm
(RSB 490 Series)**



4.9"
125 mm

RDS 711

Tata 4018 / 3118
(Plate size 6.5" / 165 mm, Plain Base)
(8 Holes) (Hole dia 16.2 mm) (Bolt Size 24 No.)

**U J Cross fitting 48 mm x 135 mm
(RSB 490 Series)**



5"
128 mm

RDS 713

Tata 4018 / 3118 (Big Plate)
(Plate size 7" / 180 mm, X Serrated)
(4 Holes) (Hole dia 15 mm) (Bolt Size 22 No.)

U J Cross fitting Tata 4018 Patti Type
(49.20 mm x 155 mm)



4.7"
119 mm

RDS 146 A

Tata 3118, 4018 / AMW 2518, MAN 25 T
(Plate size 7" / 180 mm, X Serrated)
(4 Holes) (Hole dia 15 mm) (Bolt Size 22 No.)

U J Cross fitting Tata 4018 Patti Type
(49.20 mm x 155 mm)



4.7"
119 mm

RDS 146

Tata 3118, 4018 / AMW 2518, MAN 25 T
(Steel Forged)
(Plate size 6" / 150 mm, X Serrated)
(4 Holes) (Hole dia 13 mm) (Bolt Size 19 No.)

U J Cross fitting Tata 4018 Patti Type
(49.20 mm x 155 mm)



5.4"
138 mm

RDS 1774

Tata 311, 4018 / AMW 2518, MAN 25 T
(Plate size 6" / 150 mm, X Serrated)
(4 Holes) (Hole dia 13 mm) (Bolt Size 19 No.)

U J Cross fitting Tata 4018 Patti Type
(49.20 mm x 155 mm)




4.6"
117 mm

RDS 714

Tata 4018 / AMW 2518 / Eicher 40.25
(Plate size 8" / 203 mm, Plain Base)
(12 Holes) (Hole dia 10.5 mm) (Bolt Size 19 No.)

U J Cross fitting Tata 4018 Patti Type
(49.20 mm x 155 mm)



5.4"
136 mm

RDS 144

Cross Holder Tata 4018
(Patti Type) (Plate Size 165 mm)
(8 Holes) (Hole Dia 16.2 mm) (Bolt Size 24 No.)

U J Cross fitting Tata 4018 Patti Type
(49.20 mm x 155 mm)



RDS 234

Escorts Hydra (LOADER)
(Plate size 5" / 130 mm, Plain Base)
(8 Holes) (Hole dia 10.2 mm) (Bolt Size 17 No.)


U J Cross fitting 42 mm x 129.35 mm
(RSB 403 Series)



RDS 192

Tata 2515 / 2518 Short (Steel Forged)
(Plate size 6" / 150 mm, X Serrated)
(4 Holes) (Hole dia 13 mm) (Bolt Size 19 No.)


U J Cross fitting 42 mm x 129.35 mm
(RSB 403 Series)



RDS 193

Tata 2515 / 2518 Long (Steel Forged)
(Plate size 6" / 150 mm, X Serrated)
(4 Holes) (Hole dia 13 mm) (Bolt Size 19 No.)

U J Cross fitting 42 mm x 129.35 mm
(RSB 403 Series)



RDS 1771

Tata 2518 N/M
(Plate size 6" / 150 mm, Plain Base)
(8 Holes) (Hole dia 12.1 mm) (Bolt Size 19 No.)

U J Cross fitting 42 mm x 129.35 mm
(RSB 403 Series)



RDS 161

Tata 2515 / 2518 (Big Plate)
(Plate size 6.5" / 165 mm, Plain Base)
(8 Holes) (Hole dia 16.2 mm) (Bolt Size 24 No.)

U J Cross fitting 42 mm x 129.35 mm
(RSB 403 Series)



RDS 712

Leyland 2518 / 2214
(Plate size 7" / 175 mm, Plain Base)
(8 Holes) (Hole dia 9.8 mm) (Bolt Size 15 No.)

*many
more to
come*

U J Cross fitting 41.28 mm x 126 mm
(SPL 90 Series)



RDS 191

Tata 3118 / Leyland 3116, 1616
(Short Height) (Steel Forged)
(Plate size 6" / 150 mm, X Serrated)
(4 Holes) (Hole dia 13 mm) (Bolt Size 19 No.)

U J Cross fitting 41.28 mm x 126 mm
(SPL 90 Series)



RDS 231

Tata 3118 / Leyland 3116, 1616
(Medium Height) (Steel Forged)
(Plate size 6" / 150 mm, X Serrated)
(4 Holes) (Hole dia 13 mm) (Bolt Size 19 No.)

U J Cross fitting 41.28 mm x 126 mm
(SPL 90 Series)



RDS 191 A

Tata 3118 / Leyland 3116, 1616
(Long Height) (Steel Forged)
(Plate size 6" / 150 mm, X Serrated)
(4 Holes) (Hole dia 13 mm) (Bolt Size 19 No.)

U J Cross fitting 41.28 mm x 126 mm
(SPL 90 Series)



RDS 006 A

Tata 2515 Hywa
(Plate size 5.1" / 130 mm, Plain Base)
(8 Holes) (Hole dia 10.2 mm) (Bolt Size 17 No.)

U J Cross fitting 41.28 mm x 126 mm
(SPL 90 Series)



RDS 6231 D

Cross Holder L/L 2516/2214
(Plate size 7" / 175 mm, Plain Base)
(8 Holes) (Hole Dia 9.8 mm) (Bolt Size 15 No.)


U J Cross fitting 41.28 mm x 126 mm
(SPL 90 Series)



RDS 113

Tata 2518
(Plate size 6" / 150 mm, Plain Base)
(8 Holes) (Hole dia 12.2 mm) (Bolt Size 19 No.)

**U J Cross fitting 41.28 mm x 126 mm
(SPL 90 Series)**



RDS 133

Cross Holder Inter Axle Shaft
(Extra Long Height) (Square Base)
(4 Holes) (Hole Dia 12.8 mm) (Bolt Size 21 No.)

**U J Cross fitting 42 mm x 119 mm
(RSB 325 Series)**



RDS 112

Tata 2515 Ex (Big Nut)
(Plate size 5.1" / 130 mm, Plain Base)
(8 Holes) (Hole dia 10.2 mm) (Bolt Size 17 No.)

**U J Cross fitting 42 mm x 119 mm
(RSB 325 Series)**



RDS 112 M

Tata 2515 Ex
(Plate Size 6" / 150 mm, Plain Base)
(8 Holes) (Hole Dia 12.2 mm) (Bolt Size 19 No.)

**U J Cross fitting 42 mm x 119 mm
(RSB 325 Series)**



RDS 112 C

Tata 2515 / 2518 (**Short Height**) (Steel Forged)
(Plate size 6" / 150 mm, X Serrated)
(4 Holes) (Hole dia 13 mm) (Bolt Size 19 No.)

**U J Cross fitting 42 mm x 119 mm
(RSB 325 Series)**



RDS 1791

Tata 2515 / 2518 (**Long Height**)
(Plate size 6" / 150 mm, X Serrated)
(4 Holes) (Hole dia 13 mm) (Bolt Size 19 No.)

**U J Cross fitting 42 mm x 119 mm
(RSB 325 Series)**



RDS 112 E

Tata 2515 Ex (Small Plate)
(Plate size 5.1" / 130 mm, X Serrated)
(4 Holes) (Hole dia 11 mm) (Bolt Size 18 No.)

U J Cross fitting Tata 1312
(46.05 mm x 69 mm)



RDS 6037

Tata 1312/1612/1510/2416
(Plate Size 5.1" / 130 mm Plain Base)
(8 Holes) (Hole Dia 10.2 mm) (Bolt Size 17 No.)

U J Cross fitting Tata 1312
(46.05 mm x 69 mm)



RDS 6037 A

Tata 1312/1612/1510/2416
(Plate Size 4.7" / 120 mm Plain Base)
(6 Holes) (Hole Dia 10.2 mm) (Bolt Size 17 No.)

U J Cross fitting Tata 1312
(46.05 mm x 69 mm)



RDS 214

Tata 2518 LPK / 1312 N/M
(Plate Size 6" / 150 mm, Plain Base)
(8 Holes) (Hole Dia 12.2 mm) (Bolt Size 19 No.)

U J Cross fitting Leyland Taskar
(MSL 1550 Series, 34.95 mm x 126 mm)



RDS 6143

Leyland Taskar (Square Base)
(4 Holes) (Hole dia 12.8 mm) (Bolt Size 21 No.)

U J Cross fitting Leyland Taskar
(MSL 1550 Series, 34.95 mm x 126 mm)



RDS 6236

Tata 2515 TC/ L/L 2516
(Suitable for Inter Axle Shaft) (Square Base)
(4 Holes) (Hole Dia 12.8 mm) (Bolt Size 21 No.)

U J Cross fitting Leyland Taskar
(MSL 1550 Series, 34.95 mm x 126 mm)



RDS 160

Eicher Terra, Tata / L/L 1710 Series
(Plate size 6" / 150 mm, X Serrated)
(4 Holes) (Hole dia 13 mm) (Bolt Size 19 No.)

U J Cross fitting Leyland Taskar
(MSL 1550 Series, 34.95 mm x 126 mm)



RDS 1779

Leyland Iveco

(Plate size 4.7" / 120 mm, X Serrated)

(4 Holes) (Hole dia 11.2 mm) (Bolt Size 18 No.)

U J Cross fitting Leyland Taskar
(MSL 1550 Series, 34.95 mm x 126 mm)



RDS 401

Tata 1109 N/M

(Plate size 5.1" / 130 mm, Plain Base)

(8 Holes) (Hole dia 10.2 mm) (Bolt Size 17 No.)

U J Cross fitting Leyland Taskar
(MSL 1550 Series, 34.95 mm x 126 mm)



RDS 404

Tata 712, 412 / Marco Polo

(Plate size 4.7" / 120 mm, Plain Base)

(6 Holes) (Hole dia 10.2 mm) (Bolt Size 17 No.)

U J Cross fitting Tata 407 Pick Up
(MSL 1480 Series, 34.95 mm x 106 mm)



RDS 202

Leyland 370 / Bedford

(Plate size 6" / 146 mm, Plain Base)

(4 Holes) (Hole dia 12.8 mm) (Bolt Size 21 No.)

U J Cross fitting Tata 407 Pick Up
(MSL 1480 Series, 34.95 mm x 106 mm)



RDS 209

Tata 407 Pick Up N/M (Square Base)

(4 Holes) (Hole dia 12.8 mm)

U J Cross fitting Tata 407 Pick Up
(MSL 1480 Series, 34.95 mm x 106 mm)



RDS 1775

Tata 909, 709 / Eicher PRO

(Plate size 4.7" / 120 mm, X Serrated)

(4 Holes) (Hole dia 11.2 mm) (Bolt Size 18 No.)

U J Cross fitting Canter N/M
(30.18 mm x 106 mm)



RDS 136

Tata 407 Turbo, 709 Ex
(Plate size 4.7" / 120 mm, Plain Base)
(6 Holes) (Hole dia 10.2 mm) (Bolt Size 17 No.)

U J Cross fitting Canter N/M
(30.18 mm x 106 mm)



RDS 233

Canter N/M
(Plate size 4.7" / 120 mm, X Serrated)
(4 Holes) (Hole dia 11.2 mm) (Bolt Size 18 No.)

U J Cross fitting Leyland Taskar
(MSL 1550 Series, 34.95 mm x 126 mm)



RDS 6129

Leyland 370 / Bedford
(Plate size 6" / 146 mm, Plain Base)
(4 Holes) (Hole dia 12.8 mm) (Bolt Size 21 No.)

U J Cross fitting Leyland 370
(39.69 mm x 116 mm)



RDS 6237 B

Cross Holder Inter Axle Shaft
(Extra Long Height) (Square Base)
(4 Holes) (Hole Dia 12.8 mm) (Bolt Size 21 No.)

U J Cross fitting Tata 407
(30 mm x 82 mm)



RDS 6058

Tata 407
(Plate size 4" / 100 mm, Plain Base)
(6 Holes) (Hole dia 8.1 mm) (Bolt Size 13 No.)

U J Cross fitting DCM N/M
(MSL 1350 Series, 30.18 mm x 92 mm)



RDS 715

Tata 407 Turbo N/M
(Plate size 4" / 100 mm, Plain Base)
(6 Holes) (Hole dia 8.1 mm) (Bolt Size 13 No.)

**U J Cross fitting 52 mm x 147 mm
(RSB 590 / SPR 2045 Series)**



RDS 1735

Tata LPS 4028, LPK 3128, L/L 3123,
Bharat Benz (Heavy Duty, STEEL FORGED)
(Head Size 4.5" / 112 mm) (Total Height 157 mm)

**U J Cross fitting 52 mm x 147 mm
(RSB 590 / SPR 2045 Series)**



RDS 1736

Tata LPS 4028, LPK 3128, L/L 3123,
Bharat Benz (Heavy Duty, STEEL FORGED)
(Head Size 4" / 95 mm) (Total Height 154 mm)

**U J Cross fitting 57 mm x 152 mm
(RSB 620 / SPR 2055 Series)**



RDS 1722

Tata 1628, 2038, Leyland 4936,
Bharat Benz (Heavy Duty, STEEL FORGED)
(Head Size 4.5" / 112 mm) (Total Height 160 mm)

**U J Cross fitting 47.65 mm x 135 mm
(SPR 2040 Series)**



RDS 1778

Tata 4928, 3128, Leyland 3119,
Bharat Benz (Heavy Duty, STEEL FORGED)
(Head Size 4.5" / 112 mm) (Total Height 137 mm)

**U J Cross fitting 47.65 mm x 135 mm
(SPR 2040 Series)**



RDS 1703

Tata 4928, 3128, Leyland 3119,
Bharat Benz (Heavy Duty, STEEL FORGED)
(Head Size 4" / 95 mm) (Total Height 152 mm)

**U J Cross fitting 47.65 mm x 135 mm
(SPR 2040 Series)**



RDS 1710

Tata 4928, 3128, Leyland 3119,
Bharat Benz (Heavy Duty, STEEL FORGED)
(Head Size 3.6" / 91.4 mm) (Total Height 152 mm)

**U J Cross fitting 48 mm x 135 mm
(RSB 490 Series)**



RDS 149 B

Tata 4018 / 3118
(Heavy Duty, STEEL FORGED)

(Head Size 4" / 95 mm) (Total Height 142 mm)

**U J Cross fitting 49.2 mm x 155 mm
(..... Series)**



RDS 143

Tata 4018 Patti Type
(Heavy Duty, STEEL FORGED)

(Head Size 4" / 95 mm) (Total Height 138 mm)

**U J Cross fitting 41.28 mm x 126 mm
(SPL 90 Series)**



RDS 6231 E

Leyland 2214, 2516 / Tata 2515
Eicher Galaxy (Heavy Duty, STEEL FORGED)

(Head Size 4" / 95 mm) (Total Height 129 mm)

**U J Cross fitting 41.28 mm x 126 mm
(SPL 90 Series)**



RDS 1772

Leyland 2214 N/M (LONG LEGS)
(Heavy Duty, STEEL FORGED)

(Head Size 4" / 95 mm) (Total Height 138 mm)

**U J Cross fitting 41.28 mm x 126 mm
(SPL 90 Series)**



RDS 1777

Tata LPK 2516 / 1615
(Heavy Duty, STEEL FORGED)

(Head Size 3.5" / 84.50 mm) (Total Height 129 mm)

U J Cross fitting 47.65 mm x 135 mm



RDS 6226

Leyland Taurus 3516
(Heavy Duty, STEEL FORGED)

(Head Size 3.5" / 84 mm) (Total Height 152 mm)

U J Cross fitting Leyland Taskar
(34.95 mm x 126 mm)



RDS 6231 N

Tata / Leyland 1710 Series, Leyland 2516 Tipper
(Inter Axle shaft) (Heavy Duty, STEEL FORGED)
(Head Size 4" / 95 mm) (Total Height 110 mm)

U J Cross fitting Leyland Taskar
(34.95 mm x 126 mm)



RDS 122

Leyland 2516 (with LONG LEGS)
(Heavy Duty, STEEL FORGED)
(Head Size 4" / 95 mm) (Total Height 129 mm)

U J Cross fitting 42 mm x 129.35 mm
(RSB 403 Series)



RDS 121 A

Tata 2515 / 2518
(Heavy Duty, STEEL FORGED)
(Head Size 4" / 95 mm) (Total Height 137 mm)

U J Cross fitting 42 mm x 129.35 mm
(RSB 403 Series)



RDS 156

Tata 2515 / 2518 (with LONG LEGS)
(Heavy Duty, STEEL FORGED)
(Head Size 4" / 95 mm) (Total Height 146 mm)
(suitable for Inter Axle shaft)

U J Cross fitting 42 mm x 119 mm
(RSB 325 Series)



RDS 112 A

Tata 2515 Ex / 1613 Turbo
(Heavy Duty, STEEL FORGED)
(Head Size 3.5" / 84.50 mm) (Total Height 128 mm)

U J Cross fitting 42 mm x 119 mm
(RSB 325 Series)



RDS 112 B

Tata 2515 Ex
(Heavy Duty, STEEL FORGED)
(Head Size 4" / 95 mm) (Total Height 129 mm)

U J Cross fitting Tata 407 Pick Up
(MSL 1480 Series, 34.95 mm x 106 mm)



RDS 1773

Tata 407 Pick Up 3"
(Heavy Duty, STEEL FORGED)

(Head Size 3" / 71.50 mm) (Total Height 92 mm)

U J Cross fitting Tata 407 Pick Up
(MSL 1480 Series, 34.95 mm x 106 mm)



RDS 204

Tata 407 Pick Up 3.5"
(Heavy Duty, STEEL FORGED)

(Head Size 3.5" / 84.50 mm) (Total Height 127 mm)

U J Cross fitting Tata 407 Pick Up
(MSL 1480 Series, 34.95 mm x 106 mm)



RDS 215

Tata 407 Pick Up 3.5"
(Original Shape) (Heavy Duty, STEEL FORGED)

(Head Size 3.5" / 84.50 mm) (Total Height 92 mm)

U J Cross fitting Canter N/M
(30.18 mm x 106 mm)



RDS 6253

Eicher Canter 10.60, 1090 / 709 Ex Turbo
(Heavy Duty, STEEL FORGED)

(Head Size 3" / 71.50 mm) (Total Height 96 mm)

U J Cross fitting Leyland Taskar
(MSL 1550 Series, 34.95 mm x 126 mm)



RDS 6144

Leyland Taskar 3"
(Heavy Duty, STEEL FORGED)

(Head Size 3" / 71.50 mm) (Total Height 102 mm)

U J Cross fitting Leyland Taskar
(MSL 1550 Series, 34.95 mm x 126 mm)



RDS 6146

Tata 1109 Ex / Leyland Taskar 3.5"
(Heavy Duty, STEEL FORGED)

(Head Size 3.5" / 84.50 mm) (Total Height 98 mm)

U J Cross fitting DCM N/M
(MSL 1350 Series, 30.17 mm x 92 mm)



RDS 6258 A

Tata 407 Turbo (MSL Type) / DCM 14 B
(Heavy Duty, STEEL FORGED)

(Head Size 3" / 71.50 mm) (Total Height 96 mm)

U J Cross fitting Tata 1312 / 1612
(46.05 mm x 118 mm)



RDS 6038

Tata 1312 / 1612 / 2416
(Heavy Duty, STEEL FORGED)

(Head Size 3.5" / 90 mm) (Total Height 139 mm)

U J Cross fitting Leyland 370
(39.69 mm x 116 mm)



RDS 6130

Leyland 370 / Bedford
(Heavy Duty, STEEL FORGED)

(Head Size 3" / 71.50 mm) (Total Height 126 mm)

U J Cross fitting Leyland 370
(39.69 mm x 116 mm)



RDS 6131

Leyland 370 / Bedford
(Heavy Duty, STEEL FORGED)

(Head Size 3.5" / 84.50 mm) (Total Height 125 mm)

*many
more to
come*

39 Splines



RDS 978

Differential Coupling Flange
Leyland 3723, 2518 (39 Splines)
(Plate Size 6" / 150 mm)
(X Serrated - Round) (4 Holes)
(Hole Dia 13 mm) (Bolt Size 19 No.)

(Total Height 70 mm) (Oil Seal Size 76.30 mm)

39 Splines



RDS 979

Differential Coupling Flange
Leyland (Meritor MT 1497 Axle) (39 Splines)
(Plate Size 6" / 150 mm)
(X Serrated - Round) (4 Holes)
(Hole Dia 13 mm) (Bolt Size 19 No.)

(Total Height 75 mm) (Oil Seal Size 70 mm)

39 Splines



RDS 980

Thru Shaft Flange (Inter Axle)
Leyland 2214, 2516, 3118, 2518, 3123
(Compatible with Meritor MT 1495 Axle)
(39 Splines) (Plate Size 6" / 150 mm)
(X Serrated - Round) (4 Holes)
(Hole Dia 13 mm) (Bolt Size 19 No.)

(Total Height 87 mm) (Oil Seal Size 70 mm)

39 Splines



RDS 476

Differential Coupling Flange
Leyland 2516, 2518 U Truck
(39 Splines) (Plate Size 6" / 150 mm)
(X Serrated - Round) (4 Holes)
(Hole Dia 13 mm) (Bolt Size 19 No.)

Total Height 87 mm) (Oil Seal Size 76.30 mm)

39 Splines



RDS 477

Differential Coupling Flange
Tata 2515 (BS 3)
(39 Splines) (Plate Size 6" / 150 mm)
(X Serrated - Round) (4 Holes)
(Hole Dia 13 mm) (Bolt Size 19 No.)

(Total Height 105 mm) (Oil Seal Size 76.30 mm)

39 Splines



RDS 956

Centre Joint Flange
Tata 3718, 2518 (39 Splines)
(Plate Size 6" / 150 mm)
(X Serrated - Diamond Cut) (4 Holes)
(Hole Dia 13 mm) (Bolt Size 19 No.)

(Total Height 82 mm) (Oil Seal Size 63 mm)
Mating Front Teeth RDS 252

39 Splines



RDS 1760

Differential Coupling Flange
Leyland 2518 (Inter Axle Shaft)
(39 Splines) (Plate Size 6" / 150 mm, X Serrated)
(4 Holes) (Hole Dia 13 mm) (Bolt Size 19 No.)

(Total Height 85 mm) (Oil Seal Size 67 mm)

39 Splines



RDS 702

Differential Coupling Flange
Tata 2518 (39 Splines)
(Plate Size 6"/150 mm) (X Serrated)
(4 Holes) (Hole Dia 13 mm) (Bolt Size 19 No.)

(Total Height 93 mm) (Oil Seal Size 76.30 mm)

39 Splines



RDS 719

Differential Coupling Flange
Leyland 2518 (39 Splines)
(Plate Size 6"/150 mm) (X Serrated)
(4 Holes) (Hole Dia 13 mm) (Bolt Size 19 No.)

(Total Height 93 mm) (Oil Seal Size 71.30 mm)

39 Splines



RDS 154

Differential / Pinion Coupling Flange
Leyland 1613 Turbo / E Comet (39 Splines)
(Plate Size 6" / 146 mm, Plain Base)
(4 Holes) (Hole Dia 12.8 mm)
(Bolt Size 21 No.) (Total Height 86 mm)
(Oil Seal Size 67 mm)

39 Splines



RDS 004

Differential Coupling Flange
Tata 2515 Hywa (39 Splines)
(Plate Size 5"/130 mm) (Plain Base)
(8 Holes) (Hole Dia 10.2 mm)
(Bolt Size 17 No.)
(Total Height 87 mm) (Oil Seal Size 76 mm)

39 Splines



RDS 971

Differential Coupling Flange
Tata 2515 Hywa (39 Splines)
(Plate Size 5"/130 mm) (Plain Base)
(8 Holes) (Hole Dia 10.2 mm) (Bolt Size 17 No.)
(Total Height 87 mm) (Oil Seal Size 71.30 mm)

39 Splines



RDS 6231 J

Differential / Pinion Coupling Flange
Leyland 2516 / 2214 (39 Splines)
(Plate Size 7"/175 mm, Plain Base)
(8 Holes) (Hole Dia 9.8 mm)
(Bolt Size 15 No.)
(Total Height 88 mm) (Oil Seal Size 76.30 mm)

39 Splines



RDS 722

Differential / Pinion Coupling Flange
Leyland 2516 / 2214 (39 Splines)
(Plate Size 7"/175 mm, Plain Base)
(8 Holes) (Hole Dia 9.8 mm)
(Bolt Size 15 No.)
(Total Height 88 mm) (Oil Seal Size 71.30 mm)

39 Splines



RDS 6240

Output Shaft Flange
Leyland 2516 / 2214 (39 Splines)
(Square Base) (4 Holes)
(Hole Dia 12.8 mm) (Bolt Size 21 No.)
(Total Height 88 mm) (Oil Seal Size 76.30 mm)

39 Splines



RDS 968

Differential Coupling Flange
Tata 4018 (Long), AMW 2515/2516/2518
(39 Splines) (Plate Size 6.5"/165 mm)
(Plain Base) (8 Holes) (Hole Dia 16.2 mm)
(Bolt Size 24 No.)
(Total Height 110 mm) Oil Seal Size 71.30 mm)

*Many
more to
come*



26 Splines

RDS 113 E

Differential / Centre Joint Flange
Tata 2518 LPT, 2516 LPT, 3118, 3516 (26 Splines)
(Plate Size 6"/150 mm) (X Serrated - Diamond Cut)
(4 Holes) (Hole Dia 13 mm)
(Bolt size 19 No.) (Total Height 62 mm)
(Oil Seal Size 68 mm)



26 Splines

RDS 113 E R

Differential / Centre Joint Flange
Tata 2518 LPT, 2516 LPT, 3118, 3516 (26 Splines)
(Plate Size 6"/150 mm) (X Serrated)
Complete Round (4 Holes) (Hole Dia 13 mm)
(Bolt Size 19 No.) (Total Height 62 mm)
(Oil Seal Size 68 mm)



26 Splines

RDS 113 H

Differential / Centre Joint Flange
Tata 2515 (26 Splines)
(Plate Size 6"/150 mm) (X Serrated)
(4 Holes) (Hole Dia 13 mm)
(Bolt Size 19 No.) (Total Height 82 mm)
(Oil Seal Size 68 mm)



26 Splines

RDS 113 I

Differential / Centre Joint Flange
Tata 2518 (26 Splines)
(Plate Size 6"/150 mm) (X Serrated)
Complete Round (4 Holes) (Hole Dia 13 mm)
(Bolt Size 19 No.) (Total Height 96 mm)
(Oil Seal Size 72 mm)



26 Splines

RDS 723

Differential / Centre Joint Flange
Tata 2518 (26 Splines)
(Plate Size 6"/150 mm) (X Serrated - **Diamond Cut**)
(4 Holes) (Hole Dia 13 mm)
(Bolt Size 19 No.) (Total Height 96 mm)
(Oil Seal Size 72 mm)



26 Splines

RDS 1757

Centre Joint Flange
Tata 3128 / Leyland 3136 (Big Bore)
(26 Splines) (Plate Size 6"/150 mm)
(X Serrated) (4 Holes) (Hole Dia 13 mm)
(Bolt Size 19 No.) (Total Height 84 mm)
(Oil Seal Size 90 mm)



26 Splines

RDS 708

Gear Box Flange
Tata 2518 / 4018 (GB 75) (26 Splines)
(Plate Size 6"/150 mm) (X Serrated)
(4 Holes) (Hole Dia 13 mm)
(Bolt Size 19 No.) (Total Height 110 mm)
(Oil Seal Size 68 mm)



26 Splines

RDS 474

Gear Box Flange (**SIDE CUT**)
Tata 2518 / 4018 (GB 75) (26 Splines)
(Plate Size 6"/150 mm) (X Serrated)
(4 Holes) (Hole Dia 13 mm)
(Bolt Size 19 No.) (Total Height 110 mm)
(Oil Seal Size 68 mm)



26 Splines

RDS 466

Differential Coupling Flange
Tata 1613 Turbo / 2518 (26 Splines)
(Plate Size 6" / 150 mm, X Serrated)
(4 Holes) (Hole Dia 13 mm)
(Bolt Size 19 No.) (Total Height 89 mm)
(Oil Seal Size 85 mm)



26 Splines

RDS 952

Gear Box Flange

Tata 2523, 3723, 4023 (GBS 1150)
 (Big Bore) (26 Splines) (Plate Size 6"/150 mm)
 (X Serrated) (4 Holes) (Hole Dia 13 mm)
 (Bolt Size 19 No.) (Total Height 90 mm)
 (Oil Seal Size 80 mm)



26 Splines

RDS 1753

Centre Joint Flange

Tata LPK 2523, 3723 (26 Splines)
 (Plate Size 7"/180 mm) (X Serrated - Straight Cut)
 (4 Holes) (Hole Dia 15.2 mm)
 (Bolt Size 22 No.) (Total Height 96 mm)
 (Oil Seal Size 69 mm)



26 Splines

RDS 964

Centre Joint Flange

Tata LPK 2523, 3723 (26 Splines)
 (Plate Size 7"/180 mm)
 (X Serrated - Diamond Cut) (4 Holes)
 (Hole Dia 15.2 mm) (Bolt Size 22 No.)
 (Total Height 96 mm) (Oil Seal Size 69 mm)



26 Splines

RDS 953

Gear Box Flange

Tata 2523, 3723, 4023 (GBS 1150)
 (Big Bore) (26 Splines) (Plate Size 7"/180 mm)
 (X Serrated) (4 Holes) (Hole Dia 15 mm)
 (Bolt Size 22 No.) (Total Height 90 mm)
 (Oil Seal Size 80 mm)



26 Splines

RDS 467

Differential Coupling Flange

Tata 4923 (26 Splines)
 (Plate Size 7"/180 mm, X Serrated)
 (4 Holes) (Hole Dia 15 mm)
 (Bolt Size 22 No.) (Total Height 62 mm)
 (Oil Seal Size 68 mm)



26 Splines

RDS 969

Differential Coupling Flange

Tata 3118, 3128 / Leyland 3136 (Big Bore)
 (26 Splines) (Plate Size 7"/180 mm)
 (X Serrated) (4 Holes) (Hole Dia 15 mm)
 (Bolt Size 22 No.) (Total Height 85 mm)
 (Oil Seal Size 90 mm)



26 Splines

RDS 464

Centre Joint Flange (SPR 2060 Series)

Tata LPK 3128, 3138 (26 Splines)
 (Plate Size 7" / 180 mm, X Serrated)
 (4 Holes) (Hole Dia 15.2 mm) (Bolt Size 22 No.)
 (Total Height 96 mm) (Oil Seal Size 79.50 mm)



26 Splines

RDS 470

Differential Coupling Flange

Tata 3118, LPTA 2038 TC, LPO 1625
 Prima LX 4028 (26 Splines)
 (Plate Size 7" / 180 mm, X Serrated)
 (4 Holes) (Hole Dia 15.2 mm) (Bolt Size 22 No.)
 (Total Height 89 mm) (Oil Seal Size 85 mm)



26 Splines

RDS 973

Gear Box Flange

Tata 4923, Prima (GB - 75) (26 Splines)
 (Plate Size 7"/180 mm - X Serrated)
 (4 Holes) (Hole Dia 15.2 mm)
 (Bolt Size 22 No.) (Total Height 110 mm)
 (Oil Seal Size 68 mm)



26 Splines

RDS 704

Centre Joint Flange
Tata 2515 / 2516 (RSB Shaft) (26 Splines)
(Plate Size 5"/130 mm) (Plain Base)
(8 Holes) (Hole Dia 10.2 mm)
(Bolt Size 17 No.) (Total Height 92 mm)
(Oil Seal Size 68 mm)



26 Splines

RDS 6039

Differential Coupling Flange
Tata 1312 / 1612 (26 Splines)
(Plate Size 5"/130 mm) (Plain Base)
(8 Holes) (Hole dia 10.2 mm)
(Bolt Size 17 No.) (Total Height 62 mm)
(Oil Seal Size 68 mm)



26 Splines

RDS 6040 A

Centre Joint Flange
Tata 2416 / 1510 (26 Splines)
(Plate Size 5"/130 mm) (Plain Base)
(8 Holes) (Hole dia 10.2 mm)
(Bolt Size 17 No.) (Total Height 78 mm)
(Oil Seal Size 68 mm)



26 Splines

RDS 471

Differential Coupling Flange
Tata Ultra 1212, 1412, 1512,
LPT 1212, LPT 1412 (26 Splines)
(Plate Size 4.7"/120 mm, X Serrated)
(4 Holes) (Hole Dia 11.2 mm)
(Bolt Size 18 No.) (Total Height 70 mm)
(Oil Seal Size 68 mm)



26 Splines

RDS 113 A

Differential Coupling Flange
Tata 2518 (26 Splines)
(Plate Size 6"/150 mm) (Plain Base)
(8 Holes) (Hole Dia 12.2 mm)
(Bolt Size 19 No.) (Total Height 67 mm)
(Oil Seal Size 68 mm)



26 Splines

RDS 709

Differential Coupling Flange
Tata 4018 N/M (26 Splines)
(Plate Size 6.5"/165 mm) (Plain Base)
(8 Holes) (Hole Dia 16.2 mm)
(Bolt Size 24 No.) (Total Height 75 mm)
(Oil Seal Size 68 mm)



26 Splines

RDS 1758

Centre Joint Flange
Leyland 2214 N / M (26 Splines)
(Plate Size 7"/175 mm) (Plain Base)
(8 Holes) (Hole Dia 9.8 mm)
(Bolt Size 15 No.) (Total Height 98 mm)
(Oil Seal Size 72 mm)



RDS 6014

Differential Coupling Flange
Tata 1210 (26 Splines)
(Plate Size 4.75"/120 mm) (Plain Base)
(6 Holes) (Hole dia 10.2 mm)
(Bolt Size 17 No.) (Total Height 58.50 mm)
(Oil Seal Size 68 mm)

*many more
to come*

34 Splines



RDS 113 G

Centre Joint Flange
Tata 2518 (34 Splines)
(Plate Size 6"/150 mm) (X Serrated)
(4 Holes) (Hole Dia 13 mm)
(Bolt Size 19 No.) (Total Height 62 mm)
(Oil Seal Size 56 mm)

34 Splines



RDS 1759

Centre Joint Flange
Tata 2518 (Inter Axle Shaft) (34 Splines)
(Plate Size 6"/150 mm) (X Serrated)
(4 Holes) (Hole Dia 13 mm)
(Bolt Size 19 No.) (Total Height 80 mm)
(Oil Seal Size 65.5 mm)

34 Splines



RDS 717

Centre Joint Flange
Tata 2518 (34 Splines)
(Plate Size 6"/150 mm) (X Serrated)
(4 Holes) (Hole Dia 13 mm)
(Bolt Size 19 No.) (Total Height 84 mm)
(Oil Seal Size 63.5 mm)

34 Splines



RDS 967

Gear Box Flange
Eicher Terra 16 (34 Splines)
(Plate Size 6" / 150 mm, X Serrated)
(4 Holes) (Hole Dia 13 mm) (Bolt Size 19 No.)
(Total Height 74 mm) (Oil Seal Size 58 mm)

34 Splines



RDS 962

Centre Joint Flange
Tata 407/ LPO (34 Splines)
(Plate Size 5"/120 mm) (X Serrated)
(4 Holes) (Hole Dia 11.2 mm)
(Bolt Size 18 No.) (Total Height 60 mm)
(Oil Seal Size 55.80 mm)

34 Splines



RDS 6231 I

Centre Joint Flange
Leyland 2516 / 2214, Eicher 30.15, 30.25
(34 Splines) (Plate Size 7"/175 mm Plain Base)
(8 Holes) (Hole Dia 9.8 mm)
(Bolt Size 15 No.) (Total Height 61 mm)
(Oil Seal Size 55.50 mm)

34 Splines



RDS 113 D

Centre Joint Flange
Tata 2518 (34 Splines)
(Plate Size 6" / 150 mm) (Plain Base) (8 Holes)
(Hole Dia 12.2 mm) (Bolt Size 19 No.)
(Total Height 75 mm) (Oil Seal Size 64 mm)

34 Splines



RDS 1302

Centre Joint Flange
Leyland 1613 / Eicher 20.16 Jumbo (34 Splines)
(Plate Size 6" / 150 mm, Plain Base) (4 Holes)
(Hole Dia 12.8 mm) (Bolt Size 21 No.)
(Total Height 63 mm) (Oil Seal Size 55.60 mm)

34 Splines



RDS 006

Centre Joint Flange
Tata 2515 Hywa (34 Splines)
(Plate Size 5" / 130 mm) (Plain Base) (8 Holes)
(Hole Dia 10.2 mm) (Bolt Size 17 No.)
(Total Height 78 mm) (Oil Seal Size 63.5 mm)

34 Splines



RDS 706
Centre Joint Flange
Tata 1616 / 1613 (34 Splines)
(Plate Size 5" / 130 mm) (Plain Base) (8 Holes)
(Hole Dia 10.2 mm) (Bolt Size 17 No.)
(Total Height 78 mm) (Oil Seal Size 66 mm)

34 Splines



RDS 475
Centre Joint Flange
Tata 1616 / 1613, Eicher 30.25 (34 Splines)
(Plate Size 5" / 130 mm) (Plain Base) (8 Holes)
(Hole Dia 10.2 mm) (Bolt Size 17 No.)
(Total Height 78 mm) (Oil Seal Size 55.70 mm)

34 Splines



RDS 1301
Gear Box Flange
Eicher Terra 16 (34 Splines)
(Square Base) (4 Holes)
(Hole Dia 12.8 mm) (Bolt Size 21 No.)
(Total Height 72.5 mm) (Oil Seal Size 58 mm)

34 Splines



RDS 6239
Output Shaft Flange
Leyland 2516 / 2214 (34 Splines)
(Square Base) (4 Holes)
(Hole Dia 12.8 mm) (Bolt Size 21 No.)
(Total Height 78 mm) (Oil Seal Size 63.50 mm)

34 Splines



RDS 6261 B
Centre Joint Flange
Swaraj Mazda (34 Splines)
(Square Base) (4 Holes)
(Hole Dia 10.1 mm) (Bolt Size 17 No.)
(Total Height 56 mm) (Oil Seal Size 47 mm)
Mating Front Teeth RDS 6261 C

*many more
to come*

16 Splines



RDS 155

Centre Joint Flange

Tata, Leyland 3118,3116, 4923 (16 Splines)

(Plate Size 6"/150 mm, X Serrated)

(4 Holes) (Hole Dia 13 mm)

(Bolt Size 19 No.)

(Total Height 80 mm) (Oil Seal Size 73 mm)

16 Splines



RDS 465

Gear Box Coupling Flange

Tata Ultra 1212 (16 Splines)

(Plate Size 4.7"/120 mm, X Serrated)

(4 Holes) (Hole Dia 11.2 mm)

(Bolt Size 18 No.)

(Total Height 62 mm) (Oil Seal Size 58 mm)

16 Splines



RDS 468

Differential Coupling Flange

Tata 1109 (BS III) Euro 2 (16 Splines)

(Plate Size 5.12"/130 mm, Round Base)

(8 Holes) (Hole Dia 10.2 mm)

(Bolt Size 17 No.)

(Total Height 59 mm) (Oil Seal Size 58 mm)

16 Splines



RDS 1303

Differential Coupling Flange

Eicher Terra 16 (TIPPER)

(16 Splines) (Square Base)

(4 Holes) (Hole Dia 12.8 mm)

(Bolt Size 21 No.)

(Total Height 95 mm) (Oil Seal Size 70 mm)

16 Splines



RDS 1755

Centre Joint Flange

Eicher 11.10 (16 Splines) Square Base

(4 Holes) (Hole Dia 13 mm) (Bolt Size 19 No.)

Mating Front Teeth RDS 1768

(Total Height 95 mm) (Oil Seal Size 54 mm)

16 Splines



RDS 974

Differential Coupling Flange

Eicher Terra 16 (16 Splines)

(Plate Size 6"/150 mm) (X Serrated)

(4 Holes) (Hole Dia 13 mm)

(Bolt Size 19 No.)

(Total Height 96 mm) (Oil Seal Size 70 mm)

16 Splines



RDS 6228

Centre Joint Flange

Leyland Taurus 1616 / Eicher 30.25 (16 Splines)

(Plate Size 7" / 175 mm, Plain Base)

(8 Holes) (Hole Dia 9.8 mm) (Bolt Size 15 No.)

(Total Height 95 mm) (Oil Seal Size 62 mm)

16 Splines



RDS 6041

Gear Box Flange

Tata 1312 / 1612 / 1510 (16 Splines)

(Plate Size 5.1" / 130 mm, Plain Base)

(8 Holes) (Hole Dia 10.2 mm) (Bolt Size 17 No.)

(Total Height 70 mm) (Oil Seal Size 58 mm)

16 Splines



RDS 472

Differential Coupling Flange

Tata 709 / 909 Ex N/M (16 Splines)

(Plate Size 4.75" / 120 mm, Plain Base)

(6 Holes) (Hole Dia 10.2 mm) (Bolt Size 17 No.)

(Total Height 60 mm) (Oil Seal Size 58 mm)



20 Splines

RDS 1751

Centre Joint Flange

Tata 3718 (Without Oil Seal) (20 Splines)

(Plate Size 6"/150 mm) (X Serrated)

(4 Holes) (Hole Dia 13 mm)

(Bolt Size 19 No.) (Total Height 71 mm)



20 Splines

RDS 1752

Centre Joint Flange

Tata 3718 (Oil Seal Type) (20 Splines)

(Plate Size 6"/150 mm) (X Serrated)

(4 Holes) (Hole Dia 13 mm) (Bolt Size 19 No.)

(Total Height 71 mm) (Oil Seal Size 63 mm)



20 Splines

RDS 469

Centre Joint Flange

Leyland AVTR 1920, 2820 Tipper, 3520

(20 Splines) (Plate Size 6"/150 mm, X Serrated)

(4 Holes) (Hole Dia 13 mm) (Bolt Size 19 No.)

(Total Height 95 mm) (Oil Seal Size 63 mm)



20 Splines

RDS 958

Centre Joint Flange

Tata 1624, 1625, 4129 L/L 3518 (20 Splines)

(Plate Size 7"/180 mm) (X Serrated)

(4 Holes) (Hole Dia 15.2 mm)

(Bolt Size 22 No.)

(Total Height 71 mm) (Oil Seal Size 63 mm)



20 Splines

RDS 462

Gear Box Coupling Flange

Eicher 11.10 (20 Splines)

(Square Base Cut Type) (4 Holes)

(Hole Dia 12.2 mm) (Bolt Size 21 No.)

(Total Height 103 mm) (Oil Seal Size 48 mm)

*many more
to come*

28 Splines



RDS 965

Centre Joint Flange Tata 4923
(28 Splines) (Plate Size 6"/150 mm)
(X Serrated - Diamond Cut)
(4 Holes) (Hole Dia 13 mm)
(Bolt Size 19 No.)

(Total Height 78 mm) (Oil Seal Size 56 mm)

28 Splines



RDS 461

Centre Joint Flange
Tata 1613 LPT Bus, LPO 1512, LP 1613
(28 Splines) (Plate Size 5.1" / 130 mm)
(Plain Base - Round) (8 Holes)
(Hole Dia 10.2 mm) (Bolt Size 17 No.)

(Total Height 77 mm) (Oil Seal Size 59 mm)

28 Splines



RDS 463

Gear Box Flange GB 950
Tata 2523, Leyland 3718 (28 Splines)
(Plate Size 6" / 150 mm)
(X Serrated - Diamond Cut) (4 Holes)
(Hole Dia 13 mm) (Bolt Size 19 No.)

(Total Height 60 mm) (Oil Seal Size 72 mm)

28 Splines



RDS 1793

Gear Box Flange
Tata 4928 (Eaton Design) (28 Splines)
(Plate Size 6" / 150 mm, X Serrated)
(4 Holes) (Hole Dia 13 mm)
(Bolt Size 19 No.)

(Total Height 76 mm) (Oil Seal Size 78 mm)

28 Splines



RDS 705

Gear Box Flange
Leyland 2516, 3116 (ZF Type) (28 Splines)
(Plate Size 6" / 150 mm, X Serrated)
(4 Holes) (Hole Dia 13 mm)
(Bolt Size 19 No.)

(Total Height 100 mm) (Oil Seal Size 60 mm)

28 Splines



RDS 951

Gear Box Flange
Leyland 1616 (ZF Design) (28 Splines)
(Square Base) (4 Holes)
(Hole Dia 12.8 mm) (Bolt Size 21 No.)

(Total Height 83 mm) (Oil Seal Size 54 mm)

28 Splines



RDS 1304

Gear Box Flange (ZF Design)
Leyland IVECO, E Comet
(Plate Size 4.7"/120 mm, X Serrated)
(4 Holes) (Hole Dia 11.2 mm)
(Bolt Size 18 No.)

(Total Height 91 mm) (Oil Seal Size 54.30 mm)

28 Splines



RDS 6237 A

Gear Box Flange
Leyland 2516 / 2214 (28 Splines)
(Plate Size 7" / 175 mm, Plain Base)
(8 Holes) (Hole Dia 9.8 mm)
(Bolt Size 15 No.)

(Total Height 61 mm) (Oil Seal Size 54 mm)

28 Splines



RDS 6246

Gear Box Flange (Bell Type)
Leyland 2516 / 2214 (28 Splines)
(Plate Size 7" / 175 mm, Plain Base)
(8 Holes) (Hole Dia 9.8 mm)
(Bolt Size 15 No.)

(Total Height 115 mm) (Oil Seal Size 60 mm)

18 Splines



RDS 113 F

Gear Box Flange
Tata 2518 (18 Splines)
(Plate Size 6" / 150 mm, X Serrated)
(4 Holes) (Hole Dia 13 mm)
(Bolt Size 19 No.)

(Total Height 62 mm) (Oil Seal Size 63 mm)

18 Splines



RDS 005

Gear Box Flange
Tata 2515 Ex (GB 60) (18 Splines)
(Plate Size 5" / 130 mm, Plain Base)
(8 Holes) (Hole Dia 10.2 mm)
(Bolt Size 17 No.)

(Total Height 90 mm) (Oil Seal Size 65 mm)

18 Splines



RDS 113 C

Gear Box Flange
Tata 2518 (18 Splines)
(Plate Size 6" / 150 mm, Plain Base)
(8 Holes) (Hole Dia 12.2 mm)
(Bolt Size 19 No.)

(Total Height 67 mm) (Oil Seal Size 65 mm)

18 Splines



RDS 710

Gear Box Coupling Flange
Tata 4018 N/M (18 Splines)
(Plate Size 6.5" / 165 mm, Plain Base)
(8 Holes) (Hole Dia 16.2 mm)
(Bolt Size 24 No.)

(Total Height 75 mm) (Oil Seal Size 65 mm)

18 Splines



RDS 6255

Gear Box Coupling Flange
Eicher 10.40, 10.60, 10.90 LCV (18 Splines)
(Square Base Cut Type) (4 Holes)
(Hole Dia 12.2 mm) (Bolt Size 21 No.)

(Total Height 103 mm) (Oil Seal Size 48 mm)

18 Splines



RDS 6271

Differential Coupling Flange
Eicher 11.10 XP HCV (18 Splines)
(Round Base) (4 Holes)
(Hole Dia 12.2 mm) (Bolt Size 21 No.)

(Total Height 70 mm) (Oil Seal Size 56 mm)

*many more
to come*



10 Splines

RDS 6132

Differential / Pinion Coupling Flange
Leyland 370 (10 Splines)
(Plate Size 6" / 146 mm, Plain Base)
(4 Holes) (Hole Dia 12.8 mm)
(Bolt Size 21 No.)

(Total Height 85 mm) (Oil Seal Size 70 mm)



10 Splines

RDS 153

Centre Joint Flange
Leyland 1613 Turbo / E Comet (10 Splines)
(Plate Size 6" / 146 mm, Plain Base)
(4 Holes) (Hole Dia 12.8 mm)
(Bolt Size 21 No.)

(Total Height 63 mm) (Oil Seal Size 55.50 mm)



10 Splines

RDS 963

Centre Joint Flange
Tata 909 / 1109 (10 Splines)
(Plate Size 4.75" / 120 mm, X Serrated)
(4 Holes) (Hole Dia 11.2 mm)
(Bolt Size 18 No.)

(Total Height 60 mm) (Oil Seal Size 49 mm)



10 Splines

RDS 6254

Centre Joint Flange
Eicher Canter 10.40, 10.70, 10.90 (10 Splines)
(Square Base) (4 Holes)
(Hole Dia 12.2 mm) (Bolt Size 21 No.)
Mating Front Teeth RDS 6254 C

(Total Height 62 mm) (Oil Seal Size 50 mm)



10 Splines

RDS 6148

Centre Joint Flange
Leyland Taskar (10 Splines)
(Square Base)
(4 Holes) (Hole Dia 12.8 mm)
(Bolt Size 21 No.)

(Total Height 73 mm) (Oil Seal Size 70 mm)



10 Splines

RDS 701

Centre Joint Flange
L/L Taurus 1616 (10 Splines)
(Plate Size 7" / 175 mm, Plain Base)
(8 Holes) (Hole Dia 9.8 mm)
(Bolt Size 15 No.) Mating Front Teeth RDS 6150

(Total Height 85 mm) (Oil Seal Size 70 mm)



10 Splines

RDS 6229

Differential Coupling Flange
Leyland Taurus (10 Splines)
(Plate Size 7" / 175 mm, Plain Base)
(8 Holes) (Hole Dia 9.8 mm)
(Bolt Size 15 No.)

(Total Height 92 mm) (Oil Seal Size 70 mm)

30 Splines



RDS 976

Centre Joint Flange (RSB 620 Series)
Tata 3118 LPK, 3718, 3723, 2523 LPK
(30 Splines) (Plate Size 7" / 180 mm)
(X Serrated - Side Cut) (4 Holes)
(Hole Dia 15 mm) (Bolt Size 22 No.)

(Total Height 118 mm) (Oil Seal Size 75 mm)

30 Splines



RDS 977

Centre Joint Flange (RSB 620 Series)
Tata 3118 LPK, 3718, 3723, 2523 LPK N/M
(30 Splines) (Plate Size 7" / 180 mm)
(X Serrated - Diamond Cut) (4 Holes)
(Hole Dia 15 mm) (Bolt Size 22 No.)

(Total Height 100 mm) (Oil Seal Size 85 mm)

30 Splines



RDS 954

Gear Box Flange
Tata 4928 (Eaton Design) (30 Splines)
(Plate Size 6"/150 mm) (X Serrated)
(4 Holes) (Hole Dia 13 mm)
(Bolt Size 19 No.)

(Total Height 76 mm) (Oil Seal Size 70.2 mm)

30 Splines



RDS 955

Gear Box Flange
Tata 4928 (Eaton Design) (30 Splines)
(Plate Size 7" / 180 mm, X Serrated)
(4 Holes) (Hole Dia 15.2 mm) (Bolt Size 22 No.)

(Total Height 76 mm) (Oil Seal Size 70.2 mm)

41 Splines



RDS 703

Differential Coupling Flange
Tata 2518 / Leyland 2516, 2518 (41 Splines)
(Plate Size 6"/150 mm) (X Serrated)
(4 Holes) (Hole Dia 13 mm) (Bolt Size 19 No.)

(Total Height 93 mm) (Oil Seal Size 76.30 mm)

41 Splines



RDS 004 A

Differential Coupling Flange
Tata 2515 Hywa (41 Splines)
(Plate Size 5"/130 mm) (Plain Base)
(8 Holes) (Hole Dia 10.2 mm) (Bolt Size 17 No.)

(Total Height 92 mm) (Oil Seal Size 76.30 mm)

41 Splines



RDS 6231 K

Differential / Pinion Coupling Flange
Leyland 2516 / 2214 (41 Splines)
(Plate Size 7"/175 mm, Plain Base)
(8 Holes) (Hole Dia 9.8 mm) (Bolt Size 15 No.)

(Total Height 90 mm) (Oil Seal Size 76.30 mm)

41 Splines



RDS 6241

Output Shaft Flange
Leyland 2516 / 2214 (41 Splines)
(Square Base) (4 Holes)
(Hole Dia 12.8 mm) (Bolt Size 21 No.)

(Total Height 88 mm) (Oil Seal Size 76.30 mm)

41 Splines



RDS 966

Differential Coupling Flange
Tata 4018 (Long), AMW 2515 / 2516 / 2518
(41 Splines) (Plate Size 6.5" / 165 mm)
(8 Holes) (Hole Dia 16.2 mm) (Bolt Size 24 No.)

(Total Height 110 mm) (Oil Seal Size 77 mm)

46 Splines



RDS 959

Differential Coupling Flange
Tata 4018 / Leyland 2518 (46 Splines)
(Plate Size 7" / 180 mm, X Serrated)
(4 Holes) (Hole Dia 15 mm) (Bolt Size 22 No.)
(Total Height 69 mm) (Oil Seal Size 83.20 mm)

46 Splines



RDS 960

Differential Coupling Flange
Tata 4018 / Leyland 2518 (46 Splines)
(Plate Size 7" / 180 mm, X Serrated)
(4 Holes) (Hole Dia 15 mm) (Bolt Size 22 No.)
(Total Height 90 mm) (Oil Seal Size 85 mm)

46 Splines



RDS 957

Centre Joint Flange
Tata 3718, 2518 (46 Splines)
(Plate Size 6" / 150 mm)
(X Serrated - Diamond Cut) (4 Holes)
(Hole Dia 13 mm) (Bolt Size 19 No.)
Mating Front Teeth RDS 251
(Total Height 82 mm) (Oil Seal Size 73 mm)

46 Splines



RDS 972

Differential Coupling Flange
Tata 4018 / Leyland 2518 (46 Splines)
(Plate Size 6" / 150 mm, X Serrated)
(4 Holes) (Hole Dia 13 mm) (Bolt Size 19 No.)
(Total Height 92 mm) (Oil Seal Size 85 mm)

46 Splines



RDS 1754

Differential Coupling Flange
Tata 4018 / Leyland 2518 (46 Splines)
(Plate Size 6" / 150 mm, X Serrated)
(4 Holes) (Hole Dia 13 mm) (Bolt Size 19 No.)
(Total Height 88 mm) (Oil Seal Size 82.50 mm)

*many more
to come*

14 Splines



RDS 6254 A

Differential Coupling Flange
Eicher Canter 10.40, 10.60 LCV (14 Splines)
(Square Base) (4 Holes)
(Hole Dia 12.2 mm) (Bolt Size 21 No.)
(Total Height 60 mm) (Oil Seal Size 52 mm)

14 Splines



RDS 6254 D

Differential Coupling Flange
Eicher 10.90 LCV (14 Splines)
(Round Base) (4 Holes)
(Hole Dia 12.2 mm) (Bolt Size 21 No.)
(Total Height 70 mm) (Oil Seal Size 56 mm)

31 Splines



RDS 6261 A

Differential Coupling Flange
Swaraj Mazda (31 Splines)
(Square Base) (4 Holes)
(Hole Dia 10.1 mm) (Bolt Size 17 No.)
(Total Height 66 mm) (Oil Seal Size 50 mm)

32 Splines



RDS 961

Gear Box Flange
Eicher Terra 16 (32 Splines)
(Plate Size 6" / 150 mm, X Serrated)
(4 Holes) (Hole Dia 13 mm) (Bolt Size 19 No.)
(Total Height 90 mm) (Oil Seal Size 68 mm)

32 Splines



RDS 759

Coupling Flange (with Dust Cover)
Escorts JCB 3DX
Old Model (32 Splines)
(U J Cross fitting 34.95 mm x 106 mm)

35 Splines



RDS 758

Coupling Flange (with Dust Cover)
Escorts JCB 3DX
New Model (35 Splines)
(U J Cross fitting 34.95 mm x 106 mm)

6 Splines



RDS 6134

Gear Box Flange
Leyland 370 / Taskar (6 Splines)
(Square Base) (4 Holes)
(Hole Dia 12.8 mm) (Bolt Size 21 No.)
(Total Height 98 mm) (Oil Seal Size 63 mm)

6 Splines



RDS 6134 A

Gear Box Flange
Leyland 370 / Taskar (6 Splines)
(Plate Size 6" / 146 mm, Round Base)
(4 Holes) (Hole Dia 12.8 mm) (Bolt Size 21 No.)
(Total Height 98 mm) (Oil Seal Size 63 mm)

44 Splines



RDS 1756

Differential Coupling Flange
Tata 4018 / Leyland 2518 (44 Splines)
(Plate Size 6" / 150 mm, X Serrated)
(4 Holes) (Hole Dia 13 mm) (Bolt Size 19 No.)
(Total Height 100 mm) (Oil Seal Size 76.30 mm)

10 Splines



RDS 6254

Centre Joint Flange
Eicher Canter 10.40, 10.70, 10.90 (10 Splines)
(Square Base) (4 Holes)
(Hole Dia 12.2 mm) (Bolt Size 21 No.)
(Total Height 62 mm) (Oil Seal Size 50 mm)
Mating Front Teeth RDS 6254 C

14 Splines



RDS 6254 A

Differential Coupling Flange
Eicher Canter 10.40, 10.60 LCV (14 Splines)
(Square Base) (4 Holes)
(Hole Dia 12.2 mm) (Bolt Size 21 No.)
(Total Height 60 mm) (Oil Seal Size 52 mm)

14 Splines



RDS 6254 D

Differential Coupling Flange
Eicher 10.90 LCV (14 Splines)
(Round Base) (4 Holes)
(Hole Dia 12.2 mm) (Bolt Size 21 No.)
(Total Height 67 mm) (Oil Seal Size 56 mm)

18 Splines



RDS 6271

Differential Coupling Flange
Eicher 11.10 XP HCV (18 Splines)
(Round Base) (4 Holes)
(Hole Dia 12.2 mm) (Bolt Size 21 No.)
(Total Height 67 mm) (Oil Seal Size 56 mm)

18 Splines



RDS 6255

Gear Box Coupling Flange
Eicher 10.40, 10.60, 10.90 LCV (18 Splines)
(Square Base Cut Type) (4 Holes)
(Hole Dia 12.2 mm) (Bolt Size 21 No.)
(Total Height 103 mm) (Oil Seal Size 48 mm)

20 Splines



RDS 462

Gear Box Coupling Flange
Eicher 11.10 (20 Splines)
(Square Base Cut Type) (4 Holes)
(Hole Dia 12.2 mm) (Bolt Size 21 No.)
(Total Height 103 mm) (Oil Seal Size 48 mm)

31 Splines



RDS 6261 A

Differential Coupling Flange
Swaraj Mazda (31 Splines)
(Square Base) (4 Holes)
(Hole Dia 10.1 mm) (Bolt Size 17 No.)
(Total Height 66 mm) (Oil Seal Size 50 mm)

34 Splines



RDS 6261 B

Centre Joint Flange
Swaraj Mazda (34 Splines)
(Square Base) (4 Holes)
(Hole Dia 10.1 mm) (Bolt Size 17 No.)
(Total Height 56 mm) (Oil Seal Size 47 mm)
Mating Front Teeth RDS 6261 C

16 Splines



RDS 1755

Centre Joint Flange
Eicher 11.10
(16 Splines) Square Base
(4 Holes) (Hole Dia 13 mm) (Bolt Size 19 No.)
(Total Height 95 mm) (Oil Seal Size 54 mm)
Mating Front Teeth RDS 1768

16 Splines



RDS 1755

Centre Joint Flange
Eicher 11.10 (16 Splines) Square Base
(4 Holes) (Hole Dia 13 mm) (Bolt Size 19 No.)
Mating Front Teeth RDS 1768
(Total Height 95 mm) (Oil Seal Size 54 mm)

16 Splines



RDS 1303

Differential Coupling Flange
Eicher Terra 16 (TIPPER)
(16 Splines) (Square Base) (4 Holes)
(Hole Dia 12.8 mm) (Bolt Size 21 No.)
(Total Height 95 mm) (Oil Seal Size 70 mm)

16 Splines



RDS 974

Differential Coupling Flange
Eicher Terra 16 (16 Splines)
(Plate Size 6"/150 mm) (X Serrated)
(4 Holes) (Hole Dia 13 mm) (Bolt Size 19 No.)
(Total Height 96 mm) (Oil Seal Size 70 mm)

34 Splines



RDS 1301

Gear Box Flange
Eicher Terra 16 (34 Splines)
(Square Base) (4 Holes)
(Hole Dia 12.8 mm) (Bolt Size 21 No.)
(Total Height 72.5 mm) (Oil Seal Size 58 mm)

34 Splines



RDS 967

Gear Box Flange
Eicher Terra 16 (34 Splines)
(Plate Size 6" / 150 mm, X Serrated)
(4 Holes) (Hole Dia 13 mm) (Bolt Size 19 No.)
(Total Height 74 mm) (Oil Seal Size 58 mm)

34 Splines



RDS 6261 B

Centre Joint Flange
Swaraj Mazda (34 Splines)
(Square Base) (4 Holes)
(Hole Dia 10.1 mm) (Bolt Size 17 No.)
Mating Front Teeth RDS 6261 C
(Total Height 56 mm) (Oil Seal Size 47 mm)

32 Splines



RDS 961

Gear Box Flange
Eicher Terra 16 (32 Splines)
(Plate Size 6" / 150 mm, X Serrated)
(4 Holes) (Hole Dia 13 mm) (Bolt Size 19 No.)
(Total Height 90 mm) (Oil Seal Size 68 mm)

18 Splines



RDS 6271

Differential Coupling Flange
Eicher 11.10 XP HCV (18 Splines)
(Round Base) (4 Holes)
(Hole Dia 12.2 mm) (Bolt Size 21 No.)
(Total Height 67 mm) (Oil Seal Size 56 mm)

18 Splines



RDS 6255

Gear Box Coupling Flange
Eicher 10.40, 10.60, 10.90 LCV (18 Splines)
(Square Base Cut Type) (4 Holes)
(Hole Dia 12.2 mm) (Bolt Size 21 No.)
(Total Height 103 mm) (Oil Seal Size 48 mm)

20 Splines



RDS 462

Gear Box Coupling Flange
Eicher 11.10 (20 Splines)
(Square Base Cut Type) (4 Holes)
(Hole Dia 12.2 mm) (Bolt Size 21 No.)
(Total Height 103 mm) (Oil Seal Size 48 mm)

14 Splines



RDS 6254 A

Differential Coupling Flange
Eicher Canter 10.40, 10.60 LCV (14 Splines)
(Square Base) (4 Holes)
(Hole Dia 12.2 mm) (Bolt Size 21 No.)
(Total Height 60 mm) (Oil Seal Size 52 mm)

14 Splines



RDS 6254 D

Differential Coupling Flange
Eicher 10.90 LCV (14 Splines)
(Round Base) (4 Holes)
(Hole Dia 12.2 mm) (Bolt Size 21 No.)
(Total Height 67 mm) (Oil Seal Size 56 mm)

10 Splines



RDS 6254

Centre Joint Flange
Eicher Canter 10.40, 10.70, 10.90 (10 Splines)
(Square Base) (4 Holes)
(Hole Dia 12.2 mm) (Bolt Size 21 No.)
Mating Front Teeth RDS 6254 C
(Total Height 62 mm) (Oil Seal Size 50 mm)

31 Splines




RDS 6261 A

Differential Coupling Flange
Swaraj Mazda (31 Splines)
(Square Base) (4 Holes)
(Hole Dia 10.1 mm) (Bolt Size 17 No.)
(Total Height 66 mm) (Oil Seal Size 50 mm)

*many more
to come*

Spicer 2040 / 2045 Series, 20 Teeth



RDS 1761

Tata 3718 / 3118 (Bolt Type)
 Head Size 4" / 95 mm
 Total Length 6" / 150 mm
 Bearing size & No. 60 mm / 88512, 6012
 (with 2 Original TVS Bolts)


Spicer 2040 / 2045 Series, 20 Teeth



RDS 256

Tata 3718 / 3118 (Bolt Type)
 Head Size 4" / 95 mm
 Total Length 6" / 150 mm
 Bearing size & No. 60 mm / 88512, 6012
 (with Washer & 2 Original TVS Bolts)

Spicer 2040 / 2045 Series, 20 Teeth



RDS 1762

Tata 3718 / 3118 (Bolt Type)
 Head Size 4.5" / 112 mm
 Total Length 6" / 150 mm
 Bearing size & No. 55 mm / 6211
 (with 2 Original TVS Bolts)

Spicer 2040 / 2045 Series, 20 Teeth



RDS 257

Tata 3718 / 3118 (Bolt Type)
 Head Size 4.5" / 112 mm
 Total Length 6" / 150 mm
 Bearing size & No. 55 mm / 6211
 (with Washer & 2 Original TVS Bolts)

RSB 590 Series, 26 Teeth



RDS 1764

Tata 3718 / 3118 (Bolt Type)
 Head Size 4" / 95 mm
 Total Length 6" / 150 mm
 Bearing size & No. 55 mm / 6211
 (with 2 Original TVS Bolts)

RSB 590 Series, 26 Teeth



RDS 258

Tata 3718 / 3118, 2518 (Bolt Type)
 Head Size 4" / 95 mm
 Total Length 6" / 150 mm
 Bearing size & No. 55 mm / 6211
 (with Washer & 2 Original TVS Bolts)

RSB 590 Series, 26 Teeth



RDS 1765

Tata 3718 / 3118, 2518 (Bolt Type)
Head Size 4.5" / 112 mm
 Total Length 6" / 150 mm
 Bearing size & No. 55 mm / 6211
 (with 2 Original TVS Bolts)


RSB 590 Series, 26 Teeth



RDS 259

Tata 3718 / 3118, 2518 (Bolt Type)
Head Size 4.5" / 112 mm
 Total Length 6" / 150 mm
 Bearing size & No. 55 mm / 6211
 (with Washer & 2 Original TVS Bolts)

RSB 590 Series, 26 Teeth



RDS 254

Tata Signa 4323, 4825, LPT 2523,
PRIMA 4225, LPK 3118 (Bolt Type) (26 Teeth)
(SINGLE STEP) Head Size 4.5" / 112 mm
Total Length 6" / 151.5 mm
Bearing size & No. 55 mm / 6211
(with 2 Original TVS Bolts)

RSB 590 Series, 26 Teeth



RDS 255

Tata Signa 4323, 4825, LPT 2523,
PRIMA 4225, LPK 3118 (Bolt Type) (26 Teeth)
(SINGLE STEP) Head Size 4.5" / 112 mm
Total Length 6" / 151.5 mm
Bearing size & No. 55 mm / 6211
(with Washer & 2 Original TVS Bolts)



RDS 1763

Tata 4018 N/M, 4923
(26 Teeth) Head Size 4.5" / 112 mm
Total Length 7" / 178 mm
Bearing size & No. 55 mm / 6211



RDS 159

Tata 3118, 3116, 4923
(16 Teeth) Head Size 4" / 95 mm
Total Length 7.5" / 190 mm
Bearing size & No. 60 mm / 88512, 6012



RDS 1769

Tata 3118, 2518 (26 Teeth)
 Head Size 4" / 95 mm
Total Length 7" / 178 mm
 Bearing size & No. 55 mm / 6211



RDS 707

Tata 2515, 2416 Big Head (26 Teeth)
 Head Size 4" / 95 mm
Total Length 8" / 200 mm
 Bearing size & No. 55 mm / 6211



RDS 1767

Tata 2518 (RSB Type) Big Head
(with long Collar) (26 Teeth)
Head Size 4" / 95 mm
 Total Length 8" / 200 mm
 Bearing size & No. 55 mm / 6211



RDS 6045

Tata 1312, 1612 (26 Teeth)
 Head Size 3.5" / 90 mm
 Total Length 8" / 200 mm
 Bearing size & No. 55 mm / 6211



RDS 1766

Tata 1616 N/M (with long Collar)
 (26 Teeth) Head Size 3.5" / 84 mm
Total Length 8" / 200 mm
 Bearing size & No. 55 mm / 6211



RDS 716

Tata 2518, (Double Step) 26 Teeth
 Head Size 4" / 95 mm
Total Length 7" / 174 mm
 Bearing size & No. 65 mm / 6013



RDS 197

Tata 2518 (34 Teeth)
 Head Size 4" / 95 mm
 Total Length 6.25" / 158 mm
 Bearing size & No. 55 mm / 6211



RDS 199

Tata 1616 (34 Teeth)
 Head Size 3.5" / 84 mm
 Total Length 6.25" / 158 mm
 Bearing size & No. 55 mm / 6211



RDS 251

Tata 4018 (46 Teeth)
 Head Size : 4" / 95 mm
 Total Length : 7.5" / 189 mm
 Bearing Size & No. 60 mm / 88512
Mating Centre Joint Flange RDS 957



RDS 252

Leyland 3718, 2518 MSL Type
 (39 Teeth) Head Size : 3.6" / 91.4 mm
 Total Length : 6.5" / 165 mm
 Bearing Size & No. 55 mm / 6211
Mating Centre Joint Flange RDS 956



RDS 253

Tata 3118, 4923, LPT 1615
 (28 Teeth) Head Size 4" / 95 mm
 Total Length 6.1" / 155 mm
 Bearing size & No. 45 mm / 88509
(Mating Centre Joint Flange RDS 965)



RDS 6086

Leyland 1613 turbo / Tata 1510 TC
 (10 Teeth) Head Size 3.5" / 84 mm
 Total Length 6" / 148 mm
 Bearing size & No. 45 mm / 88509
(Mating Centre Joint Flange RDS 153)



RDS 6231 L

Leyland 2214 / 2516 (34 Teeth)
 Head Size : 4" / 95 mm
 Total Length : 6.25" / 160 mm
 Bearing Size & No. 45 mm / 88509



RDS 1770

Leyland 2214 TC AC, 2416
 (34 Teeth) (with Long Thread)
 (Thread Size M32 x 1.5)
 (Spanner 41 No.) Head Size : 4" / 95 mm
 Total Length : 6.6" / 166 mm
 Bearing Size & No. 45 mm / 88509



RDS 6149

Leyland Taskar 3"
 (10 Teeth) Head Size 3" / 71 mm
 Total Length 8" / 204 mm
 Bearing size & No. 45 mm / 88509
(Mating Centre Joint Flange RDS 6148)



RDS 6150

Leyland Taskar 3.5"
 (10 Teeth) Head Size 3.5" / 84 mm
 Total Length 8.8" / 220mm
 Bearing size & No. 45 mm / 88509
(Mating Centre Joint Flange RDS 6148)



RDS 6231 B

Leyland Taurus 3516, Eicher 30.25 Galaxy
 (16 Teeth) Head Size : 3.5" / 84 mm
 Total Length : 6.9" / 175 mm
 Compatible with RDS 6228
 Bearing Size 55 mm / 6211



RDS 1768

Eicher 11.10 XP (16 Teeth)
 Head Size : 3" / 71 mm
 Total Length : 7" / 180 mm
 Bearing Size & No. 55 mm / 6211


(Mating Centre Joint Flange RDS 1755)



RDS 6254 C

Eicher Canter 10.50, 10.70, 10.90
 (10 Teeth) Head Size 3" / 71 mm
 Total Length 6" / 150 mm
 Bearing size 40 mm

(Mating Centre Joint Flange RDS 6254)



RDS 6261 C

Swaraj Mazda (34 Teeth)
 Head Size 2.8" / 71 mm
 Total Length 4.85" / 125 mm
 Bearing size 35 mm

(Mating Centre Joint Flange RDS 6261 B)

**RSB 590 H Series, 30 Teeth
U J Cross fitting 52 mm x 147 mm**



RDS 1783

Tata 3723, 4027 (Short)

(30 Teeth) **Total Length 13" / 330 mm**

Mating Bottle : RDS 1786, 1787, 150 A, 150 B

**RSB 590 H Series, 30 Teeth
U J Cross fitting 52 mm x 147 mm**



RDS 1784

Tata 3723, 4027 (Medium)

(30 Teeth) **Total Length 14" / 355 mm**

Mating Bottle : RDS 1786, 1787, 150 A, 150 B

**RSB 590 H Series, 30 Teeth
U J Cross fitting 52 mm x 147 mm**



RDS 1794

Tata 3723, 4027 (LONG)

(30 Teeth) **Total Length 15" / 380 mm**

Mating Bottle : RDS 1786, 1787, 150 A & 1782

**RSB 590 H Series, 30 Teeth
U J Cross fitting 52 mm x 147 mm**



RDS 1796

Tata 3723, 4027, 2630 (EXTRA LONG)

(30 Teeth) **Total Length 16" / 400 mm**

Mating Bottle : RDS 1786, 1787, 150 A & 1782

**RSB 590 Series, 36 Teeth
U J Cross fitting 52 mm x 147 mm**



RDS 1733

Tata 3723, 4027 (Short)
(36 Teeth) **Total Length 14.5" / 368 mm**
Mating Slip Bottles RDS 1734 & RDS 1916
U J Cross Fitting 52 mm x 147 mm

**RSB 590 Series, 36 Teeth
U J Cross fitting 52 mm x 147 mm**



RDS 1905

Tata 3723, 4027, 2630 (Long)
(36 Teeth) **Total Length 16" / 400 mm**
Mating Slip Bottles RDS 1734, 1916, 1920 & 1929
U J Cross Fitting 52 mm x 147 mm

**RSB 590 Series, 36 Teeth
U J Cross fitting 52 mm x 147 mm**



RDS 1910

Tata 3723, 4027, 2630 (Extra Long)
(36 Teeth) **Total Length 17.3" / 440 mm**
Mating Slip Bottles RDS 1930 & RDS 1931
U J Cross Fitting 52 mm x 147 mm

*Many more
to come*

**SPR 2045 / 2047 Series, 38 Teeth
U J Cross fitting 52 mm x 147 mm**



RDS 1906

Tata 4923, AMW 3123

Total Length 12.5" / 320 mm

Mating Slip Bottle RDS 1915

**SPR 2045 / 2047 Series, 38 Teeth
U J Cross fitting 52 mm x 147 mm**



RDS 1739

Tata 4028, Leyland 3123 (SHORT)

Bharat Benz 2523, Eicher HCV

Total Length 14" / 355 mm Mating Slip Bottle RDS 1790

**SPR 2045 / 2047 Series, 38 Teeth
U J Cross fitting 52 mm x 147 mm**



RDS 1738

Tata 4028, Leyland 3123 (MEDIUM)

Bharat Benz 2523, Eicher HCV

Total Length 15" / 380 mm (Mating Slip Bottle RDS 1790)

U J Cross Fitting 52 mm x 147 mm

**SPR 2045 / 2047 Series, 38 Teeth
U J Cross fitting 52 mm x 147 mm**



RDS 1785

Tata 4028, Leyland 3123 (LONG)

Bharat Benz 2523, Eicher HCV

Total Length 16" / 400 mm (Mating Slip Bottle RDS 1790)

U J Cross Fitting 52 mm x 147 mm

**SPICER 2045 Series, 34 Teeth
U J Cross fitting 52 mm x 147 mm**



RDS 1908

Leyland 4923, 3616 (34 Teeth)

Total Length 14" / 355mm

Mating Slip Bottles RDS 653, 655, 1924 & 1925

**RSB 620 Series, 36 Teeth
U J Cross fitting 57 mm x 152 mm**



RDS 1723

Tata 1828, 2138 Leyland 3123, Eicher 40 T

(36 Teeth) **Total Length 14.5" / 368 mm**

Mating Slip Bottles RDS 1734 & RDS 1916

**RSB 620 Series, 36 Teeth
U J Cross fitting 57 mm x 152 mm**



RDS 1941

Tata 3723, 4027, 2630 (Extra Long)

(36 Teeth) **Total Length 17.3" / 440 mm**

Mating Slip Bottles RDS 1930 & RDS 1931

**RSB 585 Series, 30 Teeth
U J Cross fitting 48 mm x 152 mm**



RDS 1943

Tata 2523, Leyland 4923

(30 Teeth) **Total Length 14.5" / 368mm**

Mating Slip Bottles RDS 651 & RDS 1787

SPICER 2040 Series, 34 Teeth
U J Cross fitting 47.65 mm x 135 mm



RDS 1909

Tata LPS 4928, 3138, LPK 2528, Leyland 3119
SPICER 2040 Series (SHORT)
(34 Teeth) **Total Length 11.6" / 295 mm**
Mating Slip Bottles RDS 1934 & RDS 1935

SPICER 2040 Series, 34 Teeth
U J Cross fitting 47.65 mm x 135 mm



RDS 1708

Tata 4928, 2528, 3128, Bharat Benz 2523
SPICER 2040 Series (MEDIUM)
(34 Teeth) **Total Length 13" / 330 mm**
Mating Slip Bottles RDS 1705, RDS 1788, RDS 1789

SPICER 2040 Series, 34 Teeth
U J Cross fitting 47.65 mm x 135 mm



RDS 1709

Tata 4928, 2528, 3128, Bharat Benz 2523
SPICER 2040 Series (LONG)
(34 Teeth) **Total Length 14" / 355 mm**
Mating Slip Bottles RDS 1705, RDS 1788, RDS 652

SPICER 2040 Series, 34 Teeth
U J Cross fitting 47.65 mm x 135 mm



RDS 1704

Tata 4928, 2528, 3128, Bharat Benz 2523
SPICER 2040 Series (EXTRA LONG)
(34 Teeth) **Total Length 15" / 380 mm**
Mating Slip Bottles RDS 1705, 654, 1911 & 652

MSL 2040 Series, 16 Teeth
U J Cross fitting 47.65 mm x 135 mm



RDS 1902

Tata 4928, 2528, 3128, Bharat Benz 2523
 (16 Teeth) **Total Length 15.5" / 390 mm**
 Mating Bottles RDS 1912, RDS 1913 & RDS 1933

RSB 490 Series, 30 Teeth
U J Cross fitting 48 mm x 135 mm



RDS 148 M

Tata 4018, 3118 (Short)
 (30 Teeth) **Total Length 13" / 330 mm**
 Mating Bottles RDS 148 A, 1786 & 1787


RSB 490 Series, 30 Teeth
U J Cross fitting 48 mm x 135 mm



RDS 150

Tata 4018, 3118 (Medium)
 (30 Teeth) **Total Length 14.5" / 368 mm**
 Mating Bottles RDS 150 A, 150 B, 651, 656, 1926 & 1927

RSB 490 Series, 30 Teeth
U J Cross fitting 48 mm x 135 mm



RDS 1781

Tata 4018, 3118 (LONG)
 (30 Teeth) **Total Length 16" / 400 mm**
 Mating Bottle : RDS 1782 & RDS 658

MSL Design, 16 Teeth
U J Cross fitting 48 mm x 135 mm



RDS 1901

Tata 2518 LPT, 4018, Leyland 3116
 (16 Teeth) **Total Length 14.5" / 368 mm**
 Mating Bottles RDS 1912, RDS 1913 & RDS 1933

RSB 403 Series, 20 Teeth
U J Cross fitting 42 mm x 129.35 mm



RDS 194 M

Tata 2515, 2518 (Short)
 (20 Teeth) **Total Length 13" / 335 mm**
 Mating Bottle RDS 194 A

RSB 403 Series, 20 Teeth
U J Cross fitting 42 mm x 129.35 mm



RDS 198

Tata 2515, 2518 (Medium)
 (20 Teeth) **Total Length 15" / 380 mm**
 Mating Bottles RDS 195 A & RDS 196

RSB 403 Series, 20 Teeth
U J Cross fitting 42 mm x 129.35 mm



RDS 195 M

Tata 2515, 2518 (LONG)
 (20 Teeth) **Total Length 16" / 400 mm**
 Mating Bottle : RDS 195 A & RDS 196

RSB 325 Series, 20 Teeth
U J Cross fitting 42 mm x 119 mm



RDS 112 D
Tata 2515 Ex (Short)
(20 Teeth) **Total Length 12.5" / 315 mm**
Mating Bottle RDS 194 B

RSB 325 Series, 20 Teeth
U J Cross fitting 42 mm x 119 mm



RDS 1907
Tata 2516, 2515 (Long)
(20 Teeth) **Total Length 15.75" / 400 mm**
Mating Bottle RDS 195 A

SPL 90 Series, 20 Teeth
U J Cross fitting 41.28 mm x 126 mm



RDS 1903
Tata 2528, Leyland 4928 (Short)
(20 Teeth) **Total Length 12.5" / 320 mm**
Mating Bottles RDS 194 A

SPL 90 Series, 20 Teeth
U J Cross fitting 41.28 mm x 126 mm



RDS 1904
Tata 2518, Leyland (LONG)
(20 Teeth) **Total Length 13.5" / 340 mm**
Mating Bottle : RDS 194 A

SPL 90 Series, 16 Teeth
U J Cross fitting 41.28 mm x 126 mm



RDS 3110

Long Yoke AMW 2518 (Inter Axle Shaft)
 (16 Teeth) **Total Length 14.25" / 362 mm**
 1 Pc. H/Yoke RDS 1772 & 1 Pc. R/teeth RDS 142

SPL 90 Series, 16 Teeth
U J Cross fitting 41.28 mm x 126 mm



RDS 3111

Long Yoke AMW 2518 (Inter Axle Shaft)
 (16 Teeth) **Total Length 14.75" / 375 mm**
 1 Pc. H/Yoke RDS 1772 & 1 Pc. R/teeth RDS 142

U J Cross fitting Tata 1312
(46.05 mm x 118 mm)



RDS 1942

Tata 1212 / 912
 (24 Teeth) **Total Length 11.4" / 290 mm**
 mating sleeve Bottle RDS 1936

*Many more
to come*

30 Splines



RDS 148 A

Tata 4018 / 3118

(RSB 490 Series Short) (30 Splines)

Head Size : 4" / 95 mm, Total Length : 8" / 200 mm

Mating Long Fork : RDS 148 M

30 Splines



RDS 657

Tata 4018 / 3118 (RSB 490 Series Short)


(30 Splines) **(TEFLON COATED)**

Head Size : 4" / 95 mm, Total Length : 8" / 200 mm

Mating Long Fork : RDS 148 M



30 Splines



RDS 1923

Tata LPK 2523, 2518, Prima LX 2523, Eicher PRO 60.25,

Mahindra Navistar Tipper (RSB 590 Series Small)

(30 Splines) **CAVITY TYPE** (Cavity ID 95 mm)

(Total Length 8" / 200 mm) (Suitable for Inter Axle Shaft)

(Mating Long Fork : RDS 1783 & 1784)

30 Splines



RDS 1786

Tata 4028, 3128, Eicher PRO 60.25

CAVITY TYPE (TEFLON COATED)

RSB 590 Series (30 Splines)

(Cavity ID 95 mm) Total Length : 8" / 200 mm

Mating Long Fork : RDS 1783 & RDS 1784

30 Splines



RDS 150 B

Tata 4018 / 3118

(RSB 490 Series Medium) (30 Splines)

Head Size : 4" / 95 mm, Total Length : 9" / 225 mm

Mating Long Fork : RDS 150

30 Splines



RDS 651

Tata 4018 / 3118 RSB 490 Series (Medium)

(30 Splines) **(TEFLON COATED)**

Head Size : 4" / 95 mm, Total Length : 9" / 225 mm

Mating Long Fork : RDS 150



30 Splines

RDS 1922

Tata LPK 2523, 2518, Prima LX 2523, Eicher PRO 60.25,
Mahindra Navistar Tipper (RSB 590 Series Medium)
(30 Splines) **CAVITY TYPE** (Cavity ID 95 mm)
(Total Length 9" / 225 mm) (Suitable for Inter Axle Shaft)
(Mating Long Fork : RDS 1783 & 1784)



30 Splines

RDS 1787

Tata 4028, 3128, Eicher PRO 60.25
CAVITY TYPE (TEFLON COATED)
RSB 590 Series (30 Splines)
(Cavity ID 95 mm) Total Length 9" / 225 mm
Mating Long Fork : RDS 1783 & RDS 1784



30 Splines

RDS 150 A


Tata 4018 / 3118
(RSB 490 Series Long) (30 Splines)
Head Size : 4" / 95 mm, Total Length : 10" / 256 mm
Mating Long Fork : RDS 150



30 Splines

RDS 656

Tata 4018 / 3118 RSB 490 Series (Long)
(30 Splines) **(TEFLON COATED)**
Head Size : 4" / 95 mm, Total Length : 10" / 256 mm
Mating Long Fork : RDS 150



30 Splines

RDS 1921

Tata 4018, LPS 3118, LPK 2518
(RSB 590 / 490 Series Long)
(30 Splines) **CAVITY TYPE** (Cavity ID 95 mm)
(Total Length 10" / 256 mm) (Suitable for Inter Axle Shaft)
(Mating Long Fork : RDS 1784, 1794 & 1796)



30 Splines

RDS 1926

Rear Housing / Slip Bottle
Tata 4018 (30 Splines)
(RSB 490 M Series) **TEFLON COATED**
(Total Length 9" / 225 mm) (Head Size 4.5" / 114 mm)
Mating Long Fork : RDS 150



30 Splines

RDS 1927

(Non Teflon version of RDS 1926)
Rear Housing / Slip Bottle
Tata 4018 (30 Splines) (RSB 490 M Series)
(Total Length 9" / 225 mm) (Head Size 4.5" / 114 mm)
Mating Long Fork : RDS 150



30 Splines

RDS 1782

Tata 4018 / 3118 (RSB 490 Extra Long)
(30 Splines) Head Size : 4" / 95 mm,
Total Length : 10.5" / 265 mm
Mating Long Fork : RDS 1781

30 Splines



RDS 658


Tata 4018 / 3118 (RSB 490 Series Extra Long)
(30 Splines) **(TEFLON COATED)**
Head Size : 4" / 95 mm, Total Length : 10.5" / 265 mm
Mating Long Fork : RDS 1781

34 Splines



RDS 1788

Tata 4928, Bharat Benz 2523
(SPR 2040 Series Short) (34 Splines)
Head Size 3.6" / 91.5 mm, Total Length 8.5" / 220 mm
Mating Long Fork RDS 1704 / RDS 1708 / RDS 1709



34 Splines

RDS 1924

Tata LPK 2523, 3128, LPK 2518, LPS 4928
Leyland U Truck 2523 (SPR 2040 Series Short)
(34 Splines) **CAVITY TYPE** (Cavity ID 91.5 mm)
(Total Length 8.5" / 220 mm) (Suitable for Inter Axle Shaft)
(Mating Long Fork : RDS 1708 & 1709)

34 Splines



RDS 653

Tata 4928 / 4028, Bharat Benz 2523 / 2528
CAVITY TYPE (TEFLON COATED)
SPR 2040 Series (34 Splines)
(Cavity ID 91.5 mm) Total Length : 8.5" / 220 mm
Mating Long Fork : RDS 1704 / 1708 / 1709

34 Splines



RDS 1911

Tata 4928 / 2528, Bharat Benz 2523, 2528
(SPR 2040 Series Medium) (34 Splines)
Head Size 3.6" / 91.5 mm, Total Length 9" / 225 mm
Mating Long Fork RDS 1704 / RDS 1708 / RDS 1709

34 Splines



RDS 652

Tata 4928 / 2528, Bharat Benz 2523, 2528
(SPR 2040 Series Medium) (34 Splines)
(TEFLON COATED) Head Size 3.6" / 91.5 mm
Total Length 9" / 225 mm
Mating Long Fork RDS 1704 / RDS 1708 / RDS 1709



RDS 1917

Rear Housing / Slip Bottle
Leyland 2518 BS IV / Tata 4928
(34 Splines) (SPR 2040 Series Small)
(Total Length 9" / 225 mm) **(Head Size 4" / 95 mm)**
(Mating Long Fork : RDS 1704, 1708 & 1709)

34 Splines



RDS 1928

(Teflon Coated version of RDS 1917)
Rear Housing / Slip Bottle
Leyland 2518 BS IV / Tata 4928
(34 Splines) (SPR 2040 Series Small)
(Total Length 9" / 225 mm) **(Head Size 4" / 95 mm)**
(Mating Long Fork : RDS 1704, 1708 & 1709)

34 Splines



RDS 1789

Tata 4928, Bharat Benz 2523
(SPR 2040 Series Medium) (34 Splines)
Head Size 3.6" / 91.5 mm, Total Length 9.5" / 240 mm
Mating Long Fork RDS 1704, RDS 1708, RDS 1709

34 Splines



RDS 1918

Leyland 2518 BS IV / Tata 4928
(34 Splines) (SPR 2040 Series Medium)
(Total Length 9.5" / 240 mm) **(Head Size 4" / 95 mm)**
(Mating Long Fork : RDS 1704, 1708 & 1709)

34 Splines



34 Splines



RDS 1934

Tata LPS 4021, 1623, 1625, Leyland 3518,
Mahindra Navistar 4026, 49TR
(34 Splines) (Spicer 2040 Series)
(Total Length 7.55" / 192 mm) (Head Size 4.5" / 114 mm)
Mating Long Fork : RDS 1909



34 Splines



RDS 1935

Tata LPS 4021, 1623, 1625, Leyland 3518,
Mahindra Navistar 4026, 49TR
(34 Splines) (Spicer 2040 Series) **TEFLON COATED**
(Total Length 7.55" / 192 mm) (Head Size 4.5" / 114 mm)
Mating Long Fork : RDS 1909

34 Splines



RDS 1705

Tata 4928, Bharat Benz 2523
(SPR 2040 Series Long) (34 Splines)
Head Size 3.6" / 91.5 mm, Total Length 10.5" / 265 mm
Mating Long Fork RDS 1704 / RDS 1709

34 Splines




RDS 654

Tata 4928, Bharat Benz 2523
(SPR 2040 Series Long) (34 Splines) **TEFLON COATED**
Head Size 3.6" / 91.5 mm, Total Length 10.5" / 265 mm
Mating Long Fork RDS 1704 / RDS 1709



34 Splines



RDS 1925

Tata LPK 2523, 3128, LPK 2518, LPS 4928
 Leyland U Truck 2523 (SPR 2040 Series Long)
 (34 Splines) **CAVITY TYPE** (Cavity ID 91.4 mm)
 (Total Length 9.5" / 240 mm) (Suitable for Inter Axle Shaft)
 (Mating Long Fork : RDS 1708 & 1709)

34 Splines



RDS 655

Tata 4928 / 4028, Bharat Benz 2523 / 2528
CAVITY TYPE (TEFLON COATED)
 SPR 2040 Series (34 Splines)
 (Cavity ID 91.5 mm) Total Length 9.5" / 240 mm
 Mating Long Fork : RDS 1704 / 1708 / 1709



34 Splines



RDS 1919

Leyland 2518 BS IV / Tata 4928
 (34 Splines) (SPR 2040 Series Long)
 (Total Length 10" / 256 mm) **(Head Size 4" / 95 mm)**
 (Mating Long Fork : RDS 1704, 1708 & 1709)

*Many more
to come*



36 Splines

8.3"
210 mm

4.5" / 112 mm

RDS 1734

Tata 4928, 4028, 3128

(RSB 590 Series Short) (36 Splines)

Head Size : 4.5" / 112 mm, Total Length : 8.3" / 210 mm

Mating Long Fork : RDS 1733 / RDS 1723



36 Splines

8.3"
210 mm

4.5" / 112 mm

RDS 1916

Tata 4928, 4028, 3128 (RSB 590 Series Short)

(36 Splines) **(TEFLON COATED)**

Head Size : 4.5" / 112 mm, Total Length : 8.3" / 210 mm

Mating Long Fork : RDS 1733 / RDS 1723



36 Splines

9.5"
240 mm

4.5" / 112 mm

RDS 1929

Rear Housing / Slip Bottle

Tata LPK 3118, 3718, 2523, LPT 4923, LPK 2518 HD

Signa 4825, 4925, (36 Splines)

(RSB 590 Series Long)

(Total Length 9.5" / 240 mm) (Head Size 4.5" / 112 mm)

(Mating Long Fork : RDS 1733 & 1905)



36 Splines

9.5"
240 mm

4.5" / 112 mm

RDS 1920

Rear Housing / Slip Bottle

Tata LPK 3118, 3718, 2523, LPT 4923, LPK 2518 HD

Signa 4825, 4925, (36 Splines)

(RSB 590 Series Long) **(TEFLON COATED)**

(Total Length 9.5" / 240 mm) (Head Size 4.5" / 112 mm)

(Mating Long Fork : RDS 1733 & 1905)



36 Splines

11"
280 mm

4.5" / 112 mm

RDS 1930

Rear Housing / Slip Bottle

Tata LPK 3118, 3718, 2523, LPT 4923, LPK 2518 HD

Signa 4825, 4925, (36 Splines)

(RSB 620 Series)

(Total Length 11" / 280 mm) (Head Size 4.5" / 112 mm)

(Mating Long Fork : RDS 1733, RDS 1905 & RDS 1910)



36 Splines

11"
280 mm

4.5" / 112 mm

RDS 1931

Rear Housing / Slip Bottle

Tata LPK 3118, 3718, 2523, LPT 4923, LPK 2518 HD

Signa 4825, 4925, (36 Splines)

(RSB 620 Series) **(TEFLON COATED)**

(Total Length 11" / 280 mm) (Head Size 4.5" / 112 mm)

(Mating Long Fork : RDS 1733, RDS 1905 & RDS 1910)



38 Splines

RDS 1915

Tata 3723,4027,2630 (SPR 2045 / 2047 Series Short)
 (38 Splines) **(TEFLON COATED)**
 Head Size : 4.5" / 112 mm, Total Length : 8" / 200 mm
 Mating Long Fork : RDS 1906



38 Splines

RDS 1790

Tata 3723,4027 (SPR 2045 / 2047 Series)
 (38 Splines) **(TEFLON COATED)**
 Head Size : 4" / 100 mm, Total Length : 10" / 256 mm
 Mating Long Fork : RDS 1785, RDS 1738, RDS 1739



38 Splines

RDS 1792

Tata 3723, 4027
CAVITY TYPE (TEFLON COATED)
 SPR 2045 / 2047 Series (38 Splines)
 Cavity ID : 4" / 100 mm Total Length : 10" / 256 mm
 Mating Long Fork : RDS 1738, RDS 1739, RDS 1785



38 Splines

RDS 1914

Tata 3723,4027,2630 (SPR 2045 / 2047 Series Long)
 (38 Splines) **(TEFLON COATED)**
 Head Size : 4" / 100 mm, Total Length : 11" / 280 mm
 Mating Long Fork : RDS 1785

*Many more
to come*



16 Splines

9"
225 mm

4" / 95 mm

RDS 1912

Tata 2518 LPT, Leyland 3116 (16 Splines)

MSL Design **(TEFLON COATED)**

Head Size : 4" / 95 mm, Total Length : 9" / 225 mm

Mating Long Forks RDS 1901 & RDS 1902



16 Splines

9"
225mm

4" / 95 mm

RDS 1932

Tata 4928 / 4028, Bharat Benz 2523 C

(16 Splines) (MSL Design)

Head Size 4" / 95 mm, Total Length 9" / 225 mm

Mating Long Forks RDS 1901 & RDS 1902



16 Splines

10"
256 mm

4" / 95 mm

RDS 1913

Tata 4928 / 4028, Bharat Benz 2523 C

(16 Splines) (MSL Design) **(TEFLON COATED)**

Head Size 4" / 95 mm, Total Length 10" / 256 mm

Mating Long Forks RDS 1901 & RDS 1902



16 Splines

10"
256 mm

4" / 95 mm

RDS 1933

Tata 4928 / 4028, Bharat Benz 2523 C

(16 Splines) (MSL 2040 Design)

Head Size 4" / 95 mm, Total Length 10" / 256 mm

Mating Long Forks RDS 1901 & RDS 1902

*Many more
to come*

20 Splines



RDS 194 A

Tata 2515 / 2518 (RSB 403 Series Short)
 (20 Splines) Head Size 4" / 95 mm
 Total Length 7" / 180 mm
 Mating Long Fork RDS 194 M

20 Splines



RDS 194 B

Tata 2515 Ex (RSB 325 Series)
 (20 Splines) Head Size : 3.5" / 84 mm
 Total Length : 6.7" / 170 mm
 Mating Long Fork : RDS 112 D

20 Splines



RDS 195 A

Tata 2515 / 2518 (RSB 403 Series Medium)
 (20 Splines) Head Size 4" / 95 mm
 Total Length 9" / 225 mm
 Mating Long Fork RDS 195 M / RDS 198

20 Splines



RDS 659

Tata 2515 / 2518 (RSB 403 Series Medium)
 (20 Splines) (TEFLON COATED) Head Size 4" / 95 mm
 Total Length 9" / 225 mm
 Mating Long Fork RDS 195 M / RDS 198

20 Splines



RDS 196

Tata 2515 / 2518
 (RSB 403 Series Long) (20 Splines)
 Head Size : 4" / 95 mm (Total Length : 10.5" / 265 mm)
 Mating Long Fork : RDS 195 M / RDS 198

U J Cross fitting RSB 490 Series
48 mm x 135 mm



RDS 555

Long Fork & Bottle Set Tata 4018 / 3118
(Long Fork RDS 150 & Bottle RDS 150 A)
 RSB 490 Series (Medium) (30 Teeth)

U J Cross fitting RSB 490 Series
48 mm x 135 mm



RDS 583

(Teflon Coated version of RDS 555)
 Long Fork & Bottle Set Tata 4018 / 3118
(Long Fork RDS 150 & Bottle RDS 656)
 RSB 490 Series (Medium) (30 Teeth)

U J Cross fitting RSB 490 Series
48 mm x 135 mm



RDS 561

Long Fork & Bottle Set Tata 4018 / 3118
(Long Fork RDS 150 & Bottle RDS 150 B)
 RSB 490 Series (Medium) (30 Teeth)

U J Cross fitting RSB 490 Series
48 mm x 135 mm



RDS 570

(Teflon Coated version of RDS 561)
 Long Fork & Bottle Set Tata 4018 / 3118
(Long Fork RDS 150 & Bottle RDS 651)
 RSB 490 Series (Medium) (30 Teeth)

U J Cross fitting RSB 490 Series
48 mm x 135 mm



RDS 556

Long Fork & Bottle Set Tata 4018 / 3118
(Long Fork RDS 148 M & Bottle RDS 148 A)
 RSB 490 Series (Short) (30 Teeth)

U J Cross fitting RSB 490 Series
48 mm x 135 mm



RDS 577

(Teflon Coated version of RDS 556)
 Long Fork & Bottle Set Tata 4018 / 3118
(Long Fork RDS 148 M & Bottle RDS 657)
 RSB 490 Series (Short) (30 Teeth)

U J Cross fitting RSB 490 Series
48 mm x 135 mm



RDS

Long Fork & Bottle Set Tata 4018 / 3118
(Long Fork RDS 1781 & Bottle RDS 1782)
 RSB 490 Series (Extra Long) (30 Teeth)

U J Cross fitting RSB 490 Series
48 mm x 135 mm



RDS 578

(Teflon Coated version of RDS)
 Long Fork & Bottle Set Tata 4018 / 3118
(Long Fork RDS 1781 & Bottle RDS 658)
 RSB 490 Series (Extra Long) (30 Teeth)

U J Cross fitting SPR 2040 Series
47.65 mm x 135 mm



RDS 1706

Long Fork & Bottle Set Tata 4928, 2528, 3128
(Long Fork RDS 1704 & Bottle RDS 1705)
SPR 2040 Series (34 Teeth)

U J Cross fitting SPR 2040 Series
47.65 mm x 135 mm



RDS 569

(Teflon Coated version of RDS 1706)
Long Fork & Bottle Set Tata 4928, 2528, 3128
(Long Fork RDS 1704 & Bottle RDS 654)
SPR 2040 Series (34 Teeth)

U J Cross fitting SPR 2040 Series
47.65 mm x 135 mm



RDS 584

Long Fork & Bottle Set Tata 4928 / 3128
(Long Fork RDS 1704 & Bottle RDS 655)
SPR 2040 Series (34 Teeth)

U J Cross fitting RSB 325 Series
42 mm x 119 mm



RDS 554

Long Fork & Bottle Set Tata 2515 EX
(Long Fork RDS 112 D & RDS 194 B)
RSB 325 Series (20 Teeth)

U J Cross fitting RSB 403 Series
42 mm x 129.35 mm



RDS WP 3101

Rear Housing Welch Plug
AMW 2518 (Inter Axle Shaft)
(20 Splines) (Total Length 14" / 350 mm)

U J Cross fitting RSB 403 Series
42 mm x 129.35 mm



RDS WP 3106

Rear Housing Welch Plug
AMW 2518 (Inter Axle Shaft)
(20 Splines) (Total Length 15.5" / 390 mm)

U J Cross fitting RSB 403 Series
42 mm x 129.35 mm



RDS WP 3122

Rear Housing Welch Plug
AMW 2518 (Inter Axle Shaft)
(20 Splines) (Total Length 12.5" / 315 mm)

U J Cross fitting SPR 2040 Series
47.65 mm x 135 mm



RDS WP 3121

Rear Housing Welch Plug
Tata 3118 (Inter Axle Shaft)
(34 Splines) (Total Length 17" / 430 mm)

U J Cross fitting SPR 2040 Series
47.65 mm x 135 mm



RDS WP 3102

Rear Housing Welch Plug
Tata 3118 (Inter Axle Shaft)
(34 Splines) (Total Length 13.75" / 350 mm)

U J Cross fitting SPR 2040 Series
47.65 mm x 135 mm



RDS WP 3112

(TEFLON COATED version of WP 3102)
Rear Housing Welch Plug
Tata 3118 (Inter Axle Shaft)
(34 Splines) (Total Length 13.75" / 350 mm)

U J Cross fitting SPR 2040 Series
47.65 mm x 135 mm



RDS WP 3103

Rear Housing Welch Plug
Tata 3118 (Inter Axle Shaft)
(34 Splines) (Total Length 14.75" / 375 mm)

U J Cross fitting SPR 2040 Series
47.65 mm x 135 mm



RDS WP 3113

(TEFLON COATED version of WP 3103)
Rear Housing Welch Plug
Tata 3118 (Inter Axle Shaft)
(34 Splines) (Total Length 14.75" / 375 mm)


U J Cross fitting RSB 590 Series
52 mm x 147 mm



RDS WP 3104

Rear Housing Welch Plug
Tata 4928 (Inter Axle Shaft)
(30 Splines) (Total Length 13" / 330 mm)

U J Cross fitting RSB 590 Series
52 mm x 147 mm



RDS WP 3116

(TEFLON COATED version of WP 3104)
Rear Housing Welch Plug
Tata 4928 (Inter Axle Shaft)
(30 Splines) (Total Length 13" / 330 mm)

U J Cross fitting RSB 590 Series
52 mm x 147 mm



RDS WP 3105

Rear Housing Welch Plug
Tata 4928 (Inter Axle Shaft)
(30 Splines) (Total Length 14" / 355 mm)

U J Cross fitting RSB 590 Series
52 mm x 147 mm



RDS WP 3117

(TEFLON COATED version of WP 3105)
Rear Housing Welch Plug
Tata 4928 (Inter Axle Shaft)
(30 Splines) (Total Length 14" / 355 mm)

U J Cross fitting RSB 590 Series
52 mm x 147 mm



RDS WP 3114

Rear Housing Welch Plug
Tata 4928 (Inter Axle Shaft)
(30 Splines) (Total Length 15" / 380 mm)

U J Cross fitting RSB 590 Series
52 mm x 147 mm



TEFLON
COATED

RDS WP 3118

(TEFLON COATED version of WP 3114)
Rear Housing Welch Plug
Tata 4928 (Inter Axle Shaft)
(30 Splines) (Total Length 15" / 380 mm)

U J Cross fitting RSB 590 Series
52 mm x 147 mm



RDS WP 3119 / WP 3115

Rear Housing Welch Plug
Tata 4928 (Inter Axle Shaft)
(30 Splines) (Total Length 16" / 400 mm)

U J Cross fitting RSB 590 Series
52 mm x 147 mm

New
Addition



RDS WP 3123

Rear Housing Welch Plug
Tata 4928 (Inter Axle Shaft)
(30 Splines) (Total Length 17" / 430 mm)

U J Cross fitting RSB 590 Series
52 mm x 147 mm



RDS WP 3124

Rear Housing Welch Plug
Leyland 4923 (Inter Axle Shaft)

(34 Splines) (Total Length 13" / 330 mm)

U J Cross fitting RSB 590 Series
52 mm x 147 mm



RDS WP 3125

Rear Housing Welch Plug
Leyland 4923 (Inter Axle Shaft)

(34 Splines) (Total Length 14" / 355 mm)

U J Cross fitting RSB 590 Series
52 mm x 147 mm



RDS WP 3126

Rear Housing Welch Plug
Leyland 4923 (Inter Axle Shaft)

(34 Splines) (Total Length 15" / 380 mm)

U J Cross fitting RSB 590 Series
52 mm x 147 mm



RDS WP 3120

Rear Housing Welch Plug
Tata 4928, Bharat Benz (Inter Axle Shaft)

(38 Splines) (Total Length 15.5" / 390 mm)

U J Cross fitting RSB 490 Series
48 mm x 135 mm

13.75"
350 mm



RDS WP 3107

Rear Housing Welch Plug
Tata 4018 / 3118 (Inter Axle Shaft)

(30 Splines) (Total Length 13.75" / 350 mm)

U J Cross fitting RSB 490 Series
48 mm x 135 mm

14.75"
375 mm



RDS WP 3108

Rear Housing Welch Plug
Tata 4018 / 3118 (Inter Axle Shaft)

(30 Splines) (Total Length 14.75" / 375 mm)

U J Cross fitting RSB 490 Series
48 mm x 135 mm

15.75"
400 mm



RDS WP 3109

Rear Housing Welch Plug
Tata 4018 / 3118 (Inter Axle Shaft)

(30 Splines) (Total Length 15.75" / 400 mm)

*Many more
to come*

(U J Cross fitting L/Taskar, 34.95 mm x 126 mm)



RDS 402

Yoke & Teeth Set Tata 1109 (27 Splines)
 (Sleeve Yoke RDS 883, Rear Teeth RDS 893)
 (Rear Teeth - Bearing Size 45 mm / No. 88509)

(U J Cross fitting L/Taskar, 34.95 mm x 126 mm)



RDS 402 T

Yoke & Teeth Set Tata 1109
 (Sleeve Yoke RDS 883, Rear Teeth RDS 893 T)
 (27 Splines) **TEFLON COATED**
 (Rear Teeth - Bearing Size 45 mm / No. 88509)

(U J Cross fitting L/Taskar, 34.95 mm x 126 mm)



RDS 409

Yoke & Teeth Set Tata 1109 (BS 4)
 (Sleeve Yoke RDS 883, Rear Teeth RDS 913)
 (27 Splines) **TEFLON COATED**

(U J Cross fitting L/Taskar, 34.95 mm x 126 mm)



RDS 883

Sleeve Yoke Tata 1109 (27 Splines)
 (U J Cross fitting L/Taskar, 34.95 mm x 126 mm)
 (Total Length 9.7" / 245 mm)
 (Mating Rear Teeth RDS 893, 893 T & RDS 913)



RDS 893

Rear Teeth Tata 1109 (27 Teeth)
 (Total Length 11" / 278 mm)
 (Head Size 3.5" / 85 mm) (Bearing Size 45 mm)
 (Mating Sleeve Yoke RDS 883)



RDS 893 T

Rear Teeth Tata 1109 (27 Teeth)
TEFLON COATED (Total Length 11" / 278 mm)
 (Head Size 3.5" / 85 mm) (Bearing Size 45 mm)
 (Mating Sleeve Yoke RDS 883)



RDS 913

Propeller Shaft Rear Teeth
 Tata 1109 (BS 4) **TEFLON COATED** (27 Teeth)
 (Total Length 9" / 225 mm) (Head Size 3.5" / 84 mm)
 (Mating Sleeve Yoke RDS 883)

*Many more
to come*

(U J Cross fitting L/Taskar, 34.95 mm x 126 mm)



RDS 405

Yoke & Teeth Set Tata 712, Marco Polo (16 Splines)
 (Sleeve Yoke RDS 885, Rear Teeth RDS 916)
 (Rear Teeth - Bearing Size 40 mm / No. 88508)

(U J Cross fitting L/Taskar, 34.95 mm x 126 mm)



RDS 405 T

Yoke & Teeth Set Tata 712, Marco Polo
 (16 Splines) **TEFLON COATED**
 (Sleeve Yoke RDS 885, Rear Teeth RDS 916)
 (Rear Teeth - Bearing Size 40 mm / No. 88508)

(U J Cross fitting L/Taskar, 34.95 mm x 126 mm)



RDS 885

Sleeve Yoke Tata 712 Macro Polo (27 Splines)
 (U J Cross fitting L/Taskar, 34.95 mm x 126 mm)
 (Total Length 7.9" / 200 mm)
 (Mating Rear Teeth RDS 916 & RDS 905)



RDS 905

Propeller Shaft Rear Teeth
 Tata 712 Macro Polo
 (16 Teeth) **TEFLON COATED**
 (Total Length 9.7" / 245 mm) (Head Size 3" / 71 mm)
 (Mating Sleeve Yoke RDS 885)

(U J Cross fitting L/Taskar, 34.95 mm x 126 mm)



RDS 565

Yoke & Teeth Set Eicher Jumbo 11.10 / 11.10 XP
 (Sleeve Yoke RDS 6145, Rear Teeth RDS 901)
 (16 Splines) **TEFLON COATED**

(U J Cross fitting L/Taskar, 34.95 mm x 126 mm)



RDS 566

Yoke & Teeth Set Eicher Jumbo 11.14 XP
 (Sleeve Yoke RDS 6145, Rear Teeth RDS 902)
 (16 Splines) **TEFLON COATED**



RDS 6145

Sleeve Yoke Eicher Jumbo 11.10 / L/Taskar
 (16 Splines) (U J Cross fitting L/Taskar, 34.95 mm x 126 mm)
 (Total Length 7.9" / 200 mm)
 (Mating Rear Teeth RDS 901, 902, 6145 A & 6145 B)



RDS 901

Propeller Shaft Rear Teeth
 Eicher Jumbo 11.10, L/Taskar
 (16 Teeth) **TEFLON COATED**
 (Total Length 7.7" / 195 mm) (Head Size 3" / 71 mm)
 (Mating Sleeve Yoke RDS 6145)



RDS 902

Propeller Shaft Rear Teeth
 Eicher Jumbo 11.14 XP, L/Taskar
 (16 Teeth) **TEFLON COATED**
 (Total Length 7.7" / 195 mm) (Head Size 3.5" / 85 mm)
 (Mating Sleeve Yoke RDS 6145)

(U J Cross fitting L/Taskar, 34.95 mm x 126 mm)



RDS 564

Yoke & Teeth Set Eicher Terra (28 Splines)
(Sleeve Yoke RDS 886, Rear Teeth RDS 896)

(U J Cross fitting L/Taskar, 34.95 mm x 126 mm)



RDS 564 T

Yoke & Teeth Set Eicher Terra
(28 Splines) **TEFLON COATED**
(Sleeve Yoke RDS 886, Rear Teeth RDS 896 T)



RDS 886

Sleeve Yoke Eicher Terra
(28 Splines) (U J Cross fitting L/Taskar, 34.95 mm x 126 mm)
(Mating Rear Teeth RDS 896 & RDS 896 T)



RDS 896

Propeller Shaft Rear Teeth
Eicher Terra (28 Teeth)
(Mating Sleeve Yoke RDS 886)



RDS 896 T

Propeller Shaft Rear Teeth
Eicher Terra (28 Teeth) **TEFLON COATED**
(Mating Sleeve Yoke RDS 886)

(U J Cross fitting L/Taskar, 34.95 mm x 126 mm)



RDS 151

Sleeve Yoke Leyland 1613 N/M, E Comet
(16 Splines) (Total Length 10.8" / 275)
(Mating Rear Teeth RDS 152, 152 F & 917)



RDS 152

Propeller Shaft Rear Teeth (Half Splines)
Leyland 1613 N/M, E Comet (16 Teeth)
(Total Length 9.85" / 250 mm) (Head Size 3.5" / 84 mm)
(Mating Sleeve Yoke RDS 151)



RDS 152 F

Propeller Shaft Rear Teeth (FULL Splines)
Leyland 1613 N/M, E Comet (16 Teeth)
(Total Length 9.85" / 250 mm) (Head Size 3.5" / 84 mm)
(Mating Sleeve Yoke RDS 151)



RDS 917

(Teflon Coated version of RDS 152 F)
Propeller Shaft Rear Teeth (FULL Splines)
Leyland 1613 N/M, E Comet (16 Teeth) (TEFLON COATED)
(Total Length 9.85" / 250 mm) (Head Size 3.5" / 84 mm)
(Mating Sleeve Yoke RDS 151)

(U J Cross fitting L/Taskar, 34.95 mm x 126 mm)



9.85"
250 mm

RDS 888

Sleeve Yoke Leyland 1613 Turbo, EURO 2
(16 Splines) (U J Cross fitting L/Taskar, 34.95 mm x 126 mm)
(Mating Rear Teeth RDS 898)

(U J Cross fitting L/Taskar, 34.95 mm x 126 mm)



9.1"
230 mm

3.5" / 84 mm

RDS 898

Propeller Shaft Rear Teeth
Leyland 1613 Turbo, E Comet / STAG (16 Teeth)
(Mating Sleeve Yoke RDS 888)



13.5"
343 mm

RDS 145

Sleeve Yoke (Inter Axle Shaft)
Tata, L/L 1710 Series (16 Thick Splines)
(U J Cross fitting L/Taskar, 34.95 mm x 126 mm)
(Mating Rear Teeth RDS 147 A & RDS 147 T)



11.6"
295 mm

4" / 95 mm

RDS 147 A

Propeller Shaft Rear Teeth
Tata 4018 / 3118 (Long) (16 Teeth)
(Mating Sleeve Yoke RDS 145)



11.6"
295 mm

4" / 95 mm

RDS 147 T

Propeller Shaft Rear Teeth **(TEFLON COATED)**
Tata 4018 / 3118 (Long) (16 Teeth)
(Mating Sleeve Yoke RDS 145)

(U J Cross MSL 1480 Series, 34.95 mm x 106 mm)



RDS 203

Yoke & Teeth Set Tata 407 Pick up (16 Splines)
(Sleeve Yoke RDS 882, Rear Teeth RDS 892)

(U J Cross MSL 1480 Series, 34.95 mm x 106 mm)



RDS 203 T

Yoke & Teeth Set Tata 407 Pick up
(16 Splines) **(TEFLON COATED)**
(Sleeve Yoke RDS 882, Rear Teeth RDS 906)



RDS 882

Sleeve Yoke Tata 407 Pick Up (16 Splines)
(U J Cross fitting RDS 201, 34.95 mm x 106 mm)
(Mating Rear Teeth RDS 892, RDS 894 & RDS 906)



RDS 892

Propeller Shaft Rear Teeth
Tata 407 Pick Up (16 Teeth)
(Mating Sleeve Yoke RDS 882)



RDS 906

Propeller Shaft Rear Teeth
Tata 407 Pick Up (16 Teeth) **(TEFLON COATED)**
(Mating Sleeve Yoke RDS 882)

(U J Cross MSL 1480 Series, 34.95 mm x 106 mm)



RDS 208

Yoke & Teeth Set Tata 407 Pick Up N/M (16 Splines)
(Sleeve Yoke RDS 882 (previous page) Rear Teeth RDS 895)
 (Head Size 3" / 71 mm) (Bearing Size 35 mm / No. 88507)



RDS 895

Propeller Shaft Rear Teeth
 Tata 407 Pick Up N/M (16 Teeth)
 (Head Size 3" / 71 mm) (Bearing Size 35 mm / No. 88507)
 (Mating Sleeve Yoke RDS 882 & RDS 889)

(U J Cross MSL 1480 Series, 34.95 mm x 106 mm)



RDS 210


Yoke & Teeth Set Tata 407 Pick Up N/M (16 Splines)
(Sleeve Yoke RDS 882 (previous page) Rear Teeth RDS 894)
 (Head Size 3" / 71 mm) (Bearing Size 40 mm / No. 88508)



RDS 894 / 718

Propeller Shaft Rear Teeth
 Tata 407 Turbo Ex / 709 (Type 2) (16 Teeth)
 (Head Size 3" / 71 mm) (Bearing Size 40 mm / No. 88508)
 (Mating Sleeve Yoke RDS 882 & RDS 884)

(U J Cross MSL 1480 Series, 34.95 mm x 106 mm)



RDS 212

Yoke & Teeth Set Eicher 10.95 PRO (BS 4) 16 Splines)
 (Sleeve Yoke RDS 882 & Rear Teeth RDS 6233 B)
 (Rear Teeth - Head Size 3" / 71 mm)

(U J Cross MSL 1480 Series, 34.95 mm x 106 mm)



RDS 213

Yoke & Teeth Set Tata 407 Pick Up N/M (16 Splines)
 (Sleeve Yoke RDS 882 Rear Teeth RDS 6256 C)
 (Rear Teeth - Head Size 3" / 71 mm)



RDS 6233 B

Propeller Shaft Rear Teeth
 Eicher 10.95 PRO (BS 4) / Canter 10.60, 10.90
 (16 Teeth) (Head Size 3" / 71 mm)
 (Mating Sleeve Yoke RDS 882 & RDS 884)



RDS 6256 C

Propeller Shaft Rear Teeth
 Eicher 10.95 PRO (BS 4) / Canter 10.60, 10.90
 (16 Teeth) **(TEFLON COATED)**
 (Mating Sleeve Yoke RDS 882 & RDS 884)

(U J Cross MSL 1480 Series, 34.95 mm x 106 mm)



RDS 410

Yoke & Teeth Set Tata 407 Pick Up (BS 3 / BS 4)
(Sleeve Yoke RDS 882 & Rear Teeth RDS 915)
 (Rear Teeth - 16 Teeth, Head Size 3" / 71 mm)



RDS 915

Propeller Shaft Rear Teeth
 Tata 407 Pick Up (BS 3 / BS 4) (16 Teeth)
 (Mating Sleeve Yoke RDS 882)

(U J Cross MSL 1480 Series, 34.95 mm x 106 mm)



RDS 887

Sleeve Yoke Eicher PRO 10.80 / Tata 909
 (24 Splines, 2 Splines Knock off)
 (Mating Rear Teeth RDS 897)



RDS 897

Propeller Shaft Rear Teeth
 Eicher PRO 10.80 / Tata 909
 (24 Teeth) **TEFLON COATED**
 (Mating Sleeve Yoke RDS 887)

(U J Cross MSL 1480 Series, 34.95 mm x 106 mm)



RDS 408

Yoke & Teeth Set Eicher PRO / Tata Ultra
 (24 Splines, 2 Splines knock off) **(TEFLON COATED)**
 (Rear Teeth - Head Size 3.5" / 85 mm)
 (Bearing Size 40 mm / No. 88508)

(U J Cross MSL 1480 Series, 34.95 mm x 106 mm)



RDS 567

Yoke & Teeth Set Eicher PRO 10.80 / Tata 909
(Sleeve Yoke RDS 887 & Rear Teeth RDS 897)
 (24 Splines, 2 Splines knock off) **(TEFLON COATED)**
 (Rear Teeth - Head Size 3.5" / 85 mm)

*Many more
to come*

U J Cross Canter N/M, 30.17 mm x 106 mm



RDS 6256 A

Yoke & Teeth Set Eicher Canter 10.60, 10.90, 10.95
 Sleeve Yoke RDS 884, Rear Teeth RDS 6233 B
 (16 Splines) (Rear Teeth - Head Size 3" / 71 mm)

U J Cross Canter N/M, 30.17 mm x 106 mm



RDS 6256 B

Yoke & Teeth Set Eicher Canter 10.60, 10.90, 10.95
 Sleeve Yoke RDS 884, Rear Teeth RDS 6256 C)
 (16 Splines) **(TEFLON COATED)**
 (Rear Teeth - Head Size 3" / 71 mm)

U J Cross Canter N/M, 30.17 mm x 106 mm



RDS 6069 B

Yoke & Teeth Set Tata 709 Turbo EX / 407 Turbo (Type 2)
 Sleeve Yoke RDS 884, Rear Teeth RDS 894 / 718
 (16 Splines) (Rear Teeth - Head Size 3" / 71 mm)
 (Bearing Size 40 mm / No. 88508)

U J Cross Canter N/M, 30.17 mm x 106 mm



RDS 911

(Teflon Coated version of RDS 6069 B)
 Yoke & Teeth Set Tata 709 Turbo EX / 407 Turbo (Type 2)
 Sleeve Yoke RDS 884, Rear Teeth RDS 903
 (16 Splines) **(TEFLON COATED)**
 (Rear Teeth - Bearing Size 40 mm / No. 88508)

U J Cross Canter N/M, 30.17 mm x 106 mm



RDS 884 / 6233 A

Sleeve Yoke Eicher Canter N/M, Tata 709 Turbo Ex
(16 Splines) (Total Length 7.6" / 193 mm)
(Mating Rear Teeth RDS 6233 B, 6256 C, 894 & 903)



RDS 894 / 718

Propeller Shaft Rear Teeth (16 Teeth)
Tata 709 Turbo Ex / 407 Turbo (Type 2)
(Rear Teeth - Bearing Size 40 mm / No. 88058)



RDS 903

Propeller Shaft Rear Teeth
Tata 709 Turbo Ex / 407 Turbo (Type 2)
(16 Teeth) **(TEFLON COATED)**
(Rear Teeth - Bearing Size 40 mm / No. 88058)



RDS 6233 B

Propeller Shaft Rear Teeth
Canter 10.60, 10.90, 10.95
(16 Teeth) (Head Size 3" / 71 mm)
(Mating Sleeve Yoke RDS 884)



RDS 6256 C

Propeller Shaft Rear Teeth
Canter 10.60, 10.90, 10.95
(16 Teeth) **(TEFLON COATED)**
(Mating Sleeve Yoke RDS 884)

U J Cross Canter N/M, 30.17 mm x 106 mm



RDS 207

Yoke & Teeth Set Tata 407 Turbo (Type 2)
Sleeve Yoke RDS 889, Rear Teeth RDS 895
 (16 Thin Splines) (Rear Teeth - 9" / 230 mm Long)
 (Rear Teeth - Bearing Size 35 mm / No. 88507)

U J Cross Canter N/M, 30.17 mm x 106 mm



RDS 207 T

Yoke & Teeth Set Tata 407 Turbo (Type 2)
Sleeve Yoke RDS 889, Rear Teeth RDS 895 T
 (16 Thin Splines) **(TEFLON COATED)**
 (Rear Teeth - Bearing Size 35 mm / No. 88507)



RDS 889

Sleeve Yoke Tata 407 Turbo Ex
 (Type 2) (16 Thin Splines)
 (U J Cross fitting Canter N/M)
 (U J dimensions 30.17 mm x 106 mm)
 (Mating Rear Teeth RDS 895 & 895 T)



RDS 895

Propeller Shaft Rear Teeth
 Tata 407 Turbo Ex (Type 2)
 (16 Thin Teeth) (Bearing Size 35 mm)
 (Mating Sleeve Yoke RDS 889)



RDS 895 T

Propeller Shaft Rear Teeth
 Tata 407 Turbo Ex (Type 2)
(TEFLON COATED)
 (16 Thin Teeth) (Bearing Size 35 mm)
 (Mating Sleeve Yoke RDS 889)

U J Cross MSL 1350 Series, 30.17 mm x 92 mm



RDS 6069 C

Yoke & Teeth Set Tata 407 Turbo, 410 Ex, 412
Sleeve Yoke RDS 881, Rear Teeth RDS 891
 (16 Splines) (Rear Teeth - 8" / 203 mm Long)
 (Rear Teeth - Bearing Size 35 mm / No. 88507)

U J Cross MSL 1350 Series, 30.17 mm x 92 mm



RDS 912

Yoke & Teeth Set Tata 407 Turbo, 410 Ex, 412
Sleeve Yoke RDS 881, Rear Teeth RDS 891
 (16 Splines) **(TEFLON COATED)**
 (Rear Teeth - Bearing Size 35 mm / No. 88507)




RDS 881

Sleeve Yoke Tata 407 Turbo
 (Type 3) (16 Splines)
 (U J Cross fitting DCM N/M)
 (U J dimensions 30.17 mm x 92 mm)
 (Mating Rear Teeth RDS 891 & 904)



RDS 891 / 720

Propeller Shaft Rear Teeth
 Tata 407 Turbo (Type 3)
 (16 Teeth) (Bearing Size 35 mm)
 (Mating Sleeve Yoke RDS 881)



RDS 904


Propeller Shaft Rear Teeth
 Tata 407 Turbo (Type 3)
(TEFLON COATED)
 (16 Teeth) (Bearing Size 35 mm)
 (Mating Sleeve Yoke RDS 881)

(U J Cross SPL 90 Series, 41.28 mm x 126 mm)



RDS 145 A

Sleeve Yoke (Inter Axle Shaft)
Tata, Leyland 1710 Series
(16 Thick Splines) (Total Length 13.8" / 350 mm)
(Mating Rear Teeth RDS 147 A & 147 T)



RDS 147 A

Propeller Shaft Rear Teeth
Tata 4018 / 3118 (Long) (16 Teeth)
(Mating Sleeve Yoke RDS 145)

(U J Cross SPL 90 Series, 41.28 mm x 126 mm)



RDS 147 T

Propeller Shaft Rear Teeth (TEFLON COATED)
Tata 4018 / 3118 (Long) (16 Teeth)
(Mating Sleeve Yoke RDS 145)



RDS 6231 F

Sleeve Yoke Leyland 2214 / 2516 / Eicher Galaxy
(30 Splines) (Total Length 11.8" / 300 mm)
(Mating Rear Teeth RDS 6231 G, 126 & 131)

(U J Cross SPL 90 Series, 41.28 mm x 126 mm)



RDS 552

Sleeve Yoke & Teeth Set

Sleeve Yoke RDS 6231 F & Rear Teeth RDS 131

Leyland 2214 / 2516 / Eicher Galaxy
(30 Splines HALF)

(U J Cross SPL 90 Series, 41.28 mm x 126 mm)



RDS 550 T

Sleeve Yoke & Teeth Set

Sleeve Yoke RDS 6231 F & Rear Teeth RDS 126

Leyland 2214 / 2516, Eicher Galaxy
(30 Splines) **TEFLON COATED** (Half Splines)



RDS 6231 G

Propeller Shaft Rear Teeth

Leyland 2214, 2516 Eicher Galaxy
(30 Teeth) (Half Splines)
(Mating Sleeve Yoke RDS 6231 F)



RDS 131

Propeller Shaft Rear Teeth

Leyland 2214 / 2516
(30 Teeth) (Full Splines)
(Mating Sleeve Yoke RDS 6231 F)



RDS 126

Propeller Shaft Rear Teeth

Leyland 2214 / 2516 (30 Teeth)
(Half Splines) **TEFLON COATED**
(Mating Sleeve Yoke RDS 6231 F)

(U J Cross SPL 90 Series, 41.28 mm x 126 mm)



RDS 001

Sleeve Yoke Tata 2515 Hywa / Leyland 3516
(30 Splines) (Total Length 9.85" / 250 mm)
(Mating Rear Teeth RDS 907, 6231 G, 126 & 131)



RDS 907

Propeller Shaft Rear Teeth
Tata 1616, LP 1613 (30 Teeth)
(Half Splines) **(TEFLON COATED)**
(Mating Sleeve Yoke RDS 001 & RDS 6231 F)

(U J Cross SPL 90 Series, 41.28 mm x 126 mm)



RDS 6244

Sleeve Yoke Tata 2515 / Leyland 2214
(16 Splines) Heavy Duty
(Mating Rear Teeth - RDS 6245, RDS 132, RDS 132 T)



RDS 6245

Propeller Shaft Rear Teeth
Tata 2515 / Leyland 2214, 2516
(16 Teeth HALF) Heavy Duty
(Mating Sleeve Yoke RDS 6244)

(U J Cross SPL 90 Series, 41.28 mm x 126 mm)



RDS 132

Propeller Shaft Rear Teeth
Tata 2515, Leyland 2214 / 2516
(16 Teeth, Heavy Duty) FULL SPLINES
(Mating Sleeve Yoke RDS 6244)



RDS 551

Sleeve Yoke & Teeth Set
Sleeve Yoke RDS 6244 & RDS 132
Tata 2515, Leyland 2214 / 2516
(16 Teeth) (Heavy Duty) (FULL Splines)

(U J Cross SPL 90 Series, 41.28 mm x 126 mm)



RDS 132 T

Propeller Shaft Rear Teeth
Tata 2515, Leyland 2214 / 2516 (16 Teeth)
(Heavy Duty) FULL SPLINES (TEFLON COATED)
(Mating Sleeve Yoke RDS 6244)



RDS 551 T

Sleeve Yoke & Teeth Set
Sleeve Yoke RDS 6244 & RDS 132 T
Tata 2515, Leyland 2214 / 2516 (16 Teeth)
(Heavy Duty) FULL SPLINES (TEFLON COATED)

(U J Cross Fitting Tata 1312, 46.05 mm x 69 mm)



RDS 6042

Sleeve Yoke Tata 1312 / 1612 / 1510
(16 Splines) (Total Length 10.5" / 265 mm)
(Mating Rear Teeth RDS 6043)



RDS 6043

Propeller Shaft Rear Teeth
Tata 1312 / 1612 / 1510 (16 Teeth)
(Mating Sleeve Yoke RDS 6042)

(U J Cross Fitting Tata 1312, 46.05 mm x 69 mm)



RDS 6042 A

Sleeve Yoke Tata 1312 / 1612 / 1510 (Extra Long)
(16 Splines) (Total Length 12.4" / 315 mm)
(Mating Rear Teeth RDS 6043 A)



RDS 6043 A

Propeller Shaft Rear Teeth
Tata 1312 / 1612 / 1510 (Extra Long)
(16 Teeth) (Full Splines)
(Mating Sleeve Yoke RDS 6042 A)

(U J Cross Fitting Tata 1312, 46.05 mm x 69 mm)



RDS 6042 B

Sleeve Yoke Tata 1312 / 1612 / 1510
 (Spicer Design) (24 Splines)
 (Mating Rear Teeth RDS 6043 B)



RDS 6043 B

Propeller Shaft Rear Teeth
 Tata 1312 / 1612 / 1510
 (Spicer Design) (24 Teeth)
 (Mating Sleeve Yoke RDS 6042 B)

*many more
to come*

U J Cross Tata 4018 Patti Type
49.20 mm x 154.80 mm



RDS 141 L

Sleeve Yoke Tata 4018 / 3118 Long, Eicher 40.40
Eicher Terra 25 (Spicer Design) (16 Thick Splines)
(Mating Rear Teeth RDS 147 A & RDS 147 T)



RDS 147 A

Propeller Shaft Rear Teeth
Tata 4018 / 3118 (Long) (16 Thick Teeth)
(Mating Sleeve Yoke RDS 141 L)

U J Cross Tata 4018 Patti Type
49.20 mm x 154.80 mm



RDS 147 T

Propeller Shaft Rear Teeth
(TEFLON COATED)
Tata 4018 / 3118 (Long) (16 Thick Teeth)
(Mating Sleeve Yoke RDS 141 L)



RDS 141

Sleeve Yoke Tata 4018 Small
(16 Thick Splines)
(Mating Rear Teeth RDS 142)



RDS 142

Propeller Shaft Rear Teeth
Tata 4018 (Small) (16 Thick Teeth)
(Mating Sleeve Yoke RDS 141)

**U J Cross fitting Jeep Diesel
(27 mm x 82 mm)**



RDS 571

Mahindra Bolero DI / SLX FB / Jeep 6"
(16 Splines) **(TEFLON COATED)**
(MSL No. 3220431 / 3220432, for Reference Only)

**U J Cross fitting Jeep Diesel
(27 mm x 82 mm)**



RDS 6172 A

Mahindra Bolero DI SLX / FB
Jeep 6" (16 Splines)
(Sleeve Yoke RDS 6176 & Rear Teeth RDS 6177 A)

**U J Cross fitting Jeep Diesel
(27 mm x 82 mm)**



RDS 572

Mahindra Utility FC / NC / Jeep 7"
(16 Splines) **(TEFLON COATED)**
(MSL No. 3220452 / 3220472, for Reference Only)

**U J Cross fitting Jeep Diesel
(27 mm x 82 mm)**



RDS 6172

Mahindra Bolero FC / NC /
Jeep 7" (16 Splines)
(Sleeve Yoke RDS 6176 & Rear Teeth RDS 6177)

U J Cross fitting Jeep Diesel
(27 mm x 82 mm)



RDS 573

Mahindra Max Pickup
(16 Splines) (TEFLON COATED)
(MSL No. 3220463 / 3220492, for Reference Only)

U J Cross fitting Jeep Diesel
(27 mm x 82 mm)



RDS 6172 B

Mahindra Max Pickup / Utility
(16 Splines)
(Sleeve Yoke RDS 6176 & Rear Teeth RDS 6178)

U J Cross fitting Jeep Diesel
(27 mm x 82 mm)



RDS 032

Mahindra Maxii Truck
(16 Splines) (TEFLON COATED)
(MSL No. 3220457 / 3220477, for Reference Only)

U J Cross fitting Jeep Diesel
(27 mm x 82 mm)



RDS 574

Mahindra Bolero DI / XYLO
(16 Splines) (TEFLON COATED)
(Rear Teeth - Bearing Size 35 mm)
(MSL No. 3220469, for Reference Only)

U J Cross fitting Jeep Diesel
(27 mm x 82 mm)



RDS 575

Mahindra SCORPIO
(16 Splines) **(TEFLON COATED)**
(MSL No. 3220458 / 3220478, for Reference Only)

U J Cross fitting Jeep Diesel
(27 mm x 82 mm)



RDS 576

Mahindra Bolero FB MEGA / PICKUP Extra Long
(16 Splines) **(TEFLON COATED)**
(Rear Teeth - Bearing Size 35 mm)
(MSL No. 322045037, for Reference Only)

U J Cross fitting Jeep Diesel
(27 mm x 82 mm)



RDS 591

Mahindra Jeep Willys / Petrol Jeep
(16 Splines) **(TEFLON COATED)**
(MSL No. 3220473, for Reference Only)

U J Cross fitting Jeep Diesel
(27 mm x 82 mm)



RDS 6171

Mahindra Jeep Willys / Petrol Jeep
(16 Splines)

U J Cross fitting Jeep Diesel
(27 mm x 82 mm)



RDS 211

Tata Yodha
(16 Splines) **(TEFLON COATED)**
(Rear Teeth - Bearing Size 35 mm)

U J Cross fitting Jeep Diesel
(27 mm x 82 mm)



RDS 406

Tata 207 DI / Sumo Spacio, Victa
(16 Teeth) **(TEFLON COATED)**
(Rear Teeth - Bearing Size 35 mm)

U J Cross fitting Jeep Diesel
(27 mm x 82 mm)



RDS 6176

Sleeve Yoke Mahindra Bolero / Jeep Diesel
(16 Splines)
(Mating Rear Teeth RDS 6177, 6177 A & 6178)



RDS 6177

Propeller Shaft Rear Teeth
Mahindra Bolero FC / NC / Jeep 7" (16 Teeth)
(Mating Sleeve Yoke RDS 6176)



RDS 6177 A

Propeller Shaft Rear Teeth
Mahindra Bolero DI / SLX FB / Commander
Jeep 6" (16 Teeth)
(Mating Sleeve Yoke RDS 6176)



RDS 6178

Propeller Shaft Rear Teeth
Mahindra Max Pick Up / Utility
(16 Teeth)
(Mating Sleeve Yoke RDS 6176)

U J Cross fitting Tata 407
(30 mm x 82 mm)

U J Cross fitting Tata 1210
(38.05 mm)



RDS 205

Tata 407 Turbo N/M / City Ride
(16 Splines)
(Rear Teeth - Bearing Size 35 mm)



RDS 403

Tata 709 N/M
(22 Splines) **(TEFLON COATED)**
(Rear Teeth - Bearing Size 50 mm)

U J Cross fitting Jeep Diesel
(27 mm x 82 mm)



RDS 6162

Sleeve Yoke Assembly (**Round Base**)
(set of 3, Sleeve Yoke, U J Cross & Round Cross Holder)
Mahindra Bolero / Jeep Diesel

U J Cross fitting Jeep Diesel
(27 mm x 82 mm)



RDS 6162 C

Sleeve Yoke Assembly (**Square Base**)
(set of 3, Sleeve Yoke, U J Cross & Square Cross Holder)
Mahindra Bolero / Jeep Diesel

U J Cross fitting Jeep Diesel
(27 mm x 82 mm)



RDS 6162 A

Half Yoke Assembly (**Round Base**)
(set of 3, Half Yoke, U J Cross & Round Cross Holder)
Mahindra Bolero / Jeep Diesel

U J Cross fitting Jeep Diesel
(27 mm x 82 mm)



RDS 6162 B

Half Yoke Assembly (**Square Base**)
(set of 3, Half Yoke, U J Cross & Square Cross Holder)
Mahindra Bolero / Jeep Diesel



RDS 6163

Flange Yoke Cross Holder
Mahindra Bolero / Jeep Diesel
(Plate Size 97 mm, Round Base) (4 Holes)
(Hole Dia 10 mm) (Bolt Size 13 No.) (Total Height 64 mm)
(U J Cross Fitting Jeep Diesel, 27 mm x 82 mm)



RDS 6164

Flange Yoke Cross Holder
Mahindra Bolero / Jeep Diesel
Square Base (4 Holes)
(Hole Dia 10 mm) (Bolt Size 13 No.) (Total Height 63 mm)
(U J Cross Fitting Jeep Diesel, 27 mm x 82 mm)



RDS 6170

Stub Ball Half Yoke
Mahindra Bolero / Jeep Diesel
(Head Size 60 mm) (Total Height 82 mm)
(U J Cross Fitting Jeep Diesel, 27 mm x 82 mm)



RDS 6172 C

Stub Ball Half Yoke
Mahindra Max Pick Up / Utility
(Head Size 71 mm) (Total Height 82 mm)
(U J Cross Fitting Jeep Diesel, 27 mm x 82 mm)



RDS 6172 D

Stub Ball Half Yoke
Mahindra Maxi Truck
(Head Size 66 mm) (Total Height 82 mm)
(U J Cross Fitting Jeep Diesel, 27 mm x 82 mm)

*many more
to come*



RDS 6168

Gear Box Flange

Mahindra Bolero / Jeep Diesel

(Plate Size 97 mm, Round Base) (4 Holes)

(Hole Dia 10 mm) (Bolt Size 13 No.) (Total Height 54 mm)



RDS 028

Differential Coupling Flange

Mahindra Bolero / Jeep Diesel (28 Splines)

(Plate Size 97 mm, Round Base) (4 Holes)

(Hole Dia 10 mm) (Bolt Size 13 No.) (Total Height 54 mm)



RDS 6169

Differential Coupling Flange

Jeep Diesel (Patti Type) (10 Splines)

(U J Cross Fitting Jeep Diesel, 27 mm x 82 mm)



RDS 033

Differential Coupling Flange

Mahindra Scorpio (Patti Type) (26 Splines)

(U J Cross Fitting Jeep Diesel, 27 mm x 82 mm)

*many more
to come*



RDS 981
Tata GB - 60
(Steel Forged Heavy Duty)




RDS 982
Tata GB - 75




RDS 983
Tata 3118, 4018 (GB - 1150)



RDS 987
Tata 3718 (GB - 1150 Heavy Duty)



RDS 984
Tata 1109 (Single Bend)



RDS 985
Tata 1109 (1150 Double Bend)



RDS 986

Tata 709 / 1109 (Inner Thread)



RDS 6054 L

Tata 1613 TC (LONG)



RDS 6054

Tata 1613 TC (SMALL)




RDS 6047

Tata 1612 / 1510



RDS 6022

Tata GBS - 40



RDS 6021

Tata 1210



RDS 6071

Tata 407

STRAIGHT ARM



RDS 988

Tata 3118 (Left)
(Steel Forged Heavy Duty)



RDS 989

Tata 3118 (Right)
(Steel Forged Heavy Duty)

| Part No. | Description |
|----------|---------------------------------------|
| RDS 6001 | Sleeve Yoke Assy.1210 SE |
| RDS 6002 | Half Yoke Assy. 1210 |
| RDS 6003 | Half Yoke Assy. SE Model 3" |
| RDS 6004 | Sleeve Yoke Tata 1210 |
| RDS 6005 | Rear Teeth 1210/608 2½" |
| RDS 6006 | Rear Teeth SE Model 3" |
| RDS 6007 | Cross Holder Tata 1210/SE |
| RDS 6008 | Stub Ball Half Yoke End Tata 1210 2½" |
| RDS 6009 | Stub Ball Half Yoke Tata SE 3". |
| RDS 6010 | Centre Coupling Tata 1210/608 |
| RDS 6011 | Center Coupling Tata SE |
| RDS 6012 | Gear Coupling Tata SE/GB-40 |
| RDS 6013 | Gear Coupling Tata 1210/608 |
| RDS 6014 | Differential Coupling Tata 1210 SE |
| RDS 6015 | Differential Coupling Tata 608 |
| RDS 6016 | Front Teeth W/Nut Tata SE 3" |
| RDS 6017 | Front Teeth W/Nut Tata 1210/608 2½" |
| RDS 6020 | Clutch Fork Tata 1210. |
| RDS 6021 | Clutch Fork G.B. 30 Long |
| RDS 6022 | Clutch Fork G.B. 40 Small |
| RDS 6026 | Pitman ARM Tata SE Truck |
| RDS 6027 | Pitman ARM Tata LP (Bend Type) |
| | |
| | |
| | |
| | |

| Part No. | Description |
|-------------------|--|
| RDS 6035 | Sleeve Yoke Assy |
| RDS 6036 | Half Yoke Assy (90 mm Dia) |
| RDS 6036 A | Half Yoke Assy (76 mm Dia) |
| RDS 6037 | Cross Holder 1312 (8 Holes) |
| RDS 6037A | Cross Holder Latest Model (6 Holes) |
| RDS 6038 | Half Yoke End 90 mm Dia (3½" Pipe Size) |
| RDS 6038 A | Half Yoke End 76 mm (3" Pipe Size) |
| RDS 6039 | Differential Coupling Flange |
| RDS 6040 | Centre Jhoola Coupling |
| RDS 6040 A | Centre Coupling 2416 N/M Extra Long Height |
| RDS 6041 | Gear Box Coupling 1312 |
| RDS 6042 | Sleeve Yoke 1312 |
| RDS 6042 A | Sleeve Yoke Tata 1312 Extra Long |
| RDS 6043 | Rear Teeth 1312 |
| RDS 6043 A | Rear Teeth Tata 1312 Extra Long |
| RDS 559 | Yoke & Teeth Set Tata 1312 |
| RDS 6045 | Front Teeth 1312 |
| RDS 6046 | Clutch Fork Tata 1312 |
| RDS 6047 | Clutch Fork Tata 1612/1510 |
| RDS 6043 B | Rear Teeth Tata 1312 Latest (24 Teeth) (Spicer Shaft) |
| RDS 6042 B | Sleeve Yoke Tata 1312 Latest (24 Splines) (Spicer Shaft) |
| RDS 6054 | Clutch Fork Tata 1613 TC |
| RDS 6054 L | Clutch Fork Tata 1613 TC (Long) |
| RDS 129 | Pitman Arm Tata 1613 TC |
| | |
| | |

| Part No. | Description |
|----------------|---|
| RDS 6056 | Sleeve Yoke Assy. (1 Yoke, 1Cross, 1Holder) |
| RDS 6057 | Half Yoke Assy. (1 Half Yoke, 1 Cross, 1 Holder) |
| RDS 6057 A | Half Yoke Assy. 407 N/M |
| RDS 6058 | Flange Yoke Cross Holder Tata 407 |
| RDS 136 | Cross Holder 407 Turbo (6 Hole Plate Size 1210) (Cross Fitting Canter N/M) |
| RDS 6060 | Stub Ball Half Yoke End Tata 407 |
| RDS 6061 | Stub Ball Half Yoke End N/M 1210 Type |
| RDS 6062 | Centre Jhoola Coupling Flange 407 O/M |
| RDS 6062 A | Centre Jhoola Coupling Flange 407 N/M |
| RDS 6063 | Diff. Coupling Flange 407 O/M |
| RDS 6064 | Diff. Coupling Flange 407 N/M 1210 Type |
| RDS 6065 | Gear Box Coupling Flange 407 O/M |
| RDS 6065 A | Gear Box Coupling Flange 407 N/M |
| RDS 6066 | Sleeve Yoke 407 |
| RDS 6067 | Rear Teeth 407 |
| RDS 6068 | Front Teeth (With Nut) 407 |
| RDS 6069 | P.S.. Sleeve Yoke & Teeth 407 |
| RDS 6069 A | P.S. Yoke & Teeth Tata Turbo 407 (Cross Fitting D/Jeep) |
| RDS 6071 | Clutch Fork 407 |
| RDS 715 | Cross Holder Tata 407 Turbo (Type 3) (Cross Fitting DCM N/M, 30.18 mm x 90 mm) (Plate Size 100 mm, 6 Holes, Hole Dia 10.20 mm) |

| Part No. | Description | LIST PRICE |
|---------------------------|---|------------|
| RDS 037 | Cross Holder Tata ACE | |
| RDS 038 | Half Yoke Tata ACE | |
| RDS 039 | Sleeve Yoke Tata ACE | |
| RDS 040 A | Half Yoke Ass. ACE (1 Half Yoke, 1 C/Holder, 1 U.J. Cross) | |
| RDS 040 B | Full Yoke Assy. (1 Sleeve Yoke, 1 U.J. Cross & 1 Half Yoke) | |
| RDS 041 A | Differential Coupling ACE O/M | |
| TATA ACE N/M MAGIC | | |
| RDS 037 A | Cross Holder Tata ACE N/M Magic | |
| RDS 038 A | Half Yoke Tata ACE N/M Magic | |
| RDS 039 A | Sleeve Yoke Tata ACE N/M Magic | |
| RDS 041 B | Differential Coupling ACE N/M Magic | |
| RDS 040 AM | Half Yoke Ass. ACE N/M Magic (1 Half Yoke, 1 C/Holder, 1 U.J. Cross) | |
| RDS 040 BM | Full Yoke Assy. ACE N/M Magic (1 Sleeve Yoke, 1 U.J. Cross & 1 Half Yoke) | |
| AMBASSADOR | | |
| RDS 6186 | Sleeve Yoke Assy. (1 Cross, 1 Yoke, 1 Holder) | |
| RDS 6186 A | Half Yoke Assy. (1 Cross, 1 Half Yoke, 1 Holder) | |
| RDS 6187 | Propeller Shaft Sleeve Yoke & Teeth Ambassador | |
| RDS 6188 | Stub Ball Half Half Yoke End Ambassador | |
| RDS 6189 | Flange Yoke Cross Holder Ambassador | |
| RDS 6192 | Propeller Shaft Rear Sleeve Yoke Ambassador | |
| RDS 6193 | Propeller Shaft Rear Teeth Ambassador | |
| | | |

| Part No. | Description | LIST PRICE |
|--------------------------------------|---|------------|
| RDS 6141 | Sleeve Yoke Assy. Leyland Tasker (1 Yoke, 1 Cross, 1 Holder) | |
| RDS 6142 | Half Yoke Assy. 3" (1 Half Yoke, 1 Cross, 1 Holder) Leyland Tasker) | |
| RDS 6142 A | Half Yoke Assy. 3½" (1 Half Yoke, 1 Cross, 1 Cross Holder) | |
| RDS 6143 | Flange Yoke Cross Holder Leyland Tasker (MSL) Type | |
| RDS 6144 | Stub Ball Half Yoke End Leyland Tasker (MSL) Type 3" . | |
| RDS 6145 | Sleeve Yoke Leyland Tasker (MSL Type) | |
| RDS 6145 A | Rear Teeth L/Taskar 3" Full Splines | |
| RDS 6145 AH | Rear Teeth L/Taskar 3" Half Splines | |
| RDS 6145 B | Rear Teeth L/Taskar 3½" Full Splines | |
| RDS 6145 BH | Rear Teeth L/Taskar 3½" Half Splines | |
| RDS 6146 | Stub Ball Half Yoke End Leyland Tasker (3½" Base) | |
| RDS 6148 | Center Coupling L/L Tasker 10 Splines | |
| RDS 6149 | Prop. Shaft Front Teeth 10 Spline (3" Base) | |
| RDS 6150 | Prop. Shaft Front Teeth 10 Spline (3½" Base) | |
| LEYLAND TAURAS / LEYLAND 3516 | | |
| RDS 6218 | Sleeve Yoke Assy. Lock | |
| RDS 6220 | Half Yoke Assy. Lock Type | |
| RDS 6224 | Rear Teeth (All Model) | |
| RDS 6225 | Cross Holder Circlip Type 3516 | |
| RDS 6226 | Half Yoke Circlip 3516 | |
| RDS 6227 | Sleeve Yoke Circlip Type 3516 | |
| RDS 6228 | Centre Coupling Flange | |
| RDS 6229 | Diff. Coupling Flange | |
| RDS 6230 | Gear Box Coupling Flange (6 Splines) | |
| RDS 6231 B | Front Teeth Leyland Taurus | |
| RDS 6246 | Gear Box Coupling L/Taurus ZF (28 Splines) | |

| Part No. | Description | LIST PRICE |
|----------------------|---|------------|
| RDS 6121 | Sleeve Yoke Assy. (1 Yoke 1 Cross 1 Holder) EN 8 | |
| RDS 6122 | Half Yoke Assy. L/L3" (1 Half Yoke 1 Cross, 1 Holder) | |
| RDS 6123 | Half Yoke Assy. Leyland 3½" Base | |
| RDS 6124 | Sleeve Yoke Leyland 370 | |
| RDS 6125 | Rear Teeth Leyland 370 Full/Half Splines (3" Base) | |
| RDS 6126 | Rear Teeth Leyland 370 Full/Half Splines (3½" Base) | |
| RDS 6129 | Flange Yoke Cross Holder Leyland 370 | |
| RDS 6130 | Half Yoke End Leyland (3" Base) | |
| RDS 6131 | Half Yoke End Leyland (3½" Base) | |
| RDS 6132 | Diff. Coupling Flange Leyland / Leyland Tasker | |
| RDS 6133 | Centre Jhoola Coupling Flange Leyland (Key Type) | |
| RDS 6134 | Gear Coupling Flange Leyland Plain Type (Square Base) | |
| RDS 6134 A | Gear Coupling Flange Leyland Plain Type (Round Base) | |
| RDS 6137 | Clutch Fork Leyland | |
| LEYLAND CARGO | | |
| RDS 6232 | Stub. Ball Half Yoke | |
| RDS 6233 | Sleeve Yoke & Teeth Set | |
| RDS 884 / 6233 A | Sleeve Yoke L/L Cargo / Canter N/M | |
| RDS 6233 B | Rear Teeth L/L Cargo / Canter N/M | |
| RDS 6235 A | Cross Holder Leyland Cargo (XLO Type) Without Splines | |
| | | |

| Part No. | Description | LIST PRICE |
|------------|---|------------|
| RDS 6162 | Sleeve Yoke Assy. Jeep Diesel (1 Yoke, 1 Cross, 1 Cross Holder)" | |
| RDS 6162 A | Half Yoke Assy. Jeep Diesel (1 H. Yoke, 1 Cross, 1 Cross Holder)" | |
| RDS 6163 | Flange Yoke Cross Holder Jeep/Diesel (Round Base) | |
| RDS 6164 | Flange Yoke Cross Holder (Square Base) D/Jeep | |
| RDS 6168 | Gear Coupling Jeep (Round) | |
| RDS 6169 | Pinion Coupling Jeep W/.Dust Cap | |
| RDS 6170 | Stub Ball Half Yoke End Jeep Diesel | |
| RDS 6171 | Sleeve Yoke & Teeth Jeep Willyst | |
| RDS 6172 | Sleeve Yoke & Teeth Jeep Diesel 7" | |
| RDS 029 | Sleeve Yoke & Teeth Jeep Diesel 7" (TEFLON COATED)" | |
| RDS 6172 A | Sleeve Yoke & Teeth Commander 6" | |
| RDS 030 | Sleeve Yoke & Teeth Commander 6" (TEFLON COATED) | |
| RDS 6172 B | Sleeve Yoke & Teeth Jeep Utility (Teeth Head Size3") | |
| RDS 6172 C | Half Yoke Utility Pick Up | |
| RDS 6176 | Sleeve Yoke Jeep Diesel | |
| RDS 6177 | Rear Teeth Jeep Diesel 7" | |
| RDS 6177 A | Rear Teeth Commander 6" | |
| RDS 027 | Cross Holder Mahindra Max | |
| RDS 028 | Pinion Coupling Utility Pick Up (With Dust Cover) | |
| RDS 031 | Sleeve Yoke & Teeth Jeep Utility (TEFLON COATED) | |
| RDS 032 | Sleeve Yoke & Teeth MAXI TRUCK (TEFLON COATED) | |
| RDS 571 | Sleeve Yoke & Teeth Mahindra Bolero DI / SLX (Flat Bed) (Jeep 6") (TEFLON COATED) (MSL Ref. No. 3220431 / 432) | |
| RDS 572 | Sleeve Yoke & Teeth Mahindra Utility FC / NC (Jeep 7") (TEFLON COATED) (MSL Ref. No. 3220452 / 472) | |
| RDS 573 | Sleeve Yoke & Teeth Mahindra Max Pickup (TEFLON COATED) (MSL Ref. No. 3220463 / 492) | |
| RDS 574 | Sleeve Yoke & Teeth Mahindra Bolero DI / XYLO (Flat Bed) (TEFLON COATED) (MSL Ref. No. 3220469) | |
| | | |

| Part No. | Description | LIST PRICE |
|-------------------|---|------------|
| RDS 1755 | Centre Joint Coupling Eicher 11.10 (16 Splines) (Square Base) (Total Height 95 mm) (4 Holes) (Hole Dia 13 mm) (Bolt - 19 No.) | |
| RDS 6250 | Cross Holder Canter O/M | |
| RDS 6251 | Cross Holder Canter N/M | |
| RDS 6252 | Half Yoke Canter O/M | |
| RDS 6253 | Half Yoke Canter N/M | |
| RDS 6254 | Centre Coupling Canter (10 Splines) | |
| RDS 6254 A | Differential Coupling Canter (14 Splines) | |
| RDS 6254 B | Centre Coupling Canter (24 Splines) | |
| RDS 6254 C | Front Teeth Canter N/M 10 Teeth (With Nut) | |
| RDS 6254 D | Diff. Coupling Flange Eicher Canter 10.90G (14 Splines) | |
| RDS 6255 | Gear Coupling Canter | |
| RDS 6256 | Yoke & Teeth Set Canter O/M | |
| RDS 6256 A | Yoke & Teeth Canter N/M | |
| RDS 6256 B | Yoke & Teeth Canter N/M (TEFLON COATED) | |
| RDS 6258 | Cross Holder DCM N/M (Outer Side Lock) 14 B | |
| RDS 6258 A | Half Yoke DCM N/Model 14 B | |
| RDS 6258 B | Yoke and Teeth DCM N/M 14B | |
| RDS 6259 | Yoke & Teeth Swaraj Mazda | |
| RDS 6260 | Cross Holder Swaraj Mazda (Round Base) | |
| RDS 6260 A | Cross Holder Swaraj Mazda (Square Base) | |
| RDS 6261 | Half Yoke Swaraj Mazda | |
| RDS 6261 A | Diff. Coupling Swaraj Mazda (31 Spline) | |
| RDS 6261 B | Center Coupling Swaraj Mazda (34 Spline) | |
| RDS 6261 C | Front Teeth S/Mazda (34 Teeth) | |
| RDS 6270 | Center Joint Coupling D.C.M. Toyota | |
| RDS 6233 A | Sleeve Yoke L/L Cargo / Canter N/M | |
| RDS 6233 B | Rear Teeth L/L Cargo / Canter N/M | |
| RDS 6271 | Differential Coupling Canter 11.10 (18 Splines) | |
| | | |



RDS 1801
Centre Joint Bearing 6211 WOS
(fitted with 6211 Bearing, ID 55 mm)



RDS 1802
Centre Joint Bearing 6211 - 2RS WOS
(fitted with 6211- 2RS Bearing, ID 55 mm)



RDS 832
Centre Joint Rubber
(suitable for 6211 Bearing)



RDS 432
Centre Joint Bearing 6211 - WB
(with heavy duty bracket)
(fitted with 6211- 2RS Bearing, ID 55 mm)



RDS 375
Centre Joint Bearing Bkt
(suitable for 6211 Bearing)



RDS 1803
Centre Joint Bearing 6013 WOS
(fitted with 6013 Bearing, ID 65 mm)
(RSB 490 Series)



RDS 1804
Centre Joint Bearing 6013 - 2RS WOS
(fitted with 6013 - 2RS Bearing, ID 65 mm)
(RSB 490 Series)



RDS 834
Centre Joint Rubber
(RSB 490 Series) (suitable for 6013 Bearing)



RDS 434
Centre Joint Bearing 6013 - WB
(RSB 490 Series) (with heavy duty bracket)
(fitted with 6013- 2RS Bearing, ID 65 mm)



RDS 376
Centre Joint Bearing Bkt
(RSB 490 Series) (suitable for 6013 Bearing)



RDS 1805
Centre Joint Bearing 88509 - 2RS WOS
(fitted with 88509 - 2RS Bearing, ID 45 mm)
(Spicer 1550 / SPL 90 / MSL 1550 Series)



RDS 831
Centre Joint Rubber
(suitable for 88509 Bearing)
(Spicer 1550 / SPL 90 / MSL 1550 Series)



RDS 431
Centre Joint Bearing 88509 - WB
(Spicer 1550 / SPL 90 / MSL 1550 Series)
(fitted with 88509- 2RS Bearing, ID 45 mm)



RDS 377
Centre Joint Bearing Bkt
(suitable for 88509 Bearing)
(Spicer 1550 / SPL 90 / MSL 1550 Series)



RDS 1806
Centre Joint Bearing (Spicer 1710 Series)
(fitted with 6012 - 2RS Bearing, ID 60 mm)



RDS 833
Centre Joint Rubber (Spicer 1710 Series)
(suitable for 6012 Bearing)



RDS 433
Centre Joint Bearing 6012 - WB
(Spicer 1710 Series) (with heavy duty bracket)
(fitted with 6012 - 2RS Bearing, ID 60 mm)



RDS 372
Centre Joint Bearing Bkt
(Spicer 1710 Series) (suitable for 6012 Bearing)



RDS 1807
Centre Joint Bearing 6211 MOD
(fitted with 6211 - 2RS Bearing & big collar cups)



RDS 1808
Centre Joint Bearing 6211 MOD
(fitted with 6211 - 2RS Bearing & small collar cups)



RDS 836
Centre Joint Rubber
(suitable for 6211 MOD Bearing)



*Image
coming soon*

RDS 447
Centre Joint Bearing 6211 MOD (WB)
(with heavy duty bracket)
(fitted with 6211 - 2RS Bearing & small collar cups)



RDS 1809
Centre Joint Bearing 7240 WOS
(fitted with 7240 - 2RS Bearing, ID 40 mm)



RDS 854
Centre Joint Rubber
(suitable for 7240 - 2RS bearing)



RDS 437
Centre Joint Bearing 7240 WB
(with heavy duty bracket)
(fitted with 7240 - 2RS Bearing, ID 40 mm)



RDS 1810
Centre Joint Bearing 92 Model / 6208 WOS
(fitted with 6208 - 2RS Bearing, ID 40 mm)



*Image
coming soon*

RDS 446
Centre Joint Bearing 92 M WB
(with heavy duty bracket)
(fitted with 6208 - 2RS Bearing, ID 40 mm)



RDS 835
Centre Joint Rubber 92 M
(suitable for 6208 - 2RS Bearing)



*Image
coming soon*

RDS 382
Centre Joint Bearing Bkt 92 M
(suitable for 6208 - 2RS Bearing)



RDS 1811
Centre Joint Bearing 6207 - 2RS WOS
(fitted with 2 collar rubber & 6207 - 2RS Bearing)
(Bearing ID 35 mm)



RDS 1812
Centre Joint Bearing 6207 - 2RS WOS
(fitted with 3 collar rubber & 6207 - 2RS Bearing)
(Bearing ID 35 mm)



RDS 1856
Centre Joint Bearing 6207 - 2RS MOD
(fitted with 6207 - 2RS Bearing & steel cups)
(Bearing ID 35 mm)



RDS 1846
Centre Joint Bearing 6207 WB
(with heavy duty bracket)
(fitted with 6207 - 2RS Bearing, ID 35 mm)



RDS 851
Centre Joint Rubber
(suitable for 6207 - 2RS bearing)



RDS 1813
Centre Joint Bearing 6006 - 2RS
(suitable for M&M Xylo) (Bearing ID 30 mm)



RDS 1814
Centre Joint Bearing 6009 - 2RS
(suitable for FM Tempo Trax / Traveller)
(Bearing ID 45 mm)



RDS 1816
Centre Joint Bearing
(fitted with 88511 - 2RS bearing, ID 55 mm)



RDS 1817
Centre Joint Bearing
(fitted with 62211 - 2RS bearing, ID 55 mm)



RDS 1818
Centre Joint Bearing 88507 WOS
(fitted with 2 collar rubber & 88507 - 2RS Bearing)
(MSL 1410 Series, Bearing ID 35 mm)



RDS 1819
Centre Joint Bearing 88507 WOS
(fitted with 3 collar rubber & 88507 - 2RS Bearing)
(MSL 1410 Series, Bearing ID 35 mm)

New
Addition



RDS 444
Centre Joint Bearing 88507 - 2RS WB
(MSL 1410 Series) (with heavy duty bracket)
(fitted with 88507 - 2RS Bearing, ID 35 mm)

New
Addition



RDS 379
Centre Joint Bearing Bkt (MSL 1410 Series)
(suitable for 6207 & 88507 Bearing)




RDS 1820
Centre Joint Bearing 88507 (M&M)
(fitted with 88507 - 2RS Bearing, ID 35 mm)



RDS 1821
Centre Joint Bearing 88507 - 2RS (MOD)
(MSL 1310 Series)
(fitted with 88507 - 2RS Bearing, ID 35 mm)



RDS 837
Centre Joint Rubber M&M (MSL 1310 Series)
(suitable for 88507 - 2RS Bearing)



RDS 1822
Centre Joint Bearing 88507 WB
(MSL 1310 Series)
(fitted with 88507 - 2RS bearing, ID 35 mm)



RDS 1824
Centre Joint Bearing SML
(fitted with 6007 - 2RS Bearing, ID 35 mm)



RDS 855
Centre Joint Rubber SML
(suitable for 6007 - 2RS Bearing)



RDS 1825
Centre Joint Bearing 88508 - 2RS
(fitted with 88508 - 2RS Bearing, ID 40 mm)



RDS 838
Centre Joint Rubber
(suitable for 88508 - 2RS Bearing)




RDS 443
Centre Joint Bearing 88508 WB
(Spicer 1410 Series) (with heavy duty bracket)
(fitted with 88508 - 2RS Bearing, ID 40 mm)



RDS 380
Centre Joint Bearing Bkt
(suitable for 88508 - 2RS Bearing)



RDS 1826
Centre Joint Bearing RSB 620 Series
(fitted with 6015 - 2RS Bearing, ID 75 mm)



RDS 856
Centre Joint Rubber RSB 620 Series
(suitable for 6015 - 2RS Bearing)



RDS 441
Centre Joint Bearing 6015 WB
RSB 620 Series (with heavy duty bracket)
(fitted with 6015 - 2RS Bearing, ID 75 mm)



RDS 371
Centre Joint Bearing Bkt
RSB 620 Series (suitable for 6015 - 2RS Bearing)



RDS 1827 (Cut Type)
Centre Joint Bearing RSB 590 Series
(fitted with 6211 - 2RS Bearing, ID 55 mm)



RDS 839 (Cut Type)
Centre Joint Rubber RSB 590 Series
(suitable for 6211 - 2RS Bearing)



RDS 1827 R
Centre Joint Bearing RSB 590 Series
(fitted with 6211 - 2RS Bearing, ID 55 mm)



RDS 840
Centre Joint Rubber RSB 590 Series
(suitable for 6211 - 2RS Bearing)



RDS 435
Centre Joint Bearing 6211 NT - WB
RSB 590 Series (with heavy duty bracket)
(fitted with 6211 - 2RS Bearing, ID 55 mm)



RDS 371
Centre Joint Bearing Bkt
RSB 590 Series (suitable for 6211 - 2RS Bearing)



RDS 1828
Centre Joint Bearing 6207 SPL.
(fitted with 6207 - 2RS Bearing, ID 35 mm)



RDS 1829
Centre Joint Bearing VECV (3 Bolt type)
(with heavy duty bracket)
(fitted with 6011 - 2RS Bearing, ID 55 mm)



RDS 1849
Centre Joint Bearing VECV (3 Bolt type)
(fitted with 6011 - 2RS Bearing, ID 55 mm)



RDS 1830
Centre Joint Bearing RSB Design
(fitted with 6013 - 2RS Bearing, ID 65 mm)



RDS 1841
Centre Joint Bearing
(fitted with 6010 - 2RS Bearing, ID 50 mm)



RDS 1842
Centre Joint Bearing (Spicer 2040 / 2045 Series)
(fitted with 6011 - 2RS Bearing, ID 55 mm)



RDS 853
Centre Joint Rubber
(Spicer 2040 / 2045 Series)
(suitable for 6011 - 2RS Bearing)



RDS 438
Centre Joint Bearing 6011 NT - WB
(Spicer 2040 / 2045 Series) (with heavy duty bracket)
(fitted with 6011 - 2RS Bearing, ID 55 mm)



RDS 374
Centre Joint Bearing Bkt
(Spicer 2040 / 2045 Series)
(suitable for 6011 - 2RS Bearing)



RDS 1843
Centre Joint Bearing
(fitted with 6011 - 2RS Bearing, ID 55 mm)



RDS 1844
Centre Joint Bearing (MSL 2040 Series)
(fitted with 88512 - 2RS Bearing, ID 60 mm)



RDS 1848
Centre Joint Bearing MOD. (MSL 2040 Series)
(fitted with 88512 - 2RS Bearing, ID 60 mm)



RDS 852
Centre Joint Rubber (MSL 2040 Series)
(suitable for 88512 - 2RS Bearing)



RDS 436
Centre Joint Bearing (MSL 2040 Series)
(with heavy duty bracket)
(fitted with 88512 - 2RS Bearing, ID 60 mm)



RDS 373
Centre Joint Bearing Bkt
(MSL 2040 Series) (suitable for 88512 Bearing)



RDS 1845
Centre Joint Bearing
(RSB Design, with big rubber)
(fitted with 6013 - 2RS Bearing, ID 65 mm)



RDS 1847
Centre Joint Bearing (Spicer 2055 Series)
(fitted with 6014 - 2RS Bearing, ID 70 mm)



RDS 440
Centre Joint Bearing (Spicer 2055 Series)
(with heavy duty bracket)
(fitted with 6014 - 2RS Bearing, ID 70 mm)



RDS 1850
Centre Joint Bearing 6211 - 2RS (MOD)
(with Plain Rubber)
(fitted with 6211 - 2RS Bearing, ID 55 mm)



RDS 1851
Centre Joint Bearing (3728 SPL.)
(fitted with 6211 - 2RS bearing, ID 55 mm)



RDS 1852
Centre Joint Bearing (MSL 1650 Series) (AL, BS 6)
(fitted with 6211 - 2RS Bearing, ID 55 mm)



*Image
coming soon*

RDS 448
Centre Joint Bearing (MSL 1650 Series) (AL, BS 6)
(with heavy duty bracket)
(fitted with 6211 - 2RS Bearing, ID 55 mm)



*Image
coming soon*

RDS 857
Centre Joint Rubber (MSL 1650 Series) (AL, BS 6)
(suitable for 6211 - 2RS Bearing)



*Image
coming soon*

RDS 381
Centre Joint Bearing Bkt
(MSL 1650 Series) (AL, BS 6)
(suitable for 6211 Bearing)



RDS 1853
Centre Joint Bearing (Spicer 2040 / 2045 Series)
(fitted with 6011 - 2RS Bearing, ID 55 mm)
(Bearing width 22 mm)



RDS 853
Centre Joint Rubber
(Spicer 2040 / 2045 Series)
(suitable for 6011 - 2RS Bearing)



RDS 1854
Centre Joint Bearing (RSB 680 Series)
(fitted with 6213 - 2RS Bearing, ID 65 mm)



*Image
coming soon*

RDS 858
Centre Joint Rubber (RSB 680 Series)
(suitable for 6213 - 2RS Bearing)



RDS 445
Centre Joint Bearing (RSB 680 Series)
(with heavy duty bracket)
(fitted with 6213 - 2RS Bearing, ID 65 mm)



RDS 378
Centre Joint Bearing Bkt
(RSB 680 Series) (suitable for 6213 - 2RS Bearing)



RDS 1855
Centre Joint Bearing (AL,BS 6)
(fitted with 6011 - 2RS Bearing, ID 55 mm)



RDS 439
Centre Joint Bearing (AL,BS 6)
(with heavy duty bracket)
(fitted with 6011 - 2RS Bearing, ID 55 mm)



*Image
coming soon*

RDS 1857

Centre Joint Bearing (Spicer SPL 100 Series)
(fitted with 88510 - 2RS Bearing, ID 50 mm)



*Image
coming soon*

RDS 442

Centre Joint Bearing (Spicer SPL 100 Series)
(with heavy duty bracket)
(fitted with 88510 - 2RS Bearing, ID 50 mm)



RDS 1858

Centre Joint Bearing 88509 MOD.
(with big bore cups)
(fitted with 88509 - 2RS Bearing, ID 45 mm)

*Many more
to come*

| | | |
|--|--|---|
|  <p>thread size M16 x 1.5</p> |  <p>thread size M14 x 1.5</p> |  |
| <p>RDS EM 301 Front Rubber Mount (with 16 mm thread)</p> | <p>RDS EM 302 Front Rubber Mount (with 14 mm thread)</p> | <p>RDS EM 303 Rear Rubber Mount (4 cross Bolts)</p> |
|  |  |  |
| <p>RDS EM 304 Front Rubber Mount (3 Holes)</p> | <p>RDS EM 305 Rear Rubber Mount (2 Holes)</p> | <p>RDS EM 306 Front Rubber Mount (Left thread) T 407</p> |
|  |  |  |
| <p>RDS EM 307 Front Rubber Mount (Right thread) T 407</p> | <p>RDS EM 308 Front Rubber Mount AMW (Heavy Duty)</p> | <p>RDS EM 309 Front Rubber Mount 10.60 / 10.95 (VECV)</p> |
|  |  |  |
| <p>RDS EM 310 Rear Rubber Mount Euro III (LEFT)</p> | <p>RDS EM 311 Rear Rubber Mount Euro III (RIGHT)</p> | <p>RDS EM 312 Front Rubber Pad (Heavy Duty) (AL)</p> |
|  |  |  |
| <p>RDS EM 313 Gear Box Rubber Mount Metacone Type (AL)</p> | <p>RDS EM 314 Rear / Gear Box Mount Heavy Duty (T 407)</p> | <p>RDS EM 315 Front Eng. Mtg. Sumo Spacio (LEFT)</p> |

| | | |
|---|---|--|
|  <p>RDS EM 317 Front Rubber Mount (Left) T 709</p> |  <p>RDS EM 318 Front Rubber Mount (Right) T 709</p> |  <p>RDS EM 319 Front Eng. Mtg. Tata ACE (H / Duty)</p> |
|  <p>RDS EM 320 Rubber Gear Box Mount (Heavy Duty) T ACE</p> |  <p>RDS EM 321 Rubber Gear Box Mount Metacone type (Heavy Duty) (Double Plate)</p> |  <p>RDS EM 322 Front Rubber Mount JUMBO (VECV) (Heavy Duty)</p> |
|  <p>RDS EM 323 Rubber Gear Box Mount JUMBO (VECV) (Heavy Duty)</p> |  <p>RDS EM 324 Rear Rubber Mount Euro II (LEFT) / 1613 TC</p> |  <p>RDS EM 325 Rear Rubber Mount Euro II (RIGHT) / 1613 TC</p> |
|  <p>RDS EM 326 Rubber Gear Box Mount Heavy Duty (608 / 709)</p> |  <p>RDS EM 327 Front Rubber Mount Heavy Duty (AL, UT)</p> |  <p>RDS EM 328 Front Rubber Mount Heavy Duty (AL, UT) (with housing)</p> |
| <p>Bolt Size 12 mm</p>  <p>RDS EM 329 Rear Rubber Mount BS 4 (with M12 x 1.5 Bolt) (Heavy Duty)</p> | <p>Bolt Size 16 mm</p>  <p>RDS EM 345 Rear Rubber Mount BS 6 (with M16 x 1.5 Bolt) (Heavy Duty)</p> |  <p>RDS EM 330 Rear Rubber Mount 92 Model (LEFT Thread) (Heavy Duty)</p> |

| | | |
|--|---|--|
|  |  |  |
| <p>RDS EM 331 Rear Rubber Mount 92 Model (RIGHT Thread) (Heavy Duty)</p> | <p>RDS EM 332 Rear Rubber Mount PRIMA (Heavy Duty)</p> | <p>RDS EM 333 Rubber Gear Box Mount Heavy Duty (BB)</p> |
|  |  |  |
| <p>RDS EM 334 Front Rubber Mount LEFT (BS 4, AL) (Heavy Duty)</p> | <p>RDS EM 335 Front Rubber Mount RIGHT (BS 4, AL) (Heavy Duty)</p> | <p>RDS EM 336 Front Rubber Mount LEFT (BB) (Heavy Duty)</p> |
|  |  |  |
| <p>RDS EM 337 Front Rubber Mount RIGHT (BB) (Heavy Duty)</p> | <p>RDS EM 338 Rear Rubber Mount BS IV (जोटा 4 बोल्ट) (909, 1109)</p> | <p>RDS EM 339 (THIS PART NO. DISCONTINUED) Substitute for this is EM 863 on the next page</p> |
|  |  |  |
| <p>RDS EM 340 (THIS PART NO. DISCONTINUED) Substitute for this is EM 864 on the next page</p> | <p>RDS EM 341 Front Rubber Mount Ultra LEFT</p> | <p>RDS EM 342 Front Rubber Mount Ultra RIGHT</p> |
|  |  |  |
| <p>RDS EM 344 Rubber Gear Box Mount Heavy Duty (DOST AL)</p> | <p>RDS EM 346 Rear Rubber Mount Heavy Duty (AL, E Comet)</p> | <p>RDS EM 841 Front Rubber Mount (all models) (M & M)</p> |

| | | |
|---|--|--|
|  |  |  |
| <p>RDS EM 842 Rubber Gear Box Mount Heavy Duty (M & M)</p> | <p>RDS EM 843 Rubber Gear Box Mount Heavy Duty (M & M) Max Turbo</p> | <p>RDS EM 844 Front Rubber Mount PRO Model (Heavy Duty) (VECV)</p> |
|  |  |  |
| <p>RDS EM 845 Rubber Gear Box Mount (Universal - with 8 Holes) (All Models M & M)</p> | <p>RDS EM 846 Front Rubber Mount BS 4 Model (12 mm Thread) T 1109</p> | <p>RDS EM 847 Front Rubber Mount BS 4 Model (14 mm Thread) T 1109</p> |
|  |  |  |
| <p>RDS EM 848 Rubber Gear Box Mount (Heavy Duty) (BS 6 Trailer) BB</p> | <p>RDS EM 849 Front Rubber Mount LEFT (with Bracket) 1512, BS 6 Model Ultra</p> | <p>RDS EM 850 Front Rubber Mount RIGHT (with Bracket) 1512, BS 6 Model Ultra</p> |
|  |  |  |
| <p>RDS EM 861 Front Rubber Mount LEFT (Ultra N/M Small, 407 BS 6)</p> | <p>RDS EM 862 Front Rubber Mount RIGHT (Ultra N/M Small, 407 BS 6)</p> | <p>RDS EM 863 (Substitute for EM 339) Front Rubber Mount (LEFT) 11.14 / 30.15 XP (VECV)</p> |
|  |  |  |
| <p>RDS EM 864 (Substitute for EM 340) Front Rubber Mount (RIGHT) 11.14 / 30.15 XP (VECV)</p> | <p>RDS EM 865 Rubber Rebound Plate Heavy Duty (Prima)</p> | <p>RDS EM 866 Front Rubber Mount Heavy Duty (AL Guru, E Comet)</p> |



RDS EM 867
Rubber Gear Box Mount
with nut 1212 Ultra



RDS EM 868
Rubber Gear Box Mount
Pro Model (VECV)
(Heavy Duty)



RDS EM 869
Rubber Gear Box Mount
Heavy Duty Ultra
(with Bracket)



RDS EM 870
Rubber Gear Box Mount
Heavy Duty (Super ACE)



RDS EM 871
Front Rubber Mount
Heavy Duty MN 40 (Navistar)



RDS EM 872
Rubber Gear Box Mount
Heavy Duty (MN 40 Navistar)



RDS EM 873
Front Rubber Mount (RIGHT)
BS 6, Ultra 1518 (Heavy Duty)



RDS EM 874
Front Rubber Mount (LEFT)
BS 6, Ultra 1518 (Heavy Duty)



RDS EM 875
Front Rubber Mount (RIGHT)
BS 6, Ultra 712 (Heavy Duty)



RDS EM 876
Front Rubber Mount (LEFT)
BS 6, Ultra 712 (Heavy Duty)



RDS EM 877
Front Rubber Mount
BS 6 Model, Ultra N/M (Heavy Duty)



RDS EM 878
Rear Gear Box Rubber Mount
BS 6 Model, Ultra N/M (Heavy Duty)



RDS EM 879
Front Rubber Mount (RIGHT)
Eicher 60.37 (Heavy Duty)



RDS EM 880
Front Rubber Mount (LEFT)
Eicher 60.37 (Heavy Duty)


*Many more
to come*




RDS HP 101
Rubber Hollow Pad
Old Model (Round)
(2 Holes x 4 Holes)



RDS HP 102
Rubber Hollow Pad
(Rectangular Shape)
(6 Holes x 4 Holes)



RDS HP 103
Rubber Hollow Pad
New Model (Rectangular Shape)
(2 Holes x 4 Holes)



RDS HP 104
Rubber Hollow Pad
New Model (Rectangular Shape)
(with Oval Holes)



RDS HP 105
Rubber Hollow Pad
Volvo Eicher
(2 Holes x 4 Holes)



RDS HP 106
Rubber Hollow Pad
Volvo Eicher
(Same shape as OE)



RDS HP 107
Rubber Hollow Pad
(with Universal fitting)
(Middle Hole OVAL shape)




RDS HP 108
Rubber Hollow Pad
Mercedes Actros (5 Plates)



RDS HP 109
Rubber Hollow Pad
Mercedes Actros (7 Plates)




RDS HP 110
Rubber Hollow Pad
New Model (Heavy Duty)
(with 40 mm Bolt)




This Hole is
Taper from the
Bottom Side

RDS HP 531
Rubber Hollow Pad
Volvo Eicher (BS 6)
(with 12 mm Taper holes)



RDS HP 532
Rubber Hollow Pad
Benz (16 Wheeler)
(with Heavy Duty 40 mm Bolt)




RDS HP 533

Rubber Hollow Pad
(suitable for BS 6 Models)

(with Heavy Duty 40 mm Thick Bolt)

(Total Height 110 mm)



RDS HP 534

Rubber Hollow Pad
BAHUBALI

(Super Heavy Duty with 50 mm thick Bolt)

*many more
to come*



RDS TRB 601

Rubber Torque Rod Bush
Rotational Type (105 mm OD) (With Circlips)
(Hole Dia 19 mm Round)
(Hole to Hole Distance CD 110 mm)
(Suitable for AMW O/M)



RDS TRB 602

Rubber Torque Rod Bush
(87 mm OD) (With Circlips) (Hole Dia 19 mm Round)
(Hole to Hole Distance CD 110 mm)
(Suitable for AMW N/M)



RDS TRB 603

Rubber Torque Rod Bush
(95 mm OD) (With Circlips)
(Hole Dia 21.5 mm x 23 mm Oval)
(Hole to Hole Distance CD 133 mm)
(Suitable for Tata 2518, 2523 Series Trucks)



RDS TRB 604

Rubber Torque Rod Bush
(100 mm OD) (With Circlips)
(Hole Dia 21 mm x 25 mm Oval)
(Hole to Hole Distance CD 152 mm)
(Suitable for Tata 2518, 2523, Prima 4849 Trucks)



RDS TRB 606

Rubber Torque Rod / V Rod Bush
(108 mm OD) (With Circlips)
(Hole Dia 25 mm x 27 mm Oval)
(Hole to Hole Distance CD 160 mm)
(Suitable for Tata Prima 4923, 2523 Trucks)



RDS TRB 621

Rubber Torque Rod / V Rod Bush
(108 mm OD) (With Circlips)
(Hole Dia 25 mm Round)
(Hole to Hole Distance CD 152 mm)
(Suitable for Tata BS 6 Model Trucks)



RDS TRB 607

Rubber Torque Rod Bush
 (85 mm OD) (With Circlips) (Hole Dia 19 mm Round)
 (Hole to Hole Distance CD 130 mm)
 (Suitable for Leyland 2516, 4018 Series Trucks)



RDS TRB 608

Rubber Torque Rod Bush
(with Short Rod) (85 mm OD) (With Circlips)
 (Hole Dia 23 mm Round)
 (Hole to Hole Distance CD 130 mm)
 (Suitable for Bharat Benz)




RDS TRB 609

Rubber Torque Rod Bush
(with Long Rod) (85 mm OD) (With Circlips)
 (Hole Dia 21 mm Round)
 (Hole to Hole Distance CD 152 mm)
 (Suitable for Bharat Benz)



RDS TRB 610

Rubber V Rod Bush
 (102 mm OD) (With Circlips)
 (Hole Dia 25 mm Round)
 (Hole to Hole Distance CD 151 mm)
 (Suitable for Bharat Benz / Leyland U Truck)



RDS CP 611

Rubber V Stay Centre Bush
 (3 Straight Holes)
 (139 mm OD)
 (Suitable for Tata 2518, 2523 Hywa)



RDS CP 612

Rubber V Stay Centre Bush
 (3 Triangular Holes)
 (139 mm OD)
 (Suitable for Tata Signa / Eicher PRO)



180 mm

RDS CP 613

Rubber V Stay Centre Bush
(Set of 3 pcs)
(139 mm OD) (With Circlips)
(Suitable for Tata Prima 4923)



130 mm

90 mm

21 mm

RDS TRB 613

Rubber Torque Rod Bush
(90 mm OD) (With Circlips)
(Hole Dia 21 mm Round)
(Hole to Hole Distance CD 130 mm)
(Suitable for Mahindra Trucks)



130 mm

90 mm

19 mm

RDS TRB 624

Rubber Torque Rod Bush
(90 mm OD) (With Circlips)
(Hole Dia 19 mm Round)
(Hole to Hole Distance CD 130 mm)
(Suitable for Mahindra Trucks)




133 mm

95 mm

28 mm

RDS TRB 614

Rubber Torque Rod Bush
with Short Rod (95 mm OD) (With Circlips)
(Hole Dia 28 mm Round)
(Hole to Hole Distance CD 133 mm)
(Suitable for Eicher PRO)



150.5 mm

95 mm

28 mm

RDS TRB 615

Rubber Torque Rod Bush
with Long Rod (95 mm OD) (With Circlips)
(Hole Dia 28 mm Round)
(Hole to Hole Distance CD 150.5 mm)
(Suitable for Eicher PRO)



303 mm

100 mm

25 mm


RDS TRB 616

Rubber V Rod Bush
(100 mm OD) (With Circlips) (Double Hole Type)
(Hole Dia 25 mm Round)
(Suitable for Eicher PRO)



RDS TRB 617

Rubber Torque Rod Bush
(with Cut Mark) (92 mm OD)
(Hole to Hole Distance CD 125 mm)
(Suitable for Leyland Bus)



RDS TRB 618

Rubber Torque Rod Bush
(75 mm OD) (With Circlips)
(Hole Dia 21 mm Round)
(Hole to Hole Distance CD 151 mm)
(Suitable for Tata Signa / Prima)



RDS TRB 619

Rubber Torque Rod Bush Kit
(63 mm OD) (Set of 2 pcs)
(Suitable for Leyland 16 Wheeler)



RDS TRB 622

Rubber Torque Rod / V Rod Bush
(108 mm OD) (With Circlips)
(Hole Dia 25 mm Round)
(Hole to Hole Distance CD 165 mm)
(Suitable for Leyland BS 6 Models)



RDS TRB 623

Rubber Torque Rod Bush
(with Short Rod) (95 mm OD) (With Circlips)
(Hole Dia 21 mm x 24 mm Oval)
(Hole to Hole Distance CD 133 mm)
(Suitable for Eicher PRO)



*many more
to come*



RDS 276

Rubber Lift Axle Bush
(with Fixed Moulded Pin & 2 Washers)
(pipe ID 25 mm)



RDS 291

Lift Axle Bush (PU)
(with 1 Pin & 2 Washers)
(pin ID 25 mm)



RDS 276 A

Rubber Lift Axle Bush
(with Fixed Moulded Pin & 2 Washers)
(pipe ID 27 mm)



RDS 292

Lift Axle Bush (PU)
(with 1 Pin & 2 Washers)
(pin ID 27 mm)



RDS 277

Rubber Lift Axle Bush
(with Fixed Moulded Pin & 2 Washers)
(pipe ID 30 mm)



RDS 285

Rubber Lift Axle Bush
(16 Wheeler) (Heavy Duty)
(RSB Design)



RDS 288

Rubber Lift Axle Bush (Heavy Duty)
(16 Wheeler) (with Steel Pin & 2 Washers)
(Hendrickson Model)



RDS 280

Rubber Lift Axle Bush (AL)
(with Fixed Moulded Pin & 2 Washers)
(pipe ID 24 mm)



RDS 278

Lift Axle Bush AL (PU)
(with pin & 2 Washers)



RDS 278 A

Lift Axle Bush AL (PU)
(With 2 Washers)



RDS 290

Lift Axle Bush PU
(AL) (BS 6 Model)
(with Pin & 2 Washers)



RDS 284

Rubber Lift Axle Bush
(Heavy Duty)
suitable for Bharat Benz



RDS 281
Rubber Cabin Mounting
4923 (Right) with Bracket



RDS 282
Rubber Cabin Mounting
4923 (Left) with Bracket



RDS 283
Rubber Cabin Bush
(suitable for 4923 Signa)



RDS 289
Rubber Cabin Mounting
(Heavy Duty)
(suitable for Bharat Benz)



RDS 286
Rubber Cabin Mounting (LEFT)
(With Heavy Duty Bracket)
(suitable for Bharat Benz)



RDS 287
Rubber Cabin Mounting (RIGHT)
(With Heavy Duty Bracket)
(suitable for Bharat Benz)



RDS 184

Rubber Cabin Leaf Spring Mounting
Tata Signa (Heavy Duty)



RDS 189

Rubber Cabin Mounting Set
TC (Heavy Duty)
(with Nut Bolt & Washers)



RDS 279

Rubber Bogie Bush
(Trunion Bush)
(with Nylon Washer) (Heavy Duty)



RDS 293

Rubber Bogie Bush
(for BS 6 models) (Heavy Duty)

*many more
to come*



A Product of:

RAGHUNATH UDYOG

ISO 9001:2008 Certified

75, SSI Industrial Area,
G.T. Karnal Road, Delhi-110033 (India)
email : raghunathudyogmohit@gmail.com
www.propellershaftcomponents.in